



FOOTING DETAIL

1. FENCE LOCATIONS AND DIMENSIONS MUST BE IN ACCORDANCE WITH APPROVED ENGINEERING AND/OR LANDSCAPE PLANS.
2. ALL FENCING SCHEDULE 40 GALVANIZED, 50mm MESH, #9 GAUGE.
3. ALL HARDWARE TO BE HOT DIPPED GALVANIZED.
4. TIE WIRES - #9 GAUGE HARD ALUMINUM (REFERENCE 5052-H18-ASTM-BS11 FASTENERS).
5. THE TOP OF WIRE MESH SHALL BE KNUCKLED OVER SUCH THAT NO SHARP PROJECTIONS ARE VISIBLE OVER THE TOP RAIL.
6. MESH TO FACE INFIELD.
7. FOR LAYOUT OF BASEBALL INFIELD AND BACKSTOP SEE BSD-1260.
8. ALL DIMENSIONS ARE IN MILLIMETRES.
9. DETAIL TO BE USED IN CONJUNCTION WITH BSD-1260, BSD-1261, BSD-1262 AND BSD-1264.

The City of
BARRIE
STANDARD DETAIL

BASEBALL BACKSTOP DETAIL

REV No. 1
DATE: JUNE 2015
SCALE: N.T.S.

BSD-1263
FORMERLY BSD-69

APPROVED
DATE: June 11/15
.....*AMW*.....
DIRECTOR OF ENGINEERING