



FOOTING DETAIL

1. FENCE LOCATIONS AND DIMENSIONS MUST BE IN ACCORDANCE WITH APPROVED ENGINEERING AND/OR LANDSCAPE PLANS.
2. ALL FENCING SCHEDULE 40 GALVANIZED, 50mm MESH, #9 GAUGE.
3. ALL HARDWARE TO BE HOT DIPPED GALVANIZED.
4. TIE WIRES - #9 GAUGE HARD ALUMINUM (REFERENCE 5052-H18-ASTM-BS11 FASTENERS).
5. THE TOP OF WIRE MESH SHALL BE KNUCKLED OVER SUCH THAT NO SHARP PROJECTIONS ARE VISIBLE OVER THE TOP RAIL.
6. MESH TO FACE INFIELD.
7. FOR LAYOUT OF BASEBALL INFIELD AND BACKSTOP SEE P1260.
8. ALL DIMENSIONS ARE IN MILLIMETRES.
9. DETAIL TO BE USED IN CONJUNCTION WITH P1260, P1261, P1262 AND P1264.



## BASEBALL FIELD BACKSTOP

|         |                |
|---------|----------------|
| REV No. | DATE: APR 2023 |
| 2       | SCALE: N.T.S.  |

**P1263**