PHASE ONE ENVIRONMENTAL SITE ASSESSMENT 79 COLLIER STREET, BARRIE, ONTARIO

Prepared For:

Vitmont Holdings (Barrie) Inc. c/o Marydel Homes 100 Caster Avenue, Woodbridge, Ontario

Attention: Ms. Krystina Chang

Prepared By: SIRATI & PARTNERS CONSULTANTS LTD.



12700- Keele Street, King City ON L7B 1H5 Tel: (905) 833-1582

Fax: (905) 833-5360

www.sirati.ca

Project: SP20-666-00 August 19, 2020

TABLE OF CONTENTS

| 1.0 | EXECU | JTIVE SUMMARY | 1 |
|-----|-----------------|--|----|
| 2.0 | INTRO | DUCTION | 5 |
| 2.1 | Pha | se One Property Information | 5 |
| 2.2 | Con | tact Information | 6 |
| 2.3 | Site | Description. | 6 |
| 2.4 | Obj | ectives of Investigation | 7 |
| 3.0 | SCOPE | E OF INVESTIGATION | 8 |
| 4.0 | | RDS REVIEW | |
| 4.1 | Gen | eral | |
| 4 | 4.1.1 | Phase One Study Area Determination | |
| 4 | 4.1.2 | First Developed Use Determination | |
| 4 | 4.1.3 | Fire Insurance Plans | 10 |
| 4 | 4.1.4 | Chain of Title | 11 |
| 4 | 4.1.5 | Environmental Reports | 11 |
| 4 | 4.1.6 | Other Historical Information | 12 |
| 4.2 | Env | ironmental Source Information | 13 |
| 4 | 4.2.1 | National Pollutant Release Inventory Information | 13 |
| 4 | 4.2.2 | Environmental Compliance Approvals, Certificates and Permits | 13 |
| 4 | 4.2.3 | Environmental Incidents, Orders, Offences, Spills, Discharges or Inspections | 13 |
| 4 | 4.2.4 | Waste Management Records | 14 |
| 4 | 4.2.5 | Reports Submitted to the Ministry | 15 |
| 4 | 4.2.6 | Commercial Fuel Oil Tanks | 15 |
| 4 | 4.2.7 | Records of Site Condition | 15 |
| 4 | 4.2.8 | Other Database Listings | 16 |
| 4.3 | Phy | sical Setting Sources | 17 |
| 4 | 4.3.1 | Aerial Photographs | 17 |
| 4 | 4.3.2 | Topography, Hydrology, Geology | 17 |
| 4 | 4.3.3 | Fill Materials | 19 |
| 4 | 4.3.4 | Water Bodies, Areas of Natural Significance & Ground Water Information | 19 |
| 4 | 4.3.5 | Well Records | 19 |
| | 4.3.5.1 | Water and Test Wells | 20 |
| 4.4 | 4.3.5.2 Site | Oil, Gas, and Salt Wells | |
| 5.0 | | VIEWS | 21 |
| | | | |

| 5. | 1 Proj | perty Owner Representative | 21 |
|-----|--------------------|---|-----|
| 5 | 2 Reg | gulatory Correspondence | 21 |
| 6.0 | SITE R | RECONNAISSANCE | 23 |
| 6. | 1 Gen | neral Requirements | 23 |
| 6. | 2 Spe | cific Observations at Phase One Property | 23 |
| | 6.2.1 | Site Description | 23 |
| | 6.2.2 | General Description of Below-Ground Structures | 23 |
| | 6.2.3 | Tanks | 24 |
| | 6.2.3.1 6.2.3.2 | Underground Storage Tank | |
| | 6.2.3.3 | Aboveground Storage TankOther Storage Containers | |
| | 6.2.4 | Potable and Non-Potable Water Sources | |
| | 6.2.5 | Underground Utilities | |
| | 6.2.6 | Building Exit and Entry Points | 24 |
| | 6.2.7 | Heating Systems | 24 |
| | 6.2.8 | Cooling Systems | 25 |
| | 6.2.9 | Drains, Pits and Sumps | 25 |
| | 6.2.10 | Hydraulic Equipment | |
| | 6.2.11 | Unidentified Substances | 25 |
| | 6.2.12 | Stains or Corrosion on Floors Near Drains, Pits, Sumps, Cracks and Discharge Points | .25 |
| | 6.2.13 | Abandoned or Existing Wells | 25 |
| | 6.2.14 | Sewage Works | 25 |
| | 6.2.15 | Ground Surface Description | 25 |
| | 6.2.16 | Current or Former Railway Lines or Spurs | 26 |
| | 6.2.17 | Stained Soil, Vegetation or Pavement | 26 |
| | 6.2.18 | Stressed Vegetation | 26 |
| | 6.2.19 | Fill or Debris | 26 |
| | 6.2.20 | Potentially Contaminating Activities on the Site | 26 |
| | 6.2.21 | Chemical Inventory | 26 |
| | 6.2.22 | Liquid Chemical Waste Generation, Storage & Disposal | 26 |
| | 6.2.23 | Solids Waste Generation, Storage & Disposal | 26 |
| | 6.2.24 | Special Attention Items | 27 |
| | 6.2.25 | Odours | 27 |
| | 6.2.26 | Noise | 27 |
| | 6.2.27 | Watercourses, Ditches or Standing Water | 27 |
| | 6.2.28 | Air Emissions | 27 |

| (| 6.2.29 | Road, Parking Facilities and Rights of Way | 27 |
|------|--------------------|--|----|
| 6.3 | Enh | anced Investigation Property | 27 |
| (| 6.3.1 | Site Production and Manufacturing | 27 |
| (| 6.3.2 | Hazardous Materials | 27 |
| (| 6.3.3 | Products Manufactured | 28 |
| (| 6.3.4 | By-Products and Wastes | 28 |
| (| 6.3.5 | Raw Material Handling and Storage Locations | 28 |
| (| 6.3.6 | Drums, Totes and Bins | 28 |
| (| 6.3.7 | Oil/Water Separators | 28 |
| (| 6.3.8 | Vehicle and Equipment Maintenance | 28 |
| (| 6.3.9 | Spills | 28 |
| (| 6.3.10 | Liquid Discharge Points | 28 |
| (| 6.3.11 | Hydraulic Lifts | 28 |
| 6.4 | Inve | estigation of Phase One Study Area | 28 |
| (| 6.4.1 | Adjacent and Surrounding Properties | 28 |
| (| 6.4.2 | Water Bodies | 29 |
| (| 6.4.3 | Areas of Natural Significance | 29 |
| 6.5 | Wri | tten Description of Investigation | 29 |
| 7.0 | REVIE | W AND EVALUATION OF INFORMATION | 30 |
| 7.1 | Cur | rent and Past Uses | 30 |
| 7.2 | Pote | entially Contaminating Activities | 30 |
| 7.3 | Are | as of Potential Environmental Concern | 30 |
| 7.4 | Pha | se One Conceptual Site Model | |
| | 7.4.1 | CSM Figures | |
| | 7.4.2 | Description of Assessment | 31 |
| | 7.4.2.1 7.4.2.2 | Identify and Locate Areas Where any Potentially Contaminating Activity Has Occurred Identify and Locate any Areas of Potential Environmental Concern | |
| | 7.4.2.3 | Potential Underground Utilities to Affect Contaminant Distribution and Transport | 32 |
| | 7.4.2.4 7.4.2.5 | Regional or Site Specific Geological and Hydrological Information | |
| | 7.4.3 | Exemption Set out in Paragraph 1, 1.1 or 2 of Section 49.1 of the Regulation | |
| 8.0 | | LUSIONS AND RECOMMENDATIONS | |
| 9.0 | | RENCES AND SUPPORTING DOCUMENTATION | |
| 10.0 | GE | NERAL CONSIDERATIONS AND LIMITATIONS | 36 |
| 11.0 | SIG | NATURES | 37 |

TABLES

| Table 1: PCAs Identified within the Phase One Study Area | 3 |
|---|----|
| Table 2: APECs Identified on the Phase One Property | 4 |
| Table 3: Phase One Property Information | 6 |
| Table 4: Historical Business Directory Listings with Significant Environmental Concerns | 12 |
| Table 5: Aerial Photographs for the Phase One Property and the Adjacent Properties | 17 |
| Table 6: Topography, Geology and Physiography of the Phase One Study Area | 18 |
| Table 7: Site Reconnaissance Information | 23 |

FIGURES

| Figure | 1: | Site | Location | n | Map |
|--------|----|------|----------|---|-----|
| | | | | | |

- Figure 2: Conceptual Site Model
- Figure 3: PCAs on the Phase One Study Area
- Figure 4: APECs on the Phase One Property

APPENDICES

- A Legal Survey Plan
- B Photographic Record of the Site
- C Qualifications of Assessors
- D Fire Insurance Plans
- E Chain of Title
- F Historical City Directories
- G EcoLog ERIS Ltd. Report
- H Aerial Photographs
- I Maps
- J Regulatory Requests and Correspondences
- K Table of Current and Past Uses

1.0 EXECUTIVE SUMMARY

Sirati & Partners Consultants Ltd. (SIRATI) was retained by Vitmont Holdings (Barrie) Inc., c/o Marydel Homes ("the Client") to complete a Phase One Environmental Site Assessment (Phase One ESA) at the property located at 79 Collier Street, Barrie, ON (hereinafter referred to as the "Phase One Property" or the "Site").

The objective of this Phase One ESA was to determine the likelihood that contaminants affecting the Site are present on, in or under the property and to identify actual or potential contamination, which might pose a hazard to humans or the environment, or which may have a significant impact on the value of the Phase One Property.

This Phase One ESA is intended to support the filing of a Record of Site Condition (RSC) for the Phase One Property with the Ministry of Environment Conservation and Parks (MECP) for site plan approval purposes in accordance with the Ontario Regulation (O. Reg.) 153/04, as amended.

Information regarding the Phase One Study Area was compiled through a records review, site reconnaissance and interviews with individuals knowledgeable about the Site. The gathered information was evaluated and compiled in this Phase One ESA report.

This Phase One ESA was carried out in accordance with the O. Reg. 153/04, as amended. This Phase One ESA does not constitute an audit of environmental management practices, indicate geotechnical conditions or identify geologic hazards. Sampling and testing of potentially contaminated media were not within the scope of this Phase One ESA.

This report was prepared for the exclusive use of the Client. Any use of this report by any third-party, or any reliance on or decisions to be made based on it, are the responsibility of such parties. SIRATI accepts no responsibility for damages, if any, suffered by any third-party as a result of decisions made or actions based on this report. Full Report Limitations are provided in Section 11 of this report.

SIRATI carried out a visual inspection of the Phase One Property and other properties within the Phase One Study Area (the Site and properties within 250 m of the Site boundaries) on June 24, 2020.

The Phase One Property is developed as a parking lot. Adjacent to the east of the Site is Mulcaster Street, and to the north is Collier Street. The Grey & Simcoe Foresters – Regimental Museum is located along the southeast boundary of Phase One Property. SIRATI understands that the Phase One Property is proposed for the development of a 15 storey building with one (1) level of basement.

The Site is located on the southwest corner of Collier Street and Mulcaster Street, in the City of Barrie. The total area of the Site is approximately 0.41 acres. The Site is bounded by Collier Street to the north, a residential/commercial building to the south, a driveway and a residential/commercial building to the west, and Mulcaster Street to the east. The Phase One Study Area consists of residential, commercial, and institutional properties within the radius of 250 meters from the Site boundaries. This 250 m radius extends roughly to McDonald Street to the north, Simcoe Street to the south, Poyntz Street to the east, and Clapperton Street to the west.

Based on available physiography, geology and topography information, the Phase One Study Area is located in an area with a physiography of Simcoe Lowlands with a surficial geology of littoral deposits of sand, gravelly minor silt and clay, over bedrock of limestone, dolostone, shale, arkose and sandstone from the Shadow Lake Formation. These soils have a relative moderate to high permeability; hence, the Site is susceptible to contaminant migration from adjacent properties. According to the Bedrock Topography of Barrie Area map it is anticipated that the Bedrock is at an elevation of approximately 130 metres above mean sea level (mAMSL), approximately 100 metres below ground surface (mbgs).

According to the topographic maps, the inferred groundwater flow direction in the area is likely to flow towards the southeast in a similar manner as the topography of the area.

The interactive natural heritage area map, published by the Ministry of Natural Resources and Forestry (MNRF) (2015), indicates no areas of natural significance within the Phase One Study Area. No surface water, lagoon, or standing water was observed on the Phase One Property; Lake Simcoe is in the south portion of Phase One Study Area. A request made to the MECP indicated no records were located in their database regarding the Phase One Property.

The information, obtained through the records review, interview and Site Reconnaissance, identified eleven (11) potentially contaminating activities (PCAs) within the Phase One Study Area. The location of the PCAs are presented in Figure 3. Two (2) of these PCAs are considered to be areas of potential environmental concern (APECs) for the Site. The location of the APECs are presented in Figure 4.

The PCAs and APECs are listed on Tables 1 and 2 below.

Project: SP20-666-00
August 19, 2020
Phase One Environmental Site Assessment
79 Collier Street, Barrie, ON

Table 1: PCAs Identified within the Phase One Study Area

| | | | Location of | of PCA | | | Potentially Impacted |
|-----|--|----------------------------|--------------------------|--------------------------------------|--|---|--|
| | Potentially Contaminating Activity | On-site or off- site | Up- gradient (Y/N) | Proximity to Site | Source of Information | Considered an APEC | Media (Ground Water, Soil and/or Sediment) |
| (1) | #30. Importation of Fill Material of Unknown Quality across the Site. | On-Site | N/A | N/A | Site Reconnaissance (Section 6.2) | Yes. | Soil and Groundwater |
| (2) | (Other) Gasoline spill at the corner of Mulcaster Street and Collier Street | Off-Site | Y | Approximately 20 m NE of Site | Environmental source information (Section 4.2.3) | Yes | Soil and Groundwater |
| (3) | (Other) waste generation including pathological wastes, photo processing wastes and inorganic laboratory chemicals, at 75 Collier Street. | Off-Site | N | Adjacent west of Site | Environmental source information (Section 4.2.4) | No, due nature of regulated activity | N/A |
| (4) | (Other) waste generation including petroleum distillates, light fuels, paint/pigment/coating residues, inorganic laboratory chemicals, oil skimmings' & sludges, waste oils & lubricants, detergents/soaps, organic laboratory chemical, photprocessing wastes, waste compressed gases, acid waste-heavy metals, other inorganic acid wastes and alkaline wastes - other metals, at 70 Collier Street. | Off-Site | Y | Approximately 36 m N of Site | Environmental source information (Section 4.2.4) | No, due to nature of regulated activity (offices) | N/A |
| (5) | (Other) waste generation including photo-processing wastes, at 17 Mulcaster Street. | Off-Site | N | Approximately 47 m SE of Site | Environmental source information (Section 4.2.4) | No, due to inferred down -gradient location relative to the Site. | N/A |
| (6) | (Other) waste generation including alkaline wastes, at 57 Collier Street. | Off-Site | N | Approximately 76 m W of Site | Environmental source information (Section 4.2.4) | No, due to inferred cross -gradient location and distance relative to the Site. | N/A |
| (7) | #37. Operation of Dry Cleaning Equipment (where chemicals are used) | Off-Site | N | Approximately 100 m NE of Site | Other Historical Information (Section 4.1.6) | No, due to inferred cross-gradient location and the surface slope of the Site. | N/A |

| | | Location of | of PCA | | | Potentially Impacted | |
|---|----------|--------------------------|--------------------------------------|--|---|--|--|
| Potentially Contaminating Activity | | Up- gradient (Y/N) | Proximity to Site | Source of Information | Considered an APEC | Media (Ground Water, Soil and/or Sediment) | |
| (8) #49 Rail Yards, Tracks and Spurs | Off-Site | N | Approximately 150 m S of Site | | No, due to inferred down -gradient location and distance relative to the Site. | N/A | |
| (9) (Other) waste generation including waste oils and lubricants, at 114 Worsley Street. | Off-Site | N | Approximately 188 m NE of Site | Environmental source information (Section 4.2.4) | No, due to inferred cross -gradient location and distance relative to the Site. | N/A | |
| (10) #28. Gasoline and Associated Products Storage in Fixed Tanks. Presence of gasoline tank in Site Building | Off-Site | N | Approximately 250 m E of Site | Environmental source information (Section 4.2.4) | No, due to inferred cross -gradient location and distance relative to the Site. | N/A | |
| (11) #53. Tannery 87 and then 87–89 Collier Street 1942 and 1963 N.M Meyer Hides and Shins. Although the nature of the operations in not known, the potential does exist for tanning activities to have been undertaken at these locations. | Off-Site | N | Approximately 40 m E of Site | Environmental source information (Section 4.2.4) | No, due to inferred cross -gradient location and distance relative to the Site. | N/A | |

Table 2: APECs Identified on the Phase One Property

| Area of Potential Environmental Concern | Location of Area of Potential Environmental Concern on the Phase One Property | Potentially Contaminating Activity | Location of PCA (On-Site or Off-Site) | Contaminants of Potential Concern | Media Potentially Impacted (Ground Water, Soil and/or Sediment) |
|--|--|---|--|--|--|
| 1) APEC-1 | Entire Site | #30. Importation of Fill Material of Unknown Quality. | PCA#1 On-Site | Petroleum hydrocarbons (PHCs), polycyclic aromatic hydrocarbons (PAHs), polychlorinated biphenyls (PCBs), metals and inorganic parameters (As, Sb, Se, Na, B-HWS, Cl-, CN-, Cr-VI, Hg, low or high pH, EC and SAR) | Soil |
| 2) APEC-2 | Northeast portion of Site | (Other) Gasoline spill at the corner of Mulcaster Street and Collier Street | PCA#3 Off-Site | PHCs, Volatile Organic Compounds (VOCs) | Soil and Groundwater |

Based on the findings of the Phase One ESA, SIRATI recommends a Phase Two ESA to investigate the above APECs at the Site.

2.0 INTRODUCTION

Sirati & Partners Consultants Ltd. (SIRATI) was retained by Vitmont Holdings Inc., c/o Marydel Homes ("the Client") to complete a Phase One Environmental Site Assessment (Phase One ESA) at the property located at 79 Collier Street (hereinafter referred to as the "Phase One Property" or the "Site"). Figure 1 shows the Site Location.

The objective of this Phase One ESA was to determine the likelihood that contaminants affecting the Site are present on, in or under the property and to identify actual or potential contamination which might pose a hazard to humans or the environment, or which may have a significant impact on the value of the Phase One Property.

This Phase One ESA is intended to support the filing of a Record of Site Condition (RSC) for the Phase One Property with the Ministry of Environment Conservation and Parks (MECP) for site plan purposes in accordance with the Ontario Regulation (O. Reg.) 153/04, as amended.

SIRATI carried out this Phase One ESA in accordance with the scope of work detailed in SIRATI's proposal P20-04-131, dated April 24, 2020. The authorization for SIRATI to proceed with the Phase One ESA was given by Vito Montesando of Vitmont Holdings (Barrie) Inc.

This Phase One ESA was carried out in accordance with the O. Reg. 153/04, as amended. This Phase One ESA does not constitute an audit of environmental management practices, indicate geotechnical conditions or identify geologic hazards. Sampling and testing of potentially contaminated media were not within the scope of this Phase One ESA.

This report was prepared for the exclusive use of the Client. Any use of this report by any third-party, or any reliance on or decisions to be made based on it, are the responsibility of such parties. SIRATI accepts no responsibility for damages, if any, suffered by any third-party as a result of decisions made or actions based on this report. Full Report Limitations are provided in Section 10.0 of this report.

2.1 Phase One Property Information

The Phase One Property is located at the municipal address of 79 Collier Street, Barrie, Ontario. Figure 1 in shows the Site Location. A survey plan is provided in Appendix A. Selected Site photographs are included in Appendix B. The information for the Phase One Property is provided in the following Table 3:

Table 3: Phase One Property Information

| Municipal Address | Legal Description | Property Identification number (PIN) | Zoning | UTM Coordinates - Centre Point of the Site |
|----------------------------------|---|--|----------------------------|---|
| 79 Collier Street, Barrie, ON | Part Market Block on Plan 2 Barrie, Being Parts 2 to 6 on Plan 51R39976; Subject to an Easement over Part 2 ON Plan 51R39976 As In RO1167938; Subject to An Easement Over Part 6 On Plan 51R39976 As In SC1216519; Subject to an Easement in Gross Over Part 4 ON Plan 51R39976 As In SC1216520; City of Barrie | 58817-0421 (LT) | Central Area Commercial | Easting: 604663m Northing: 4916041 m. |

2.2 Contact Information

At the time of the Phase One ESA, the Site was owned by Vitmont Holdings (Barrie) Inc. The contact information is as follows:

Company Name: Vitmont Holdings (Barrie) Inc

Company Address: 100 Caster Avenue, Woodbridge, Ontario

Contact Name: Ben Murray
Contact Telephone: (416) 419-2829

Contact email: ben@marydelhomes.com

2.3 Site Description

The Site is irregular in shape with a total property area of 0.41 acres.

The Site is developed with a twenty-five (25) space grade level parking lot. The surface of parking lot was asphalt and grassed/vegetated areas are located to the north of the Site.

The overall topography of the Site slopes gently towards the southeast and is situated at an approximate elevation of 230 metres above mean sea level (mAMSL).

The Site is surrounded by the following properties:

North: Collier Street followed by offices

East: Mulcaster Street followed by retail businesses

Southeast: Regimental Museum (adjacent)

South: Driveway followed by Residential/Commercial properties

West: Residential/Commercial properties (adjacent)

2.4 Objectives of Investigation

The objectives of the Phase One ESA are to:

- Assess the environmental condition of the Phase One Property to develop a preliminary determination of the likelihood that one or more contaminants have affected any land or water on, in, or under the Phase One Property.
- Identify potentially contaminating activities within the Study Area (i.e., areas within 250 m of the Property's boundary).
- Determine the need for a Phase Two ESA.
- Provide a basis for carrying out any Phase Two ESA.
- Identify issues of obvious or potential environmental concern of the Property from the current and historical activities at the Phase One Property and Phase One Study Area.

3.0 SCOPE OF INVESTIGATION

This report was prepared by SIRATI for the Client. The Phase One ESA was executed in order to determine the likelihood that contaminants affecting the Site are present on, in or under the Phase One Property.

The Phase One ESA was completed in accordance with the O. Reg. 153/04, as amended.

The scope of work for this Phase One ESA included the following tasks carried out by SIRATI:

- Reviewed historical records of the past uses of the Site and adjacent lands through documentation
 including city directory searches and historical topographic maps from the Toronto Reference
 Library, aerial photographs from the Toronto Archives and fire insurance plans (FIPs) collection at
 the Toronto Reference Library, and Library and Archives Canada online collection;
- Reviewed geological, physiological and topographical maps of the Phase One Study Area;
- Obtained and reviewed a chain of title report for the Phase One Property;
- Obtained an EcoLog Environmental Risk Information Services Ltd. (ERIS) report for the Phase One Property and surrounding properties within 250 m radius from the Phase One Property boundaries;
- Carried out interviews with designated Site representative(s), as a resource for current and historical property information, with unrestricted access to all areas of the Site;
- Contacted municipal and provincial agencies to determine the existence of records of environmental regulatory non-compliance, if any, and reviewing such records where available;
- Carried out a Site reconnaissance in order to identify any land use practices that may have impacted the environmental condition of the Site;
- Carried out a reconnaissance of the surrounding properties from the Site and publicly accessible areas in order to identify any land use practices that could have potentially impacted the environmental condition of the Site;
- Completed an evaluation of the information from the above to determine potentially contaminating activities (PCAs), and preparing a Conceptual Site Model (CSM) to identify areas of potential environmental concern (APECs) for the Site; and,
- Prepared a phase One ESA report (this report) to document the findings of this investigation.

The scope of Phase One ESA did not include any intrusive investigations, including sampling, analysis or monitoring.

SIRATI has confirmed neither the completeness nor the accuracy of any of the records that were obtained or any of the statements made by others.

Although this report discusses designated substances and hazardous materials, the review was performed at a cursory level and for the Phase One Property as a whole. No sampling or analytical testing for designated substances and/or hazardous materials was performed. This report is not considered a designated

substance or hazardous materials survey or assessment. Recommendations made with respect to these items are provided as guidance only.

All activities of this Phase One ESA were completed under the supervision of the Qualified Person (QP), Bob Gordanifar, P. Eng., QP_{ESA and RA}, as defined by the O.Reg. 153/04, as amended. In addition, the QP prepared the Conceptual Site Model, in accordance with Part VII of the Regulation. The Phase One ESA work was carried out by Alice Gong and Bob Gordanifar, P. Eng., QP_{ESA and RA}. Appendix C includes the qualifications of SIRATI staff, who conducted the Phase One ESA.

4.0 RECORDS REVIEW

4.1 General

4.1.1 Phase One Study Area Determination

The default 250 m radius from the Phase One Property boundaries was selected for the Phase One Study Area. The QP for this Phase One ESA, determined that the conventional distance of 250 m from the Site boundaries was adequate for defining the Phase One Study Area for all records reviewed. This was based on the facts that the Site is located in an urbanized area and said radius would cover most potential environmental concerns.

The Site is located on the southwest corner of Collier Street and Mulcaster Street in the City of Barrie. The Phase One Study Area consists of commercial. residential and institutional properties within the default radius of 250 meters, from the Site boundaries. This default 250 m radius extends roughly to McDonald Street to the north, Simcoe Street to the south, Poyntz Street to the east, and Clapperton Street to the west.

The Phase One Study Area and property uses are shown on Figure 2.

4.1.2 First Developed Use Determination

According to the past uses of the Site, as summarized in Section 7.1 of this report, the earliest records available for former uses at the Site indicate that the Site was utilized for residential purposes.

According to the historical title search, the Phase One Property was historically listed under the addresses of 36 Mulcaster Street. The earliest listed owners of the Site were Council of District of Simcoe in 1846, and Corporation of the Town of Barrie in 1855, respectively.

Based on the 1871 and 1880 Historic Country Map of Simcoe County published by the Ontario Historic County Map Project of the University of Toronto, indicates that the Phase One Property was located in a developed area in Barrie at the time. Copies of the Maps are included in Appendix I.

The Site was redeveloped in the 1960s for parking lot.

4.1.3 Fire Insurance Plans

Fire Insurance Plans (FIPs) can provide detailed information regarding aboveground storage tanks (ASTs) and underground storage tanks (USTs), transformers, boilers, electrical rooms, changes in building locations, building additions, site re-development, utilities, and information on surrounding properties.

A search was completed through the City of Toronto Archives website for Fire Insurance Plans pertaining to the Phase One Study Area.

A FIP dated 1907 is included in Appendix D. A review of the FIP identified the following:

• Two (2) adjacent building with municipal addresses 79 and 81 Collier Street, containing the Fire Station, Police, Court and Council Chamber were located on the northwest portion of the Site.

• The adjacent property to the southeast of the Site had the address 36 Mulcaster Street and was used as an Armoury. Reportedly, due to the small size of the building, likely no bulk storage of ammunition was taken place at this property.

4.1.4 Chain of Title

A chain of title search was conducted for the Phase One Property. The Phase One Property has the PIN number: 58817-0421(LT) and was owned by public sectors from 1846 to 2020. The Phase One Property was transfer to the current owner, Vitmont Holdings (Barrie) Inc., in 2020.

The Chain of Title did not suggest any activities of potential environmental concern to the Phase One Property.

The Chain of Title report is included in Appendix E.

4.1.5 Environmental Reports

The following environmental reports, provided to SIRATI, by the Client, were reviewed:

- 1. "Phase I Environmental Site Assessment, 36 Mulcaster Street, Barrie, Ontario," prepared by Spice Environmental Inc, for EDEV Real Estate Advisors Inc, dated February 2015 (Spice Environmental 2015 Phase I ESA Report).
- "Phase II Environmental Site Assessment, 36 Mulcaster Street, Barrie, Ontario," prepared by PGL
 Environmental Consultants, for Grant Thornton Limited as Court Appointed Receiver of PACC
 Mulcaster Corporation, dated June 2019 (PGL 2019 Phase II ESA Report); and
- 3. "Soil Analytical Testing, 36 Mulcaster Street, Barrie, Ontario," prepared by V. A. Wood Associates Limited, for Edgecon Inc, dated April 8, 2016 (V.A. Woods 2016 Soil Analytical Testing Report)

Based on the SIRATI review of the above reports, a description of data, analysis and findings, relevant to the phase one environmental site assessment, such as the existence of an area of potential environmental concern, for each report is included below:

Spice Environmental 2015 Phase I ESA Report

According to this report, the Site had the municipal address of 36 Mulcaster Street at that time. The Site was occupied by a twenty-five (25) space grade level pay parking lot. Around 2,500 m³ of fill material have been placed on the Phase 1 Property. Based on the Phase 1 ESA, Potentially Contaminating Activities (PCAs) were identified on the entire Property as follow:

- #30. Importation of Fill Material of Unknown Quality (On-Site)
- #28. Gasoline and Associated Storage in Fixed Tanks (Off-Site)
- #53. Tannery (Off-Site)

The 2025 Phase I ESA considered PCA#30 to be an APEC for the Site and recommended a soil investigation.

PGL 2019 Phase II ESA Report

According to this report, six (6) boreholes were advanced and five (5) of them were completed as monitoring wells. Soil and groundwater results were compared to the Ontario Regulation (O.Reg.) 153/04 Table 2 Site Condition Standards (SCS).

Impacts of polycyclic aromatic hydrocarbon (PAHs), and metals parameters were identified in the fill material on the west side of the Site.

Groundwater samples were collected from two (2) out of five (5) monitoring wells. The results of the groundwater samples met the applicable Table 2 SCS for both industrial/commercial/community and residential/parkland/institutional land uses.

V. A. Woods 2016 Soil Analytical Testing Report

According to this report, six (6) samples were submitted for analysis for Petroleum hydrocarbons (PHCs), PAHs, and Metals and Inorganic parameters. The test results show that some of soil samples have elevated concentrations of PAHs, metals, and de-icing salt related parameters that exceed the MECP Table 1, 2 and 3 SCS.

4.1.6 Other Historical Information

The city directory search was conducted by EcoLog ERIS Ltd. for the Phase One Property and other properties within the Phase One Study Area. The city directories that available to view were dated from 1952 to 1999. Significant environmental concerns identified by directory search are included in Table 4 table below:

Table 4: Historical Business Directory Listings with Significant Environmental Concerns

| Municipal Address | Listing Year | Listing |
|---|------------------------------------|--|
| 36 Mulcaster Street- Site | 1999, 1982, 1974, 1966, 1961, 1952 | Barrie Farmer's Market |
| 55 Mulcaster Street - Property to the northeast of the Site | 1998 | A dry cleaner shop |
| 87 and then 87–89 Collier Street | 1942 and 1963 | N.M Meyer Hides and Shins. Although the nature of the operations in not known, the potential does exist for tanning activities to have been undertaken at these locations. |

The area surrounding the Phase One Property consists of mainly residential and commercial properties. The listings in the city directories identified the presence of historic dry cleaner shop in the Phase One Study Area. The properties at 55 Mulcaster Street were historically occupied by a dry cleaner shop. Based on the elevation of the property, the Property slopes towards west, so the property didn't present an environmental concern for the Site. The remaining listings are inferred to be located hydraulically down/cross-gradient relative to the Site, and thus are not expected to present significant environmental concern for the Site.

The other identified occupants are not considered to be potential environmental concern for the Site. Detail information of occupants within the Phase One Study Area is included in Appendix F.

4.2 Environmental Source Information

An Environmental Risk Information Services (ERIS) report was prepared by EcoLog ERIS Ltd. for the Phase One Property and other properties within the Phase One Study Area. The report details a search of federal, provincial and private sector databases to identify areas of potential environmental concern at the Phase One Property.

The following sub-sections summarize the findings of various databases included in the ERIS report for the Phase One Property and other properties within the Phase One Study Area. Due to restricted access, private databases were researched strictly as they appear in the EcoLog report.

The EcoLog ERIS Ltd. report is included in Appendix G.

4.2.1 National Pollutant Release Inventory Information

A search of the National Pollutant Release Inventory (NPRI) database, maintained by Environment Canada, dated 1993-2013, identified one (1) listings in the Phase One Study Area, as follows:

1. One (1) listing for Ontario Government Complex at 114 Worsley Street for the substance release of Sulphur dioxide, HFC-134a Hydrofluorocarbon and Nitrogen Oxides

4.2.2 Environmental Compliance Approvals, Certificates and Permits

A search of the MECP's "Certificates of Approval" (CA) (1985-October 2011), "Environmental Activity and Sector Registry" (EASR) (October 2011-October 2015), "Environmental Registry" (EBR) (1994-Jan 2016), "Environmental Compliance Approval" (ECA) (October 2011 – June 2015), "Non-Compliance Reports" (NCPL) (1994 – 2012), "Pesticide Register" (PES) (1988-June 2013) and "Permit to Take Water" (PTTW) (1994 – Jan 2016) databases did not identify any listings for the Phase One Property.

However, there are thirteen (11) CA listings for other properties within the Phase One Study Area. The above listings are not expected to present significant environmental concern for the Phase One Property any property on, under or adjacent to the Phase One Property.

4.2.3 Environmental Incidents, Orders, Offences, Spills, Discharges or Inspections

A search of the "Compliance and Convictions" (CONV) (1989 – June 2013), "Non-Compliance Reports" (NCPL) (1992[water only], 1994 – 2010), "Ontario Spills" (SPL) (1988 – August 2019) and the "Orders" (ORD) (1994 – July 2015) databases, maintained by the MECP, did not identify any listings for the Phase One Property.

However, there are fifty-four (54) SPL listings for other properties within the Phase One Study Area. Significant listings are listed as follows:

1. Two (2) listings for gasoline spill at the corner of Mulcaster Street and Collier Street, listed in 2007. An environmental impact was considered possible for one of the spill events.

4.2.4 Waste Management Records

Regulation 347 of the Revised Regulations of Ontario, 1990 (General — Waste Management), made under the of the Ontario EPA, defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. A search of the GEN (1986 – Jan 2020) database, maintained by the MECP did not identify any listings for the Phase One Property and any property on, under or adjacent to the Phase One Property.

However, fifty-three (53) GEN listings were identified for other properties within the Phase One Study Area, as follows:

- 1. Seven (7) listings for Altima Barrie Dental Centre at 75 Collier Street for the generation of pathological wastes, photo-processing wastes and inorganic laboratory chemicals, listed in 2012 to 2016.
- 2. Three (3) listing for City of Barrie Corporate Facilities at 37 Mulcaster Street for the generation of waste oils/sludges, listed in 2010 to 2019.
- 3. Eleven (11) listings for The Corporation of The City of Barrie at 70 Collier Street for the generation of petroleum distillates, light fuels, paint/pigment/coating residues, inorganic laboratory chemicals, oil skimmings' & sludges, waste oils & lubricants, detergents/soaps, organic laboratory chemical, photprocessing wastes, waste compressed gases, acid waste-heavy metals, other inorganic acid wastes and alkaline wastes other metals listed in 2003 to 2019.
- 4. Three (3) listings for Sprint Printing at 17B Mulcaster Street for the generation of photoprocessing wastes.
- 5. Three (3) listings for City of Barrie Engineering Department at 57 Collier Street for the generation of alkaline wastes.
- 6. Twelve (12) listings for Ontario Addiction Treatment Centres at 20 Owen Street for the generation of pathological wastes, listed in 2004 to 2020.
- 7. Eight (8) listings for The City of Barrie at 157 Dunlop Street East for the generation of halogenated solvents, listed in 2012 to 2019.
- 8. Ten (10) listings for the Abdel-Gaward Dentistry Professional Corporation at 50 Dunlop Street East for the generation of pathological wastes, inorganic laboratory wastes and photo-processing wastes, listed in 2013 to 2019.
- 9. Four (4) listings for the Ministry of Government Services at 114 Worsley Street for the generation of waste oils and lubricants, listed in 1989 to 1997.
- 10. Two (2) listings for City of Barrie at 31 Collier Street for the generation of waste oils/sludges, listed in 2018 to 2019.
- 11. Three (3) listings for Simcoe Muskoka District Health Unit at 24 Collier Street for the generation of pathological wastes, listed in 2012 to 2014.

12. Two (2) listings for Ministry of Correctional Services at 87 Mulcaster Street for the generation of pathological waste, listed in 1992 to 2001.

Due to close proximity (<100 m), the listings at 75 Collier Street, 70 Collier Street are of environmental concern for the Phase One Property. The remaining listings are not expected to present significant environmental concern the Phase One Property and any property on, under or adjacent to the phase one property, due to distance and/or inferred hydraulic cross-/down-gradient location.

A search of the "Ontario Regulation 347 Waste Receivers Summary" (REC) (1986-2016) database maintained by the MECP did not identify any listings for the Phase One Study Area.

4.2.5 Reports Submitted to the Ministry

To investigate reports submitted to the Ministry related to the environmental conditions of the Phase One Property and any property on, under or adjacent to the phase One Property, SIRATI carried out a search of the "Certificates of Property Use" (CPU) database and the "Wastewater Discharger Registration Database" (SRDS) database, maintained by the MECP.

The above search identified no listings for the Phase One Property or Phase One Study Area.

Furthermore, a search of the "Environmental Effects Monitoring" (EEM) (1992 – 2007), "Environmental Issues Inventory System" (EIIS) (1992 – 2001) and "Contaminated Sites on Federal Land" (FCS) (June 2000 – Nov 2019) databases, maintained by the Federal Government, did not include any listings for the Phase One Property. However, one (1) contaminated site listing was identified within the Phase One Study Area. One at 48 Owen Street for an office building listed. Initial testing was completed in 2011; no further work required. Thus, the listing is not expected to pose significant environmental concern for the Phase One Property.

4.2.6 Commercial Fuel Oil Tanks

The Commercial Fuel Oil Tanks (CFOT) is a database of underground fuel oil tanks obtained under the access of public information:

There were no records for the Phase One Property. However, two (2) commercial fuel oil tank listings were identified within the Phase One Study Area. Two at 168 Dunlop Street East for an active 800 L single wall steel UST listed.

The listings are inferred to be hydraulically cross-/down-gradient relative to the Site, and thus are not expected to pose significant environmental concern for the Phase One Property.

4.2.7 Records of Site Condition

The Record of Site Condition (RSC) database summarizes the environmental conditions of a property as determined by a QP, by conducting a Phase One ESA and where necessary, a Phase Two ESA, confirmatory sampling and risk assessment. Upon completion of the necessary environmental site assessments, a RSC for an assessed property can be filed with the MECP and added to the Environmental Brownfields Site

Registry database. This online publicly available database can be searched to identify what properties may have potential environmental concerns.

There were four (4) listings for other properties within the Phase One Study Area:

- One (1) listing at 90 Collier Street, listed in 2012.
- One (1) listing at 61 Owen Street, listed in 2020
- One (1) listing at 129 Collier Street, listed in 2020
- One (1) listing at 205 Dunlop Street East, listed in 2016.

4.2.8 Other Database Listings

The EcoLog ERIS Ltd. report's search of the "Abandoned Aggregate Inventory" (AAGR), "Aggregate Inventory" (AGR), "Abandoned Mine information System" (AMIS), "Chemical Register" (CHEM), "Canadian Mine Locations" (MINE), "Mineral Occurrences" (MNR), and the "Canadian Pulp and Paper" (PAP) databases did not identify any listings for the Phase One Study Area.

The "ERIS Historical Searches" (EHS) (1999 – March 2020) private database contains fifty-four (54) listings for other properties within the Phase One Study Area. Some of the listings are listed below:

- One (1) listing at 36 Mulcaster Street, listed in 2015.
- One (1) listing at 24 Mulcaster Street, listed in 2018.
- One (1) listing at 63 Collier Street, listed in 2013.
- One (1) listing at 110 Dunlop Street East, listed in 2019.
- Two (2) listings at 17 Mulcaster Street, listed in 2000 and 2015.
- One (1) listing at 130 Dunlop Street East, listed in 2000.
- Two (2) listings at 143, 145, 147 Dunlop Street East, listed in 2011 and 2012.
- Two (2) listings at 89 Collier Street, listed in 2007 and 2015.
- Two (2) listings at 149-153 Dunlop Street East, listed in 2017 and 2009.
- Two (2) listings at 140 Dunlop Street East, listed in 2019 and 2008.
- Two (2) listings at 49 Collier Street, listed in 2018 and 2020.
- One (1) listing at 80 Dunlop Street East, listed in 2017.

The "TSSA Historic Incidents" (HINC) database identified three (3) listings for other properties within the Phase One Study Area:

- One (1) listing at 100 Dunlop Street for a natural gas pipeline strike, listed in 2008.
- One (1) listing at 47 Collier Street for a natural gas pipeline strike, listed in 2007.
- One (1) listing at 67 McDonald Street for a liquid petroleum spill, listed in 2009.

The "Scott's Manufacturing Directory" (SCT) database identified seven (7) listings for properties within the Phase One Study Area:

- One (1) listing at 65 Collier Street for professional machinery, equipment and supplies wholesale, listed in 1984.
- One (1) listing at 17B Mulcaster Street for commercial printing, listed in 1982.
- One (1) listing at 143 Dunlop Street East for commercial printing, listed in 1988.
- One (1) listing at 123 Dunlop Street East for glass product manufacturing, listed in 1979.
- One (1) listing at 107 Dunlop Street East for breweries, listed in 2004.
- One (1) listing at 53 Owen Street
- One (1) listing at 24 Dunlop Street East for newspapers: publishing or publishing and printing.

The above listings are not expected to present any significant environmental concern to the Phase One Property, due to the type of activity, distance and/or inferred hydraulic cross-/down-gradient location.

4.3 Physical Setting Sources

4.3.1 Aerial Photographs

Aerial photographs provide a visual chronology of previous land uses and activities on the Site and other properties within the Phase One Study Area. Historic aerial photographs, dated from 1954 to 2018, were available for review and reproduction from the City of Barrie Archives and Google Earth. The development and land use history of the Phase One Property and the properties adjacent to the Phase One Property are summarized on Table 5 below:

Table 5: Aerial Photographs for the Phase One Property and the Adjacent Properties

| Year | Phase One Property | Adjacent Properties |
|---------------------------|---|--|
| 1954 | Site appears to be vacant (cannot glean details from photograph). | Adjacent properties appear to be developed. Collier Street and Mulcaster Street had been developed. |
| 1989 | Site is developed as a parking lot. | The adjacent property to the north and south have been developed with the current building structures. |
| 1997, 2002, 2012, 2018 | No significant change from 1989 photographs. | No significant change from 1989 photographs. |

Copies of the aerial photographs are included in Appendix H.

4.3.2 Topography, Hydrology, Geology

The Phase One Property is located in UTM Zone 17, with approximate coordinates at the centre of the Site of Easting 604663 m and Northing 4916041 m. Maps detailing geology, physiography and topography for the Phase One Study Area were reviewed from the following sources: EcoLog ERIS Ltd., the Ontario Geological Survey map publications on the Ontario Ministry of Northern Development and Mines website (via Google Earth) and the Toronto Reference Library. Copies of the maps are included in Appendix I.

The information provided in the maps are shown in Table 6 below.

Table 6: Topography, Geology and Physiography of the Phase One Study Area

| Map | Map Source | Findings |
|-----------------------|--|--|
| Surficial Geology | Ontario Ministry of Northern Development and Mines website, available for viewing via OGS Earth (on Google Earth) - Surficial Geology of Southern Ontario, 2010. Ontario Ministry of Northern Development and Mines website, available for viewing via OGS Earth (on Google Earth) - Ontario's Quaternary Geology Map (2000). | The Phase One Study Area is located in a region of glaciomarine deposits (sand, gravel, minor silt and clay). These soils may range from moderate to high permeability. |
| Physiography | Ontario Ministry of Northern Development and Mines website, available for viewing via OGS Earth (on Google Earth) - Physiography of Southern Ontario 2007. | The overburden in the Phase One Study Area is derived from Simcoe Lowlands. |
| Bedrock Geology | Ontario Ministry of Northern Development and Mines website, available for viewing via OGS Earth (on Google Earth) - Bedrock Geology of Ontario, 2011 - MRD 126. Ontario Ministry of Northern Development and Mines website, available for viewing via OGS Earth (on Google Earth) - Bedrock Topography and Overburden Thickness - MDR 207. Ontario Well Records - interactive well record map, 2016. | Bedrock is comprised of limestone, dolostone, shale, arkose and sandstone from the Shadow Lake Formation. The bedrock is at an approximate elevation of 130 metres above mean sea level (mAMSL), approximately 100 mbgs. |
| Surface Topography | EcoLog ERIS Ltd: Ontario Base Map; Ontario Ministry of Natural Resources - Surveys and Mapping Branch, 2010. Google Earth - Elevation Profile provided by NASA's Shuttle Radar Topography Mission (SRTM), not dated. Atlas of Canada - Toporama website, Topographic Map dated 2015. | The Phase One Property lies at an approximate elevation of 230 mAMSL. The Phase One Property slopes gently towards southeast. |

Topographic maps provide information about the topographic features of the Phase One Property and its physical setting, including features such as ground elevation contours, spot elevations, wetlands, surface water bodies, roadways, railways, mines, and historical buildings and structures. They identify that the general topography of the area has not changed significantly throughout the years. Furthermore, the soil and geology of the Phase One Study Area discussed in Table 6 above identifies that the soils may range from moderate to high permeability.

Based on topographic features and knowledge gained from other properties in the area, the regional groundwater flow direction is expected to be to the southeast towards Lake Simcoe, situated approximately 190 m southeast of the Site. Locally, the shallow ground water flow may be influenced by underground

utility trenches, conduits, and structures, variations in soil type, and minor fluctuations in topography. No surface water, lagoon, or standing water was observed on the Phase One Study Area.

The "Borehole" (BORE) (1875 – July 2014) database includes borehole information from many sources, including the Ministry of Transportation (MTO) and the Ontario Geological Survey (OGS), the Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database. The EcoLog ERIS report did not identified any listings, in the above databases, for the Phase One Study Area.

Copies of the Maps including Ontario Base Map from the EcoLog ERIS report, the topographic maps from the Atlas of Canada and the Toronto Reference Library, Surface Geological Map and Bedrock Geological Map from the Ontario Ministry of Northern Development and Mines website are included in Appendix I.

4.3.3 Fill Materials

Areas of fill may be recognized by unusual surface formations or unnatural topography. Fill material from construction or demolition activities often differs in colour, texture, and drainage properties from native soils, and may include such things as construction debris, municipal solid waste, or industrial waste products such as slag, cinders or ash.

Based on the site dimensions and average grade difference with the adjacent lands, there is a potential for fill material of unknown environmental quality could have been used in the original site development and below the asphalt parking lot.

4.3.4 Water Bodies, Areas of Natural Significance & Ground Water Information

To assess the presence of water bodies and areas of natural significance, a Ministry of Natural Resources and Forestry's Natural Heritage Map was reviewed. Surface water is present on the south portion of the Phase One Study Area.

A review of the interactive natural heritage area map published by the Ministry of Natural Resources and Forestry (MNRF) (2015) identified no areas of natural significance within the Phase One Study Area. A copy of the natural heritage area map is included in Appendix I.

A review of the source water intake map of City of Barrie determined that the Site is located in Well Head Protection Area "B, This means it will two (2) years for surface water to infiltrate the subsurface and migrate to a potential drinking water well.

The properties within the Phase One Study Area, including the Phase One Property, are serviced by municipal water.

4.3.5 Well Records

Well records can be useful in determining the hydrogeological and geological characteristics of the Phase One Study Area by providing information on the stratigraphy of the overburden from ground surface to bedrock, as well as the approximate depths to the bedrock and the water table.

4.3.5.1 Water and Test Wells

The "Water Well Information System" (WWIS) is a provincial database that covers well records data from 1899 - 2019. The database describes locations and characteristics of water wells found in Ontario in accordance with Ontario Regulation 903. A search of the WWIS database through the EcoLog ERIS report and the MECP online database has identified 25 well records within the Phase One Study Area. None of the records are related to the Phase One Property.

Details of depth, construction, and locations of these wells are illustrated in the EcoLog ERIS report in Appendix G.

4.3.5.2 Oil, Gas, and Salt Wells

A search of the Oil, Gas and Salt Resources database by EcoLog ERIS did not find any wells within the Phase One Study Area.

4.4 Site Operation Records

Site operating records must be reviewed where the Phase One Property is an enhanced investigation property as defined under the O. Reg. 153/04, as amended: (a) the property was used at any time, in whole or in part, for an industrial use; or (b) used at any time, in whole or in part, for any of the following commercial uses:

- i. As a garage;
- ii. As a bulk liquid dispensing facility, including a gasoline outlet; and
- iii. For the operation of dry-cleaning equipment.

There are no historical records that indicate that the Site was used for any of the above purposes. As such, the Phase One Property is not considered an Enhanced Investigation Property.

5.0 INTERVIEWS

5.1 Property Owner Representative

On-site interviews with individuals knowledgeable about the history and use of the Phase One Property can identify details that might not be obtainable from a review of historical records.

Alice Gong of SIRATI interviewed Ms. Krystina Chang, Site Development Manager, to obtain details on the Site, on June 8, 2020. Ms. Krystina indicated that the Site is currently a parking lot.

The results of the interview are summarized according to the information obtained from the completed Phase One ESA Questionnaire Form:

- The property was purchased in April 2020, and the site is currently a parking lot.
- There were no activities occurring on Site, which were related to industrial operations, dry cleaning, fuel distribution or storage, vehicle servicing and/or maintenance.
- No operations which involve storage and/or use of environmentally sensitive or hazardous products occur on Site.
- There are no herbicides, pesticides or other agricultural chemicals being used on the properties.
- There are no underground structures, such as in-ground hoists, pits, storage tanks, or oil/water separators located on the properties.
- There was no existing or previous fuel storage tank or related leaks/spills or removal and remediation on the Site.
- There were no issues related to PCBs occurring on Site.
- There was no waste generation or emission at the Site. The Owner is not sure if an old decommissioned septic tank is present on Site.
- No environmental site assessment or required soil and/or groundwater remediation took place on Site.
- There was no violation or possible violation of environmental laws which was investigated or cited for the property.

A copy of the completed interview questionnaire is included in Appendix J.

5.2 Regulatory Correspondence

A formal request was made on July 7, 2020 to the MECP for the release of any information they may have on file regarding the presence of any waste disposal sites, industrial discharges, sewer use violations or other environmental problems in the area, and any issuance of orders to comply against the Phase One Property.

Upon receipt of the MECP response the Client will be informed if this information has any impact on the conclusions of this Phase One ESA report.

In addition, Email correspondence with the Technical Standards and Safety Authority (TSSA) was carried out. Email correspondence with the Technical Standards and Safety Authority (TSSA) identified no record

of an active tank at the Site.

Appendix J includes a copy of the regulatory requests and correspondences.

6.0 SITE RECONNAISSANCE

6.1 General Requirements

The purpose of the Site reconnaissance was to determine if APECs exist, through observations about current and past uses and PCAs on, in or under the Phase One Property and within the Phase One Study Area, as well as to identify potential contaminant pathways. Interior and exterior observations of the Phase One Property and surrounding properties were carried out. The exterior observations were recorded by walking over the grounds surrounding the building on the Site. Adjoining properties and properties within the Phase One Study Area were observed from the Phase One Property and public accessible roadways. The following Table 7 includes information regarding the site reconnaissance:

Table 7: Site Reconnaissance Information

| Date of Investigation: | June 24, 2020 |
|--|--------------------|
| Time of Investigation: | 9 am -10 am |
| Weather Conditions: | Cloudy, 25°C |
| Duration of Investigation: | ~1 hour |
| Was the facility operating? | Yes, a parking lot |
| Name and Qualification of Person(s) conducting the site reconnaissance | Alice Gong, B.Sc. |
| Limitations | No |

6.2 Specific Observations at Phase One Property

6.2.1 Site Description

The Phase One Property is located on the southwest corner of Collier Street and Mulcaster Street in the City of Barrie. The total area of the Phase One Property is approximately 0.41 acres. The Phase One Property is currently developed with a twenty-five (25) space grade level parking lot. Photographs taken during the site visit and the accompanying descriptions are presented in Appendix B.

The Site is surrounded by the following properties:

North: Collier Street followed by offices

East: Mulcaster Street/ followed by retail businesses

Southeast: Regimental Museum (adjacent)

South: Driveway followed by Residential/Commercial properties

West: Residential/Commercial properties (adjacent)

6.2.2 General Description of Below-Ground Structures

During the site reconnaissance, the Site is developed with a twenty-five (25) space grade level parking lot, no below-ground structures was observed.

6.2.3 Tanks

6.2.3.1 <u>Underground Storage Tank</u>

During the site reconnaissance, no underground storage tanks (USTs) or indications of fuel storage tanks were observed at the Site.

6.2.3.2 Aboveground Storage Tank

During the site reconnaissance, no aboveground storage tanks (ASTs) or indications of fuel storage tanks were observed at the Site.

6.2.3.3 Other Storage Containers

During the site reconnaissance, some storage containers of soil cutting from previous drilling events were observed at the southwest corner of Phase One Property. No concerns were identified.

6.2.4 Potable and Non-Potable Water Sources

The City of Barrie supplies the Site with potable water. It is expected that the properties within the Phase One Study Area are serviced by the municipal drinking water as well as sanitary and storm water systems. No water well was observed on the Phase One Property during the site visit.

6.2.5 Underground Utilities

The inspection of the Phase One Property indicated the following information related to utility services:

- A hydro pole with overhead lines was observed to be located along north property boundary of the Phase One Property.
- Sign indicating the presence of an Enbridge natural gas line were observed along the southeast property boundary.
- Three (3) catch basins were observed on the Phase One Property.
- At the time of the site visit, utility markings for hydro, water and natural gas were noted on the south and west portion of the property.

Based on the above noted features, underground utilities such as electricity, water and natural gas or other service lines would be anticipated to be present on the Phase One Property. However, the exact locations should be confirmed by the utility locators.

6.2.6 Building Exit and Entry Points

There is no building on the Site at the time of the site reconnaissance.

6.2.7 Heating Systems

No heating system was observed at the Phase One Property.

6.2.8 Cooling Systems

No cooling system was observed at the Phase One Property.

6.2.9 Drains, Pits and Sumps

Visual observations of the catch basins, floor drains and sump pits at the Phase One Property can provide visual or olfactory evidence of contamination.

Catch basins can be conduits for the migration of contaminants from the Phase One Property, especially when storm water runoff flows across a spill or hazardous waste storage area before discharging to the catch basin. Furthermore, drains and sumps may have been used to discharge hazardous wastes, particularly when located near manufacturing, processing, or hazardous material storage areas.

No sumps/pits were observed at the site. The catch basins observed on the Phase One Property appeared to be in good condition; no odours were noted and no oily sheen on the water surfaces were present.

6.2.10 Hydraulic Equipment

No hydraulic equipment was identified at the Phase One Property, during the Site reconnaissance.

6.2.11 Unidentified Substances

No unidentified substances were present at the Phase One Property at the time of the Site reconnaissance.

6.2.12 Stains or Corrosion on Floors Near Drains, Pits, Sumps, Cracks and Discharge Points

No significant stains or corrosions were observed on floors, close to drains, pits, sumps, cracks or other potential discharge locations, at the Phase One Property during the Site reconnaissance.

6.2.13 Abandoned or Existing Wells

Improper well construction and the failure to carry out routine preventative maintenance on wells can often result in contamination of the groundwater. Unplugged, abandoned water wells may constitute a hazard to public health and safety, and may provide a conduit for the downward migration of contaminants to the groundwater.

During the site visit, three (3) flush-mount type monitoring wells, were observed at the Site. Based on the MECP water well records, no water well was recorded for the Phase One Property.

6.2.14 Sewage Works

The Phase One Property and the surrounding area are serviced by the City of Barrie municipal sanitary and storm sewer systems. Industrial wastewater is not generated at the Phase One Property.

6.2.15 Ground Surface Description

The ground surface at the Phase One Property is covered with asphalt and concrete pavements, as well as other hard and soft landscaping features.

6.2.16 Current or Former Railway Lines or Spurs

The 1880 Ontario based map indicates that a railway track was located approximately 150 m south of the Phase One Property. A copy of Map is included in Appendix I.

During the Site reconnaissance, there was no evidence of current or former railway lines or spurs on the Phase One Property.

6.2.17 Stained Soil, Vegetation or Pavement

Various types of raw or waste materials may discolour soil directly or through the precipitation of chemicals in the soil. Chemical contaminants in runoff or discharge can stain concrete pavements.

No significant stains were observed at the Phase One Property during the Site reconnaissance.

6.2.18 Stressed Vegetation

No stressed vegetation was observed at the Site as well at the Phase One Property during the Site reconnaissance.

6.2.19 Fill or Debris

Areas of fill may be recognized by unusual surface formations or unnatural topography. Fill material from construction or demolition activities often differs in colour, texture, and drainage properties from native soils, and may include such things as construction debris, municipal solid waste, or industrial waste products such as slag, cinders or ash.

Based on the Site dimensions and average grade difference with the adjacent lands, there is a potential that fill material of unknown environmental quality could have been used in the original Site development.

6.2.20 Potentially Contaminating Activities on the Site

During the Site Reconnaissance, there was no evidence of on-going activities at the Site that would be considered potentially contaminating activities for the Phase One Property.

6.2.21 Chemical Inventory

During the Site Reconnaissance, no chemicals were observed at the Site.

6.2.22 Liquid Chemical Waste Generation, Storage & Disposal

No concerns regarding liquid waste generation, storage and disposal were observed, during the Site reconnaissance.

6.2.23 Solids Waste Generation, Storage & Disposal

No special or hazardous solid industrial wastes are generated at the Phase One Property. The Phase One Property is not currently registered as a generator of special or hazardous solid industrial wastes.

6.2.24 Special Attention Items

Special attention items include designated substances and hazardous materials that may be present in the building materials. There is not building on the site and no possibility of any designated substances or hazardous building material.

6.2.25 Odours

No chemicals or other odours were detected during the Site reconnaissance.

6.2.26 Noise

No unusual/excessive noise was detected at the Phase One Property during the Site reconnaissance.

6.2.27 Watercourses, Ditches or Standing Water

During the site visit, no watercourses, ditches or standing water was observed on the Phase One Property.

6.2.28 Air Emissions

At the time of the site visit, there is no structure at the Site designated to release gases into atmosphere.

6.2.29 Road, Parking Facilities and Rights of Way

Access to the Phase One Property is provided from designated paved driveway from Mulcaster Street, east of the Site.

6.3 Enhanced Investigation Property

A Site is considered an Enhanced Investigation Property, as per the O. Reg. 153/04,

"if the property is used, or has ever been used, in whole or part, for an industrial use or for any of the following commercial uses (i) as a garage; (ii) as a bulk liquid dispensing facility, including a gasoline outlet, or (iii) for the operation of dry cleaning equipment."

There are no historical records that indicate that the Site was used for any of the above purposes. As such, the Phase One Property is not considered an Enhanced Investigation Property.

6.3.1 Site Production and Manufacturing

The Site is currently occupied by a commercial parking lot. No production or manufacturing occurs at the Stie.

6.3.2 Hazardous Materials

No hazardous materials were identified during the Site reconnaissance.

6.3.3 Products Manufactured

The Site is currently occupied by a commercial parking lot. No production or manufacturing occurs at the Stie.

6.3.4 By-Products and Wastes

No industrial by-products or wastes are generated at the Site.

6.3.5 Raw Material Handling and Storage Locations

No raw materials were identified during the Site reconnaissance.

6.3.6 Drums, Totes and Bins

Metal drums containing soil from a previous drilling activity are present at the Site. The metal drums appear to be in good condition.

No totes or bins were identified during the Site reconnaissance.

6.3.7 Oil/Water Separators

No oil/water separators were identified during the Site reconnaissance.

6.3.8 Vehicle and Equipment Maintenance

No vehicle or equipment maintenance activities were present on the Phase One Property.

6.3.9 Spills

Reportedly, there have been no spills or occurrence of other environmental incidents on the Phase One Property.

6.3.10 Liquid Discharge Points

No liquid discharge points, or generation of industrial wastewater, were observed during the Site reconnaissance.

6.3.11 Hydraulic Lifts

Based on Site observations and interviews, no hydraulic lifts have ever been present at the Site.

6.4 Investigation of Phase One Study Area

6.4.1 Adjacent and Surrounding Properties

A visual inspection of the adjacent properties and properties within 250 m of the Site was carried out from publicly accessible areas to identify the occupants and document the uses and sources of potential environmental concerns that may impact the Site.

The conditions of the adjacent properties were observed from the public accessible roadways and the Phase One Property at the time of the Site reconnaissance. The findings of the visual reconnaissance of the adjacent properties are shown in the photographs included in Appendix B

The Site is surrounded by the following properties:

North: Collier Street followed by offices

East: Mulcaster Street followed by retail businesses

Southeast: Regimental Museum (adjacent)

South: Driveway followed by Residential/Commercial properties

West: Residential/Commercial properties (adjacent)

6.4.2 Water Bodies

Naturally occurring surface waters such as rivers, streams, lakes, ponds, or wetlands may be significant because they are potential waste discharge points and may provide a conduit for off-site contaminants to migrate on-site or vice-versa.

No naturally occurring water bodies are located on the Phase One Property. The Lake Simcoe is in the south portion of Phase One Study Area.

6.4.3 Areas of Natural Significance

As previously mentioned in Section 4.3.4, a review of the interactive natural heritage area map published by the Ministry of Natural Resources and Forestry (MNRF) (2015), identified no areas of natural significance within the Phase One Study Area. Furthermore, no land that would be an area of natural significance was observed in the Phase One Study Area, during the Site reconnaissance.

6.5 Written Description of Investigation

The site reconnaissance was conducted by SIRATI personnel on June 24, 2020 and included a walking tour and inspection of the Phase One Property Written and photographic records regarding the condition of the Phase One Property and Study Area were compiled.

In areas of the Phase One Study Area, not covered by buildings or structures, observations were made of the surrounding properties within Phase One Study Area, from publicly accessible areas, for any signs of stained soil, vegetation or pavement, stressed vegetation, ASTs, evidence of USTs, water supply wells, and any potentially contaminating activities.

Copies of Site reconnaissance and interview notes were outlined throughout this Report. In summary, the Site reconnaissance and related inquiries identified the following areas of concern:

• Fill Materials may have been placed on the Phase One Property to create the level site grade extending westwards from Mulcaster Street.

7.0 REVIEW AND EVALUATION OF INFORMATION

7.1 Current and Past Uses

The current and past uses of the Phase One Property were determined based on from a chain of title (Section 4.1.4), aerial photographs (Section 4.3.1), and other historical records reviewed including the property use records (Section 4.1.6).

The Phase One Property was likely used for agricultural purpose since it was transferred to the first individual owner in 1846. Historic maps dated 1871 and 1880 indicate that the site was developed at the time. A FIP dated 1907 shows that the Site was occupied by a fire station, police and court and council chamber. The Phase One Property had been used for parking lot since the 1960s.

Table of current and past uses of the Phase One Property is included in Appendix K.

7.2 Potentially Contaminating Activities

Based on the information obtained by the aerial photographs (Section 4.3.1), property use records (Section 4.1.6), previous reports (Section 4.1.5), environmental source information (Section 4.2), interview (Section 5.0) and Site Reconnaissance (Section 6.0) indicate several activities that are considered to be PCAs, as defined by Table 2 of Schedule D of the O. Reg. 153/04, and are summarized in Table 1 in Executive Summary. These PCAs have historically been or are currently located within the Phase One Study Area. The column identifying the PCAs as being up-gradient (Y/N) refers to the inferred southeast groundwater flow direction in the area relative to the Phase One Property. A comprehensive list of PCA types and locations present in the Phase One Study Area are shown on Figure 5.

7.3 Areas of Potential Environmental Concern

Details of the APECs identified on the Phase One Property are outlined in Table 2 in Executive Summary. List of APECs is included on Figure 6

7.4 Phase One Conceptual Site Model

7.4.1 CSM Figures

Figures 1 to 4 show the following information:

- i. Existing buildings and structures on the Phase One Study Area
- ii. Water bodies on the Phase One Study Area
- iii. Areas of natural significance on the Phase One Study Area
- iv. Site location map, showing roads, including names on the Phase One Study Area
- v. Uses of properties adjacent to the Phase One Property
- vi. PCAs on the Phase One Study Area
- vii. APECs on the Phase One Property

7.4.2 Description of Assessment

This Phase One Conceptual Site Model is prepared as part of a Phase One Environmental Site Assessment (Phase One ESA) for the property located at 79 Collier Street, Barrie, Ontario (hereinafter referred to as the "Phase One Property" or the "Site").

Based on the records review, the Phase One Property has been used for mixed institutional/commercial purposes since the early 1907. At the time of the Site reconnaissance, the Phase One Property was developed as a parking lot. Adjacent to the east of the Site is Mulcaster Street, and to the north at Collier Street. The Grey & Simcoe Foresters – Regimental Museum is located along the southeast boundary of Phase One Property. SIRATI understands that the Phase One Property is proposed for the development of a 15 storey building with one (1) level of basement. SIRATI understands that the Phase One Property is proposed for the development of a 15 storey residential building with one (1) level of basement.

The Phase One Property is approximately 0.41 acres in area and is located on the southwest corner of Collier Street and of Mulcaster Street, City of Barrie. The municipal address of the Phase One Property is 79 Collier Street. The Property Identification Number of the Phase One Property is 58817-0421(LT). The legal description of the Phase One Property is:

Part Market Block on Plan 2 Barrie, Being Parts 2 to 6 on Plan 51R39976; Subject to an Easement over Part 2 ON Plan 51R39976 As In RO1167938; Subject to An Easement Over Part 6 On Plan 51R39976 As In SC1216519; Subject to an Easement in Gross Over Part 4 ON Plan 51R39976 As In SC1216520; City of Barrie.

The Site is surrounded by the following properties:

North: Collier Street followed by offices

East: Mulcaster Street/ followed by retail businesses

Southeast: Regimental Museum (adjacent)

South: Driveway followed by Residential/Commercial properties

West: Residential/Commercial properties (adjacent)

7.4.2.1 Identify and Locate Areas Where any Potentially Contaminating Activity Has Occurred

Eleven (11) Potentially Contaminating Activities (PCAs) were identified at the Phase One Property and at properties within the Phase One Study Area based on the records review, interviews, and Site reconnaissance. The PCAs identified within the Phase One Study Area are listed in Table 1 in Executive Summary of this report.

7.4.2.2 Identify and Locate any Areas of Potential Environmental Concern

Two (2) of the PCAs identified at the Phase One Property and Phase One Study Area are considered to cause Areas of Potential Environmental Concern (APECs) at the Phase One Property. These two (2) APECS are included in Table 2 in Executive Summary of this report.

The locations of the PCAs and APECs are shown on Figure 3.

7.4.2.3 Potential Underground Utilities to Affect Contaminant Distribution and Transport

At the time of the assessment, the Phase One Property was occupied by a parking lot. No other subsurface structures or underground utilities were observed or expected at the Phase One Property.

7.4.2.4 Regional or Site Specific Geological and Hydrological Information

Based on available physiography, geology and topography information, the Phase One Study Area is located in an area with a physiography of Simcoe Lowlands with a surficial geology of littoral deposits of sand, gravelly minor silt and clay, over bedrock of limestone, dolostone, shale, arkose and sandstone from the Shadow Lake Formation. These soils have a relative moderate to high permeability; hence, the Site is susceptible to contaminant migration from adjacent properties. According to the Bedrock Topography of Barrie Area map it is anticipated that the Bedrock is at an elevation of approximately 130 mAMSL approximately 100 mbgs.

The Phase One Property is located within the larger hydrogeological region known as the Lake Simcoe Watershed.

The ground surface at the Phase One Property slopes towards the southeast. Shallow groundwater flow is expected to flow towards the southeast.

7.4.2.5 Uncertainty or Absence of Information Obtained

No uncertainty or absence of information noted in the Phase One ESA could affect the validity of this conceptual site model.

7.4.3 Exemption Set out in Paragraph 1, 1.1 or 2 of Section 49.1 of the Regulation

The Phase One Property has been historically used as a municipal parking lot. It is expected that de-icing salt was applied to the Site and adjacent roads for the safety of pedestrian and vehicle traffic. Therefore, exemption set out in Paragraph 1 of Section 49.1 of the Regulation applies to the Site.

8.0 CONCLUSIONS AND RECOMMENDATIONS

Sirati & Partners Consultants Limited (SIRATI) was retained by Vitmont Holdings (Barrie) Inc., c/o Marydel Homes ("the Client") to complete a Phase One Environmental Site Assessment (Phase One ESA) at the property located at 79 Collier Street, Barrie, ON (hereinafter referred to as the "Phase One Property" or the "Site").

The objective of this Phase One ESA was to determine the likelihood that contaminants affecting the Site are present on, in or under the property and to identify actual or potential contamination, which might pose a hazard to humans or the environment, or which may have a significant impact on the value of the Phase One Property.

This Phase One ESA is intended to support the filing of a Record of Site Condition (RSC) for the Phase One Property with the Ministry of Environment Conservation and Parks (MECP) for property site plan approval purposes in accordance with the Ontario Regulation (O. Reg.) 153/04, as amended.

Information regarding the Phase One Study Area was compiled through a records review, site reconnaissance and interviews with individuals knowledgeable about the Site. The gathered information was evaluated and compiled in this Phase One ESA report.

This Phase One ESA was carried out in accordance with the O. Reg. 153/04, as amended. This Phase One ESA does not constitute an audit of environmental management practices, indicate geotechnical conditions or identify geologic hazards. Sampling and testing of potentially contaminated media were not within the scope of this Phase One ESA.

This report was prepared for the exclusive use of Vitmont Holdings (Barrie) Inc. c/o Marydel Homes. Any use of this report by any third-party, or any reliance on or decisions to be made based on it, are the responsibility of such parties. SIRATI accepts no responsibility for damages, if any, suffered by any third-party as a result of decisions made or actions based on this report. Full Report Limitations are provided in Section 11 of this report.

SIRATI carried out a visual inspection of the Phase One Property and other properties within the Phase One Study Area (the Site and properties within 250 m of the Site boundaries) on June 24, 2020.

The Phase One Property is developed as a parking lot. Adjacent to the east of the Site is Mulcaster Street, and to the north is Collier Street. The Grey & Simcoe Foresters – Regimental Museum is located along the southeast boundary of Phase One Property. SIRATI understands that the Phase One Property is proposed for the development of a 15 storey building with one (1) level of basement.

The Site is located on the southwest corner of Collier Street and Mulcaster Street, in the City of Barrie. The total area of the Site is approximately 0.41 acres. The Site is bounded by Collier Street to the north, a residential/commercial building to the south, a driveway and a residential/commercial building to the west, and Mulcaster Street to the east. The Phase One Study Area consists of residential, commercial, and institutional properties within the radius of 250 meters from the Site boundaries. This 250 m radius extends roughly to McDonald Street to the north, Simcoe Street to the south, Poyntz Street to the east, and Clapperton Street to the west.

Based on available physiography, geology and topography information, the Phase One Study Area is located in an area with a physiography of Simcoe Lowlands with a surficial geology of littoral deposits of sand, gravelly minor silt and clay, over bedrock of limestone, dolostone, shale, arkose and sandstone from the Shadow Lake Formation. These soils have a relative moderate to high permeability; hence, the Site is susceptible to contaminant migration from adjacent properties. According to the Bedrock Topography of Barrie Area map it is anticipated that the Bedrock is at an elevation of approximately 130 mAMSL approximately 100 mbgs.

According to the topographic maps, the inferred groundwater flow direction in the area is likely to flow towards the southeast in a similar manner as the topography of the area.

The interactive natural heritage area map, published by the Ministry of Natural Resources and Forestry (MNRF) (2015), indicates no areas of natural significance within the Phase One Study Area. No surface water, lagoon, or standing water was observed on the Phase One Property; Lake Simcoe is in the south portion of Phase One Study Area. A request made to the MECP indicated no records were located in their database regarding the Phase One Property.

The information, obtained through the records review, interview and Site Reconnaissance, identified eleven (11) potentially contaminating activities (PCAs) within the Phase One Study Area. The location of the PCAs are presented in Figure 3. Two (2) of these PCAs are considered to be areas of potential environmental concern (APECs) for the Site. The location of the APECs are presented in Figure 4.

The PCAs and APECs are listed on Tables 1 and 2 in Section 1.0.

Based on the findings of the Phase One ESA, SIRATI recommends a Phase Two ESA to investigate the above APECs at the Site. The Phase Two ESA will include, but not limited to the collecting soil and groundwater samples at selected location. The samples will be submitted to a laboratory for chemical analysis of various parameters. The concentrations of the teste parameters will be compared with the applicable MECP site condition standards. The results of the findings will be summarized in a Phase Two ESA Report.

9.0 REFERENCES AND SUPPORTING DOCUMENTATION

A list of relevant legislation and guidelines referred to as part of the Phase One ESA process is as follows:

- Ontario Ministry of Environment, Conservation and Parks (MECP), Soil, Groundwater and Sediment Standards for Use Under Part XC.1 of the Environmental Protection Act., April 15, 2011
- Natural Resources Canada Toporama for Google Earth (2011) http://glib.com/natural-resources-canada-toporama.htm
- Ministry of Energy, Northern Development and Mines database/Interactive Maps OGSEarth
- Chapman, L.J., and Putnam, D. F., Ontario Geological Survey, Physiography of Southern Ontario, Map P. 2715, Scale 1: 600,000, 1984
- Ontario Geological Survey, 2013. Quaternary Geology of Ontario. Ontario Geological Survey, scale 1: 100,000.
- Ontario Ministry of Northern Development and Ontario Geological Survey, 1991. Bedrock Geology of Ontario, Southern Sheet; Ontario Geological Survey, Map 2544, scale 1: 1,000,000.
- Lake Simcoe Region Conservation Authority (LSRCA) online mapping
- Inventory of Coal Gasification Plan Waste Sites in Ontario, 1987
- Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario, 1998
- Ontario Inventory of PCB Storage Sites, 1994-2004
- Waste Disposal Site Inventory, 1991
- 1880 Map of Ontario Counties (https://digital.library.mcgill.ca/countyatlas/searchmapframes.php)
- MECP Map: Well Records (https://www.ontario.ca/environment-and-energy/map-well-records)
- Ministry of Natural Resources and Forestry, Make A Map: Natural Heritage Areas http://www.gisapplication.lrc.gov.on.ca/mamnh/Index.html?site=MNR_NHLUPS_NaturalHeritage&viewer=NaturalHeritage&locale=en-US

10.0 GENERAL CONSIDERATIONS AND LIMITATIONS

This report was prepared for the exclusive use of Vitmont Holdings (Barrie) Inc., c/o Marydel Homes (the Client) to provide an assessment of the environmental condition on the Property identified as 79 Collier Street, in the City of Barrie, Ontario, and may not be relied upon by any other person or entity without the written authorization of Sirati & Partners Consultants Limited (SIRATI).

The conclusions presented in this report are professional opinions based on the historical and current records search, visual observations and limited information provided by persons knowledgeable about past and current activities on this Property. As such, SIRATI cannot be held responsible for environmental conditions at the Property that was not apparent from the available information. No investigation method can completely eliminate the possibility of obtaining partially imprecise or incomplete information; it can only reduce the possibility to an acceptable level.

Professional judgement was exercised in gathering and analyzing data and formulation of recommendations using current industry guidelines and standards. Similar to all professional persons rendering advice, SIRATI cannot act as absolute insurer of the conclusion we have reached. No additional warranty or representation, expressed or implied, is included or intended in this report other than stated herein the report.

The assessment should not be considered a comprehensive audit that eliminates all risks of encountering environmental problems. The information presented herein this report is primarily based on information collected during the Phase One ESA based on the condition of the Property at the time of the site assessment/inspection followed by a review of historical data, as appended to this report.

In assessing the environmental setting of the Property, SIRATI has solely relied upon information supplied by others in good faith and has therefore assumed that the information supplied is factual and accurate. We accept no responsibility for any inaccurate information, misinterpretation, misrepresentation or for any deficiency of the information supplied by any third party.

No intrusive investigation (to include soil sampling and analysis, groundwater monitoring or sampling or other form of intrusive investigation) was carried out as part of this assessment. Consequently, the presence and/or extent of any adverse environmental impact cannot be verified. Potential existence of any environmental liability/impact is primarily an opinion expressed based on professional judgement and within the Scope of Work of this assignment. The Phase One Environmental Site Assessment was prepared to identify existing environmental concerns based on the review of available data in accordance with the principal components of the O. Reg. 153/04, as amended, and/or CSA Z768-01 Phase I Environmental Site Assessment. Professional judgement was also exercised in the formulation of recommendations. The report is not intended to constitute or provide a legal opinion.

The scope of services performed in the execution of this investigation may not be appropriate to satisfy third parties. SIRATI accepts no responsibility for damages if any, suffered by any third party as a result of decisions made or action taken based on this report. Any use, copying or distribution of the report in whole or in part is not permitted without the express written permission of SIRATI and use of findings, conclusions and recommendations represented in this report, is at the sole risk of third parties.

In the event that during future work new information regarding the environmental condition of the Phase One Property is encountered, or in the event that the outstanding responses from the regulatory agencies indicate outstanding issues on file with respect to the Phase One Property, SIRATI should be notified in order that we may re-evaluate the findings of this assessment and provide amendments, as required.

11.0 SIGNATURES

All activities of this Phase One ESA were completed under the supervision of the Qualified Person (QP), Bob Gordanifar, P. Eng., QP_{ESA and RA}, as defined by O.Reg. 153/04, as amended. In addition, the QP prepared the Conceptual Site Model, in accordance with Part VII of the Regulation. Appendix C includes the qualifications of SIRATI staff, who conducted the Phase One ESA.

Should you have any questions regarding the information presented or limitation set in this report, please do not hesitate to contact our office.

Yours truly,

Sirati and Partners Consultants Ltd.

Alice Gong, B.Sc.

Technician, Environmental Services

Efuange Khumbah, M.Sc

Project Manager


Bob Gordanifar, P.Eng., QPESA and RA


VP, Environmental and Hydrogeological Services

FIGURES











APPENDICES



APPENDIX A



#410 Collier St. PLAN MATERIAL PLAN AND FIELD NOTES OF SURVEY OF REQUIRE THIS PLAN TO BE PLAN 51R- 10642 DEPOSITED UNDER THE REGISTRY ACT. PART OF MARKET BLOCK PLASTIC MATERIAL - MYLAR GAUGE RECEIVED AND DEPOSITED - 0.076 mm REGISTERED PLAN Nº 2 - 50 SPECIAL CITY OF BARRIE DATE: SEPTEMBER 9, 1981 DATE: SEPT. 25 (951 79 80 COUNTY OF SIMCOE 78 SCALE : 1:300 PART R. C. KIRKPATRICK, O.L.S. 1981 30 METRES R.C. KIRKPATRICK DEPUTY LAND REGISTRAR FOR THE REGISTRY DIVISION OF ONTARIO LAND SURVEYOR COLLIER STREET-(Nº 51) SCALE - 1:300 © (By R.P. № 2) PARTSIB2- MARKET SQUARE, R.P. № 2 - INST. № 15537 8 746473 PART 2 - SUBJECT TO RIGHT-OF-WAY IN CAUTION THIS PLAN IS NOT A PLAN (WIT)(6/5) N86° 56'20"W OF SUBDIVISION WITHIN THE INST. Nº 375313 MEANING OF THE PLANNING ACT. N.E. CORNER LOT 48, R.P. 2 Phase One, Phase Two and RSC Property N86°56'20"W 6.248 15537 - 2 .029ha. AREA=0.0 MARKET 375313 LEGEND 0C.C.----DENOTES A CUT CROSS. SS.I.B .--- DENOTES A SQ. SHORT STANDARD IRON BAR. 11/2 ----- DENOTES MONUMENT FOUND. PART I D------DENOTES MONUMENT PLANTED. AREA = 0.157 ha. Š C BEARINGS ARE ASTRONOMIC, DERIVED FROM THE NORTH 9 S LIMIT OF COLLIER STREET, SHOWN AS N86° 56'20" W 1 RIGHT - (5/1 ON PLAN 5IR - IOIO7 248 745473 SURVEYOR'S CERTIFICATE STUCCO BUILDING THIS SURVEY AND PLAN ARE CORRECT AND IN ACCORDANCE WITH THE SURVEYS ACT AND THE 3.658 RIGHT-OF-WAY (INST. Nº 5316) REGISTRY ACT AND THE REGULATIONS MADE 3,048 RIGHT-OFFWAY UMST. MR 5329) 2. THE SURVEY WAS COMPLETED ON THE 21st DAY OF AUGUST, 1981. - 3.658 LANE (615)(WIT) (1524E) N86°52'50'W 6.248 (IMST M9 313212) SEPTEMBER 9, 1981 R. C. KIRKPATRICK STREE1 ONTARIO LAND SURVEYOR 16:152 INST Nº 3/32/2 INST. № 386044 INST. № 566418 R. C. KIRKPATRICK MULCASTER By R.P. Nº 2) (30.17 METRIC DISTANCES SHOWN ON THIS LOT 15 ONTARIO LAND SURVEYOR PLAN ARE IN METRES AND 110 DUNLOP STREET WEST CAN BE CONVERTED TO FEET 53 BARRIE ONTARIO BY DIVIDING BY 0.3048. 728 - 1255 PHONE CHK'D E.JE RAWN B. S ATE : SEPTEMBER 8, 1981 JOB Nº RK- 722 SCALE: 1:300

APPENDIX B





Photograph 1

Location: Phase One Property

From North portion of the Site Viewing:

viewing south

August 2020 Project: SP20-666-00

View of the site Description:



Photograph 2

Northwest Portion of the Location:

Property

Viewing: From Northeast portion

View of northwest portion of the Description:

Site



Photograph 3

Location: Southeast corner of the Site

Viewing: From south

View of the Heritage Building -Description: The Grey and Simcoe Foresters



Photograph 4

Location: Northeast corner of the Site

Viewing: From southeast

August 2020 Project: SP20-666-00

Viewing: From southeast

View of northeast corner of the

Description: Site; Soil cutting storage tanks

were noticed.



Photograph 5

Location: Adjacent property to the north

Viewing: From south

Residential/Commercial

Description: properties to the north of the Site; the elevation difference can be

observed.



Photograph 6

Location: East portion of the Site

Viewing: From southeast

Mulcaster Street located on the east of the site; and the Site

gently slopes towards south



Photograph 7

Location: Adjacent property to the East

August 2020

Project: SP20-666-00

Viewing: From west

Mulcaster Street located east of Description:

the site



Photograph 8

Adjacent property to the Location:

Northeast

North Viewing:

View of the north adjacent

properties to the North; Collier Description:

Street is located on the north of

the Site.



Photograph 9

Location: Northwest portion of Site

Viewing: North

View of the City Hall of Barrie Description:

located on the north of the Site

APPENDIX C



Bob Gordanifar, P. Eng., QP_{ESA and RA.} Mr. Gordanifar is a Vice President of Environmental and Hydrogeological Services at SIRATI. He is a technical expert and a registered Professional Engineer in the province of Ontario (PEO License Number 90336835), with over 30 years of experience in the environmental engineering field. Mr. Gordanifar is a registered Qualified Person for both Environmental Site Assessments (QP_{ESA}) and Risk Assessments (QP_{RA}), as defined by the O. Reg. 153/04, as well as a highly qualified professional with demonstrated ability and a proven track record of successful project management and technical expertise in Canada, USA, and internationally for public and private sectors. Mr. Gordanifar has served clients in construction, financial institutions, insurance companies, legal firms, manufacturing industries, oil/gas/petrochemical, mining, milling and smelting. Also served municipal, provincial and federal clients.

- Regional/Division/Group/Project Management
- Environmental Site Assessments and Remediation Services
- Filing Record of Site Condition (RSC), in Accordance with the Ontario Regulation 153/04
- Environmental Risk Assessments
- Hydrogeological Studies
- Excess Soils Management
- Environmental Audits
- Litigation Support and Expert Witness for Cases Involving Contaminated Sites in Ontario
- Remediation Systems, including, but not limited to: soil vapour extraction, pump and treat,
- Senior Review of Environmental Reports

<u>Alice Gong</u>, Ms. Gong holds a degree in environmental science. Ms. Gong has experience in conducting Phase One and Phase Two Environmental Site Assessments, Site Remediations, Excess Soil Management and Hydrogeological Studies.

<u>Sirati & Partners Consultants Ltd.</u> is a multi-disciplinary Canadian owned consulting firm providing engineering solutions for Geotechnical, Environmental, Hydrogeological, Materials Engineering, Material Testing & Inspection, Concrete and Pavement Technology.

The principal founders are members of former geotechnical and environmental companies who achieved the highest recognition for engineering consultancy providing geotechnical, environmental and hydro geological support to our clients.


SIRATI provides expertise in these disciplines to a wide range of projects such as planning, design, and construction of pipelines, tunnels, pump stations, municipal buildings, roads, bridges, slope and landslide management, low and high rise as well as commercial buildings, light rail systems, dams and reservoirs, water and wastewater treatment facilities, outfalls, retaining walls, embankments, airports, and port facilities.

Statement of Qualified Person

The Phase One Environmental Site Assessment has been completed under the direction and supervision of **Bob Gordanifar, P. Eng., QP**_{ESA and RA}. The findings and conclusions presented in this report have been determined on the basis of the information that was obtained and reviewed, and on an assessment of the existing conditions on the Phase One Property and properties within the Phase One Study Area. The QP has determined that the phase one ESA meets the requirements of Part VII (sections 23 to 31) and Schedule D of the O. Reg. 153/04, including the requirements for reports (Table 1 of Schedule D of the Regulation).

APPENDIX D





APPENDIX E



CHAIN OF TITLE REPORT

| Legal Part Ma | 66-00 ler Street, Barrie lirket Block Plan 2 to 6 Plan 51R39976 | Searched at: LRO #: | Barrie 51 | |
|---------------|--|------------------------|--|---|
| PIN# 58817-0 | 9421 (LT) | | | |
| INSTR# | DOC. TYPE | REG. DATE | PARTY FROM | PARTY TO |
| | Patent (3 1/2 Acres) | 23 03 1846 | Crown | Council of District of Simcoe |
| 15537 | Deed | 19 02 1855 | Council of District of Simcoe | Municipality of Barrie Trustees |
| 3526 | Deed | 10 09 1888 | Corporation of The Town of Barrie (Formerly Municipality of Barrie Trustees) | Her Majesty The Queen |
| 746473 | Deed | 15 09 1981 | Her Majesty The Queen | The Corporation of the City of Barrie |
| 753575 | Deed | 10 12 1981 | The Corporation of the City of Barrie | The Manufacturer's Life Insurance Company |
| RO1167938 | Deed | 30 10 1991 | The Manufacturer's Life Insurance Company | The Corporation of the City of Barrie |
| SC1216518 | Deed | 09 06 2015 | The Corporation of the City of Barrie | PACC Mulcaster Corporation |
| SC1216519 | Easement (Over Pt 6 51R39976) | 09 06 2015 | PACC Mulcaster Corporation | The Corporation of the City of Barrie |
| SC1216520 | Easement (OVer Pt 4 51R39976) | 09 06 2015 | PACC Mulcaster Corporation | The Corporation of the City of Barrie |
| SC1675346 | Vesting Order (Present Owner) | 20 04 2020 | Ontario Superior Court of Justice Commercial List (PACC Mulcaster Corporation) | Vitmont Holdings (Barrie) Inc. |



LAND REGISTRY OFFICE #51

58817-0421 (LT)

PAGE 1 OF 3 PREPARED FOR 79 COLLIER ST ON 2020/05/11 AT 09:50:20

* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT * SUBJECT TO RESERVATIONS IN CROWN GRANT *

PROPERTY DESCRIPTION:

PART MARKET BLOCK ON PLAN 2 BARRIE, BEING PARTS 2 TO 6 ON PLAN 51R39976; SUBJECT TO AN EASEMENT OVER PART 2 ON PLAN 51R39976 AS IN RO1167938; SUBJECT TO AN EASEMENT OVER PART 6 ON PLAN 51R39976 AS IN SC1216519; SUBJECT TO AN EASEMENT IN GROSS OVER PART 4 ON PLAN 51R39976 AS IN SC1216520; CITY OF BARRIE

PROPERTY_REMARKS:

ESTATE/QUALIFIER:

FEE SIMPLE

LT CONVERSION QUALIFIED

RECENTLY;

DIVISION FROM 58817-0105

PIN_CREATION DATE: 2015/07/24

OWNERS' NAMES

OWNERD MAPILO

CAPACITY SHARE

VITMONT HOLDINGS (BARRIE) INC.

| REG. NUM. | DATE | INSTRUMENT TYPE | AMOUNT | PARTIES FROM | PARTIES TO | CERT/ CHKD |
|-------------|--------------|---------------------------|-----------------------|--|---------------------------------------|---------------|
| ** PRINTOUT | INCLUDES AL | L DOCUMENT TYPES AND | DELETED INSTRUMENT | S SINCE 2015/07/24 ** | | |
| **SUBJECT, | ON FIRST REG | STRATION UNDER THE | LAND TITLES ACT, TO | | | |
| ** | SUBSECTION 4 | 4(1) OF THE LAND TIT. | LES ACT. EXCEPT PAR | AGRAPH 11, PARAGRAPH 14, PROVINCIAL SUCCESSION DUTIES * | | |
| | | OR FORFEITURE TO TH | | | | |
| | AND ESCHEATS | OR FORFEITORE TO THE | crown. | | | |
| ** | THE RIGHTS O | F ANY PERSON WHO WOU. | LD, BUT FOR THE LAN | D TITLES ACT, BE ENTITLED TO THE LAND OR ANY PART OF | | |
| ** | IT THROUGH L | ENGTH OF ADVERSE POS. | SESSION, PRESCRIPTION | ON, MISDESCRIPTION OR BOUNDARIES SETTLED BY | | |
| ** | CONVENTION. | | | | | |
| | | WILLIAM THE GUDGESTA | 70 (0) 00 000 000 | | | |
| ** | ANY LEASE TO | WHICH THE SUBSECTION | N 70(2) OF THE REGIS | STRY ACT APPLIES. | | |
| **DATE OF C | ONVERSION TO | LAND TITLES: 2001/0. | 3/12 ** | | | |
| RO1288986 | 1995/07/21 | BYLAW | | | | С |
| 54-000-5 | | | | | | |
| 51R39976 | 2015/06/03 | PLAN REFERENCE | | | | C |
| SC1216518 | 2015/06/09 | TRANSFER | | *** DELETED AGAINST THIS PROPERTY *** | | |
| | | | | THE CORPORATION OF THE CITY OF BARRIE | PACC MULCASTER CORPORATION | |
| SC1216519 | 2015/06/09 | TRANSFER EASEMENT | 62 | PACC MULCASTER CORPORATION | THE CORPORATION OF THE CITY OF BARRIE | _ |
| 501210313 | 2013/00/09 | TROMOTER EASEMENT | , , , | FACE MUDCASTER CORPORATION | THE CORPORATION OF THE CITY OF BARKIE | |
| SC1216520 | 2015/06/09 | TRANSFER EASEMENT | \$2 | PACC MULCASTER CORPORATION | THE CORPORATION OF THE CITY OF BARRIE | С |
| 001010500 | 2015 (06 (00 | CUARCE | | DELETED ASSISTED ASSISTED | | |
| SC1216529 | 2015/06/09 | CHARGE | | *** DELETED AGAINST THIS PROPERTY *** PACC MULCASTER CORPORATION | LANKAR, ARYE | |
| | | | | THE MUDERSIER CONFORMITON | TSVOK, OLESYA | |
| | | | 1 | | SYSOEV, ALEXEY | |
| | | | | | ESMAIL, HASINA | |
| | | | | | SILVERFERN SECURED MORTGAGE FUND LP | |



LAND REGISTRY OFFICE #51

58817-0421 (LT)

PAGE 2 OF 3 PREPARED FOR 79 COLLIER ST ON 2020/05/11 AT 09:50:20

* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT * SUBJECT TO RESERVATIONS IN CROWN GRANT *

| REG. NUM. | DATE | INSTRUMENT TYPE | AMOUNT | PARTIES FROM | PARTIES TO | CERT/ CHKD |
|--------------------|---------------|--------------------|--------|---------------------------------------|-------------------------------------|---------------|
| | | | | | GTA PRIVATE CAPITAL FUND LP | |
| | | | | | OLYMPIA TRUST COMPANY | |
| 561216530 | 2015 (00 (00 | NO ASSGN RENT GEN | | · DELETED AGAINST THIS PROPERTY · · · | | |
| SC1216530 | 2015/06/09 | NO MSSGN RENT GEN | | | TANKAD ADAE | 1 |
| | | i | | PACC MULCASTER CORPORATION | LANKAR, ARYE TSVOK, OLESYA | |
| | | | | | SYSOEV, ALEXEY | İ |
| | | | | | | |
| | | | | | ESMAIL, HASINA | |
| | | | | | SILVERFERN SECURED MORTGAGE FUND LP | |
| | | | | | GTA PRIVATESECURED MORTGAGE FUND LP | |
| | | 522 | | | OLYMPIA TRUST COMPANY | |
| RE | MARKS: OC1216 | 13∠¥ | | | | |
| SC1289016 | 2016/03/15 | NOTICE | | · · · COMPLETELY DELETED · · · | | |
| 301289018 | 2016/03/13 | NOTICE | | PACC MULCASTER CORPORATION | LANKAR, ARYE | |
| | | | | PACE MODERSTER CORPORATION | TSVOK, OLESYA | |
| | | | | | SYSOEV, ALEXEY | |
| | | | | | ESMAIL, HASINA | 1 |
| | | | | | SILVERFERN SECURED MORTGAGE FUND LP | |
| | | | | | GTA PRIVATE CAPITAL FUND LP | |
| | | | | | OLYMPIA TRUST COMPANY | |
| RE | MARKS: SC1216 | 1529 | | | OHIVIA IROSI COMPANI | |
| | | | | | | |
| SC1303771 | 2016/05/13 | CHARGE | | *** COMPLETELY DELETED *** | | |
| | | | | PACC MULCASTER CORPORATION | SILVERFERN GP INC. | |
| | | | | | | |
| SC1303772 | 2016/05/13 | NO ASSGN RENT GEN | | *** COMPLETELY DELETED *** | | |
| | | | | PACC MULCASTER CORPORATION | SILVERFERN GP INC. | |
| RE | MARKS: SC1303 | 771. | | | | |
| | | | | | | |
| SC1400455 | 2017/04/11 | CHARGE | | *** COMPLETELY DELETED *** | | |
| | | | | PACC MULCASTER CORPORATION | PARAMOUNT EQUITY INVESTMENTS INC. | j |
| | | | | | | |
| SC1400456 | 2017/04/11 | NO ASSGN RENT GEN | | *** COMPLETELY DELETED *** | | ł |
| | | i i | | PACC MULCASTER CORPORATION | PARAMOUNT EQUITY INVESTMENTS INC. | |
| REMARKS: SC1400455 | | | | | | |
| | | | | | | |
| SC1405921 | 2017/05/01 | TRANSFER OF CHARGE | | *** COMPLETELY DELETED *** | | ł |
| | | | | LANKAR, ARYE | SILVERFERN SECURED MORTGAGE FUND LP | |
| | | | | TSVOK, OLESYA | GTA PRIVATE CAPITAL FUND LP | |
| | | | | SYSOEV, ALEXEY | PARAMOUNT EQUITY INVESTMENT INC. | |
| | | | | ESMAIL, HASINA | | ļ |
| | | | | SILVERFERN SECURED MORTGAGE FUND LP | | 1 |




LAND REGISTRY OFFICE #51

58817-0421 (LT)

PAGE 3 OF 3 PREPARED FOR 79 COLLIER ST ON 2020/05/11 AT 09:50:20

- CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT - SUBJECT TO RESERVATIONS IN CROWN GRANT -

| REG. NUM. | DATE | INSTRUMENT TYPE | AMOUNT | PARTIES FROM | PARTIES TO | CERT/ CHKD |
|-----------|---------------|-------------------|-------------|--|--------------------------------|---------------|
| | | | | GTA PRIVATE CAPITAL FUND LP OLYMPIA TRUST COMPANY | | |
| REI | MARKS: SC1216 | 529. | | | | |
| SC1675346 | 2020/04/20 | APL VESTING ORDER | \$2,400,000 | ONTARIO SUPERIOR COURT OF JUSTICE COMMERICAL LIST | VITMONT HOLDINGS (BARRIE) INC. | С |
| SC1675347 | 2020/04/20 | CHARGE | \$1,350,000 | VITMONT HOLDINGS (BARRIE) INC. | HMT HOLDINGS INC. | С |
| | | NO ASSGN RENT GEN | | VITMONT HOLDINGS (BARRIE) INC. | HMT HOLDINGS INC. | С |
| | MARKS: SC1675 | 1 | | | | |



APPENDIX F





Project Property: 36 Mulcaster Street, Barrie, Ontario

Report Type: City Directory
Order No: 20200805027

Information Source: Vernon's Barrie, Ontario City Directory

Date Completed: 07/08/2020

City Directory Information Source Vernon's Barrie, Ontario City Directory

| PROJECT NUMBER: 20200805027 | |
|-----------------------------|--------------------------------------|
| Site Address: | 36 Mulcaster Street, Barrie, Ontario |
| | |
| Year: 1998-99 | |
| | |
| Site Listing: | -Res (1 Tenant) |
| | |
| Adjacent Properties: | |
| | |
| Mulcaster Street (1-75) | -All Residential |
| | 16-Coleman Outing Products Service |
| | -Master Sales & Service |
| | 18-Pizzeria Italia Restaurant |
| | 56-Barrie Public Library |
| | |
| | 5-Merriman on the Bay |
| | 17-Sharptools Computers |
| | -Just Desserts |
| | -Spring Printing |
| | 55-Barrie IGA |
| | -Bareck Dry Cleaners |
| | |
| Chase McEachern Way (All) | -Street Not Listed |



| Collier Street (25-130) | -All Residential |
|-------------------------|---|
| | 44-Canada Post Corporation |
| | 48-Wray Big V Drug Stores |
| | 58-Bell Temple |
| | 60-Canadian Select Farm Foods |
| | 70-National Bank of Canada |
| | -Regal Capital Planners Ltd |
| | -Economic Development Office |
| | -ITS |
| | -Corporation of the City of Barrie |
| | 112-Collier St United Church |
| | 120-Nijan Ventures Ltd |
| | |
| | 35-Uptown Boxing Club |
| | 39-B D O Dunwoody |
| | 43 – Craig Boswell & Larmand |
| | 45 – Mallory Insurance Brokers Ltd |
| | 47-Banks Financial Group |
| | -Allendale Mortgage Services |
| | -Where Are They Now |
| | -Life Gates Unlimited Inc |
| | 49 – National Nail Academy |
| | 51-Sandwich Machine |
| | -Unique Beauty Agencies Convenience Store |
| | 53-Chau's Chinese Food & Gifts |



| | 55-Upscale Yard Sale |
|-----------------------------|--|
| | 65-Vanity Mirror Hair Designers |
| | -Jones Edward D & Co |
| | 67-Bowers & Jones Surveying Ltd |
| | 73-Goovy Tuesday's |
| | 75-Berkshire Investment Group |
| | 89-C T C Computer Training & Consulting |
| | -Padgett Business Service of Simcoe County |
| | -Wisniewski D J Insurance Adjusters LTD |
| | -Real E Save Realty Inc |
| | -Crain-Drummond |
| | 91-The Index Group |
| | -Scenic Planet |
| | 107 – Cowan & Carter |
| | 113-The Planning Partnership |
| | 115-Simcoe Court Reporting |
| | 119-Selmar Dental Industries |
| | |
| Dunlop Street East (30-185) | -All Residential |
| | 34-The Foundation Night Club |
| | 40-Reggie's Sandwich Factory |
| | 42-Tropical North |
| | 44-Records of Wheels |
| | -Ryno Brothers Home Entertainment Centre |
| | 46-Canadian Imperial Bank of Commerce |
| | 50-Multi Tenant Commercial |
| <u> </u> | I |



54-Stephens Robert the Store for Men 60-Bi-Way Stores Ltd 64-National Bank of Canada 66-Toronto Dominion Bank 80-Angie's Surplus 84-Hair Salon 94-Queens Hotel -Pa Piazza Italian Food 104-Photo Plus Image Centre 106-Society of St Vincent de Paul 110-Indicom Appraisal Associates -Prime Cut Food Services Ltd -Credit Bureau Collections Inc -First Class Actions Paralegal Services Ltd 114-Grand & Toy Ltd 118-Sam's Place 120-Lawrence Sewing Knitting Centre -Harris Flower 124-Rustic and Refined 128-Tara Indian Cuisine 130-Tiff's Restaurant Bar 150-Hair Salon -Bayshore Landing Management Office -Annie's Country Basket -Legal Aid

158-Shelltree Investment Services



- -First Line Mortgage Centre
- -Dountainhead Developments Inc
- -Arlington Commercial Properties Ltd
- 162-Min Com Pro Realty Inc
- 31-Robinson Hardware
- -Bev's Appliance
- -Carousel Tack Shop
- 35-National Trust
- 39-Dana's Petites
- -Simmons Coat & Designer Den
- **41-Newport Stores**
- -Global Fire Prevention
- 45-Pamela's Lingerie
- 47-Hair Salon
- 53-Fendley's Flowers Downtown
- 59-Dunlop Convenience Centre
- 89-Dentisry at Fred Grant Square
- 89-Greater Barrie Chamber of Commerce
- -Rosseau Vinyl Fabrications Inc
- -Jenkins Renwick Investigation Group Inc
- 105-Hobson's Choice
- -The Designers Closet
- 111-Mail Boxes
- -Infrascan Thermographics
- 113-Canadian Home Protection Company



| | 115-The Professional Retailer |
|-------------------------|--|
| | -Kelly M M Counselling & Adoption Agency Inc |
| | 117-Tribal Spirit |
| | -Utopia Custom Airbrushing |
| | 119-Prudential Andrews Realty Group |
| | 123-Rainbow Makers Stained Glass |
| | 125-Signs & Maintenance |
| | -Artifact the Craft Gallery |
| | 129-Barrie Clinic of Electrolysis |
| | -Mortgage Funding Building Inc |
| | -C W Telemarketing |
| | 131-Emerging Communications Consulting |
| | -Teen Towns Canada |
| | 139-Cheryl's Bridal Boutique |
| | 143-Gage Marking & Printing |
| | 147-Fitzy's Oyster Bar |
| | -Graydon's Spirit & Grill |
| | 149-Mike's Mart |
| | 151-Uncommon Touch Lighting & Accessories |
| | 153-Old Forester Bookshop |
| | |
| Fred Grant Street (All) | 2-Single Tenant Residential |
| | 8-Single Tenant Residential |
| | |
| Lakeshore Drive (1-10) | 1-Single Tenant Residential |
| | 5-Royal Canadian Sea Cadet Corps |
| <u> </u> | I |



| Lakeshore Mews (100-130) | -Street Not Listed |
|--------------------------|---|
| | |
| Owen Street (1-60) | -All Residential |
| | 20-Stevenson-Dusome Insurance Brokers Limited |
| | 22-My Three Sons Café |
| | 24-Laking & Rhoades Travel Services Ltd |
| | 28-Classic Software Corporation |
| | -Dawson Hydraulics Inc |
| | -Careemetrics |
| | 48-Huma Resource Development Canada |
| | -Correctional Services of Canada |
| | -Northern Lights Vocational Services |
| | |
| | 29-Great Canadian Paper Company Ltd |
| | 41-Short Stops Express Store |
| | 47-St Andrew's Presbyterian Church |
| | 53-Real Life Business Systems |
| | |
| Poyntz Street (1-30) | -All Residential |
| | 30 – Justice of the Peace |
| | -Simcoe Country Law Association Library |
| | |
| | 17-Planeteer Internet |
| | -Hassey Realty Corp |
| | -MacLawn Spray LTD |
| | |



| | -United National Computer Corporation |
|-------------------------|---------------------------------------|
| | -Beausoleil Claim Consultants |
| | |
| Simcoe Street (1-10) | 4 – Jewellers Bench |
| | -Downtown Barrie |
| | 8 – The Medicine Shoppe |
| | |
| Worsley Street (70-115) | -All Residential |
| | 80-Jordan G W Planning Consultants |
| | 114 – Village Host Catering |
| | -Country Court House |
| | -District Court Judge |
| | -County Sheriff's Department |
| | -Court Reporters |
| | -County Court Clerk & Local Registrar |
| | -Small Claims Court |
| | -Crown Attorney Office |
| | -Provincial Court-Family Division |
| | -Land Registry Office |
| | -Rent Control Programs |
| | -Legal Aid |
| | -Ontario Training & Adjustment Board |
| | -Ministry of Government Services |
| | -Community Clinics |
| | -Simcoe County Behavioural Services |



| PROJECT NUMBER: 20200805027 | |
|-----------------------------|--|
| Site Address: | 36 Mulcaster Street, Barrie, Ontario |
| | |
| Year: 1993-94 | |
| | |
| Site Listing: | -Address Not Listed |
| | |
| Adjacent Properties: | |
| | |
| Mulcaster Street (1-75) | -All Residential |
| | 16-Coleman Outing Products Service |
| | -Master Sales & Service |
| | 18-Pizzeria Italia Restaurant |
| | 56-Barrie Public Library |
| | |
| | 5-Merriman on the Bay |
| | 17-Simcoe Insurance Brokers Ltd |
| | -Sprint Printing |
| | -Environmental Action Centre Barrie |
| | -Ontario Convention and Visitors Association |
| | -Barrie Visitor and Convention Bureau |
| | 37-Barrie Public Library |
| | |
| Chase McEachern Way (All) | -Street Not Listed |
| | |



Collier Street (25-130) -All Residential 44-Canada Post Corporation 48-Wray Big V Drug Stores 58-Bell Temple 70-Economic Development Office -Municipal Financial Corporation -Corporation of the City of Barrie 112-Collier St United Church 120-Nijan Ventures Ltd 126 - Backstairs At Barristers -Barristers Restaurant & Lounge 43 – Craig Boswell & Larmand 45-Mallory Insurance Brokers Ltd 47-Allendale Mortgage Services -Allenmod -Life Gates Unlimited Inc 49 – Reflections -Ellie's Fresh Express 51-Unique Beauty Agencies Convenience Store 53-Chau's Chinese Food & Gifts 63 – Training Centre 65-Barrie Fitness Club (2000) 73-Collier Cafe 75-RBC Dominion Securities Ltd 89 - Livingston Myers & Levison



| | -Cockburn & Smith |
|-----------------------------|--|
| | 91-Huronia Insurance & Investment Management Group Inc |
| | 107 – Cowan & Carter |
| | 113-Lehman & Associates |
| | 115-Simcoe Court Reporting |
| | -Simcoe Industries |
| | |
| Dunlop Street East (30-185) | -All Residential |
| | 34-Tom Douley's Country Roadhouse |
| | 40-Reggie's Sandwich Factory |
| | 42-Tropical North |
| | 44-Records of Wheels |
| | -Ryno Brothers Home Entertainment Centre |
| | 46-Canadian Imperial Bank of Commerce |
| | 50-Multi Tenant Commercial |
| | 54-Stephens Robert the Store for Men |
| | 58-Huronia Hobbies |
| | 60-Bi-Way Stores Ltd |
| | 64-Municipal Savings & Loan Corporation |
| | 66-Toronto Dominion Bank |
| | 72-Holmes Bookstore & Gift Shop |
| | 74-Music Pro |
| | 76-Mr Submarine |
| | 82-Betty B Casual Wear & Accessories |
| | 84-Gage Marking Products Ltd |
| | 88-McCulloch Costume & Dance Wear |



-This N' That Party Novelties 94-Queens Hotel -Mercury Grill 98-Parker's Coffee & Variety 106-Society of St Vincent de Paul 110-Multi Tenant Office 114-Grand & Toy Ltd 118-Monarch TV & Appliances Ltd 120-Lawrence Sewing Knitting Centre -Harris Flower 128-Tara Indian Cuisine 130-Tiff's Restaurant Bar 162-Min Com Pro Realty Inc 168-The Dove Restaurant 31-Robinson Hardware 35-National Trust 39-Simmons Coat & Designer Den **41-Newport Stores** 45-Malcomsons Insurance Brokers Ltd 47-Hobsons Choice 49-A-1 Jewellers 53-Pamela's Lingerie 59-The Establishment 89-Children's Aid Society of Simcoe County 93-Catholic Family Life Centre



| | -Wood Gundy Inc |
|-------------------------|--|
| | 99-Canadian Cancer Society |
| | 107-Avanti Pizza |
| | 113-Mail Boxes Etc |
| | -Classic Contracting |
| | -Soundwaves |
| | |
| | 115-McClusky Real Estate Ltd |
| | -Kelly M M Counselling & Adoption Agency Inc |
| | 117-The Good Life |
| | 119-Prudential Andrews Realty Group |
| | 123-Rainbow Makers Stained Glass |
| | -Artifact the Craft Gallery |
| | 125-Simcoe Hearing Aid Centre |
| | 129-Barrie Clinic of Electrolysis |
| | -Mortgage Funding Building Inc |
| | -Canadian Photo Services |
| | 137-Smith & Rutter Furniture Ltd |
| | 139-C C Pant Shop |
| | 147-Roberto's Pizzeria |
| | -Mr O'Tooles Pub |
| | 149-Mike's Mart |
| | 151-Uncommon Touch Lighting & Accessories |
| | -AKCM Developments Inc |
| | 153-Cash N' Dash |
| | |
| Fred Grant Street (All) | 2-Single Tenant Residential |
| . , | _ |



| | 8-Single Tenant Residential |
|--------------------------|---|
| | |
| Lakeshore Drive (1-10) | 1-Single Tenant Residential |
| | |
| Lakeshore Mews (100-130) | -Street Not Listed |
| | |
| Owen Street (1-60) | -All Residential |
| | 20-Stevenson-Dusome Insurance Brokers Limited |
| | 24-Laking & Rhoades Travel Services Ltd |
| | 28-Cugelman Bernard & Associates |
| | -Career Choice Analysis |
| | -Dynamic Source Sales Marketing |
| | 30-Viau Gregory A Real Estate Appraisals Ltd |
| | 32-Driftwood Coffee Shop |
| | 48-Canad Employment Centre |
| | -National Parole Service |
| | -Royal Canadian Mounted Police |
| | -I F M Ltd |
| | |
| | 9-MTN Systems |
| | 11-Canadian Union of Postal Workers |
| | -The McBee Company |
| | -Humanist Institute |
| | 17-Downtown Barrie BIA |
| | -Nixon John A Broker Ltd |
| | 21-Huronia Area Management Board |



| -Sun Housing Inc |
|---|
| 22 Donahora Institute A Literatural |
| 23-Burton Irving A Limited |
| 29-Compucopy Barrie |
| 47-St Andrew's Presbyterian Church |
| |
| Poyntz Street (1-30) -All Residential |
| 20 – Barrie Holistic Health & Massage Centre |
| 30 – Justice of the Peace |
| -Simcoe Country Law Association Library |
| -Ontario Court-Provincial Division |
| |
| 17 – A A A Answering & Message Bureau |
| -Datalogic Canada |
| -Hassey Realty Corp |
| -Green-Isle Property Management LTD |
| -MacLawn Spray LTD |
| -United National |
| -Robinson Claim Consultants (W C B) |
| -Burrow Family Services |
| -Alltario Construction |
| |
| Simcoe Street (1-10) -No Listings Within Radius |
| , , |
| Marriay Street (70.115) |
| Worsley Street (70-115) -All Residential |
| 80 – Ecometrix Bio-Information Consultants |
| -Jorden G W Planning Consultants |



| -Divorce Mediation Services |
|---------------------------------------|
| 84 – Woods Norma & Associates |
| 114 – Grant Foods |
| -County Court House |
| -District Court Judge |
| -County Sheriff's Department |
| -Court Reporters |
| -County Court Clerk & Local Registrar |
| -Small Claims Court |
| -Crown Attorney Office |
| -Provincial Court-Family Division |
| -Land Registry Office |
| -Rent Control Programs |
| -Legal Aid |
| -Ontario Training & Adjustment Board |
| -Ministry of Government Services |

| PROJECT NUMBER: 20200805027 | |
|-----------------------------|--------------------------------------|
| Site Address: | 36 Mulcaster Street, Barrie, Ontario |
| | |
| Year: 1989 | |
| | |
| Site Listing: | -Address Not Listed |
| | |
| Adjacent Properties: | |



| Mulcaster Street (1-75) | -All Residential |
|---------------------------|---|
| | 16-Coleman Outing Products Service |
| | -Master Sales & Service |
| | 18-Pizzeria Italia Restaurant |
| | 56-Barrie Public Library |
| | |
| | 17-Simcoe Insurance Brokers Ltd |
| | -Sprint Printing |
| | -Environmental Action Centre Barrie |
| | -Barrie Gallery Project |
| | 37-Barrie Public Library |
| | |
| Chase McEachern Way (All) | -Street Not Listed |
| | |
| | -All Residential |
| Collier Street (25-130) | -All Residential |
| Collier Street (25-130) | 44-Canada Post Corporation |
| Collier Street (25-130) | |
| Collier Street (25-130) | 44-Canada Post Corporation |
| Collier Street (25-130) | 44-Canada Post Corporation 48-Wray Big V Drug Stores |
| Collier Street (25-130) | 44-Canada Post Corporation 48-Wray Big V Drug Stores 58-Bell Temple |
| Collier Street (25-130) | 44-Canada Post Corporation 48-Wray Big V Drug Stores 58-Bell Temple 60-State Farm Insurance Company |
| Collier Street (25-130) | 44-Canada Post Corporation 48-Wray Big V Drug Stores 58-Bell Temple 60-State Farm Insurance Company -Simcoe Introductions |
| Collier Street (25-130) | 44-Canada Post Corporation 48-Wray Big V Drug Stores 58-Bell Temple 60-State Farm Insurance Company -Simcoe Introductions 70-Municipal Savings & Loan Corp |
| Collier Street (25-130) | 44-Canada Post Corporation 48-Wray Big V Drug Stores 58-Bell Temple 60-State Farm Insurance Company -Simcoe Introductions 70-Municipal Savings & Loan Corp -Economic Development Office |
| Collier Street (25-130) | 44-Canada Post Corporation 48-Wray Big V Drug Stores 58-Bell Temple 60-State Farm Insurance Company -Simcoe Introductions 70-Municipal Savings & Loan Corp -Economic Development Office -Sun Life Assruance Company of Canada |



-Commercial Union of Canada
-City Hall

112-Collier St United Church

120-Nijan Ventures Ltd

126 – Koury's Maude Steak House
-My Games Inc

39-Thorne Ernst & Whinney
-Imperial Life Assce Co of Canada
-McCullough Financial Services

43 – Craig & Larmand

45-Mallory Insurance Brokers Ltd

- 47-Allendale Mortgage Services
- -Allendale Financial Services
- 49-Reflections
- 51-Greg Sandwich Bar
- -Unique Beauty Agencies Convenience Store
- 53-Chau's Chinese Food & Gifts
- 63-Sizzles Rock N Roll Sports Bar
- 65-Barrie Fitness Club
- 73-Samson's Hair Design
- 75-RBC Dominion Securities Ltd
- 89-Dominion of Canada Group
- 91-Marrow & Wismer Insurance Brokers
- 101-Active Homeservice
- 103-Lifemates Registered Massage Therapists



| | 105-Terra Datics Planning & Development Consultants |
|-----------------------------|---|
| | -Kitchen Paul R Surveying LTD |
| | 107 – Cowan & Carter |
| | 113-Lehman & Associates |
| | 115-Plastomer incorporated |
| | -Northward Development |
| | -Outfitters |
| | -Ontario LTD 780493 |
| | |
| Dunlop Street East (30-185) | -All Residential |
| | 34-Tom Douley's Country Roadhouse |
| | 40-Reggie's Sandwich Factory |
| | 42-Graig J F & Sons |
| | 44-Records of Wheels |
| | 46-Canadian Imperial Bank of Commerce |
| | 54-Stephens Robert the Store for Men |
| | 58-Huronia Hobbies |
| | 60-Bi-Way Stores Ltd |
| | 64-Municipal Savings & Loan Corporation |
| | 66-Toronto Dominion Bank |
| | 72-Holmes Bookstore & Gift Shop |
| | -Sun Housing Inc |
| | -Virgo Realty Ltd |
| | -Business Control Systems Inc |
| | 74-Music Pro |
| | 76-Mr Submarine |



84-Gage Marking Products Ltd 88-This N' That Party Novelties 94-Queens Hotel 98-Surrey Lane Boutique 104-Don Warrener's Martial Arts Academy 106-Society of St Vincent de Paul 110-Multi Tenant Office 114-Grand & Toy Ltd 118-Monarch TV & Appliances Ltd 120-Money Concepts 162-Shelswell Norman E Real Estate 168-The Dove Restaurant 31-Robinson Hardware 35-National Trust 39-Simmons Coat & Designer Den 41-Newport Stores 43-Community Service Order Program 45-Malcomsons Insurance Brokers Ltd 49-A-1 Jewellers 51-Pamela's Lingerie 59-The Establishment 89-Children's Aid Society of Simcoe County -Stinson Theatres Ltd -The Secretarial Bureau -Women Alive



| | 91-Canadian Trust Real Estate |
|-------------------------|--|
| | 93-Catholic Family Life Centre |
| | -Wood Gundy Inc |
| | -Canadian National Institute |
| | 99-Canadian Cancer Society |
| | 105-H & R Block |
| | 113-McCluskey Real Estate Limited |
| | 115-Contracting by Mario |
| | -Underwriters Adjustment Bureau Ltd |
| | 117-Stevenson-Dusome Insurance Brokers Ltd |
| | 119-Wilson J H Real Estate Limited |
| | 123-Rainbow Makers Stained Glass |
| | -Artifact the Craft Gallery |
| | 125-Simcoe Hearing Aid Centre |
| | 129-Barrie Clinic of Electrolysis |
| | -Mortgage Funding Building Inc |
| | -Torbarrie Investments Limited |
| | 137-Smith & Rutter Furniture Ltd |
| | 139-C C Pant Shop |
| | 141-Keeping Time School of Dance |
| | 147-Roberto's Pizzeria |
| | -Tony's Appliance & Vacuum Service |
| | 149-Mike's Mart |
| | 153-Studio Luqq |
| | |
| Fred Grant Street (All) | 2-Single Tenant Residential |
| l . | |



| | 8-Single Tenant Residential |
|--------------------------|---|
| | |
| Lakeshore Drive (1-10) | 1-Single Tenant Residential |
| | |
| Lakeshore Mews (100-130) | -Street Not Listed |
| | |
| Owen Street (1-60) | -All Residential |
| | 20-Stevenson-Dusome Insurance Brokers Limited |
| | 24-Laking & Rhoades Travel Services Ltd |
| | 28-Cugelman Bernard & Associates |
| | -Career Choice Analysis |
| | -Dynamic Source Sales Marketing |
| | 30-Viau Gregory A Real Estate Appraisals Ltd |
| | 32-Driftwood Coffee Shop |
| | 48-Canad Employment Centre |
| | -National Parole Service |
| | -Royal Canadian Mounted Police |
| | -I F M Ltd |
| | |
| | 9-MTN Systems |
| | 11-Canadian Union of Postal Workers |
| | -The McBee Company |
| | -Humanist Institute |
| | 17-Downtown Barrie BIA |
| | -Nixon John A Broker Ltd |
| | 21-Huronia Area Management Board |



| | -Sun Housing Inc |
|-------------------------|--|
| | 23-Burton Irving A Limited |
| | 29-Compucopy Barrie |
| | 47-St Andrew's Presbyterian Church |
| | |
| Poyntz Street (1-30) | -All Residential |
| | 20 – MillsPlan Consulting Serv |
| | 30 – Ministry of Health |
| | -Justice of the Peace |
| | -Provincial Court Criminal Division |
| | -Provincial Offenses Court |
| | -Provincial Court Youth Division |
| | |
| | 11 – Riviera Mirror |
| | -Magnum Elevator Corp |
| | -Alpha Telephone Answering Service |
| | 29 – Lucas Garry J Drafting Service |
| | |
| Simcoe Street (1-10) | 4 – O E C T A – Unit Simcoe |
| | -Midland Doherty LTD |
| | |
| Worsley Street (70-115) | -All Residential |
| | 84 – Hobbs John & Trustees and Receivers |
| | -Compu-Train Corporation |
| | 114 – Grant Foods |
| | -County Court House |
| | |



| -District Court Judge |
|---------------------------------------|
| -County Sheriff's Department |
| -Court Reporters |
| -County Court Clerk & Local Registrar |
| -Small Claims Court |
| -Crown Attorney Office |
| -Provincial Court-Family Division |
| -Land Registry Office |
| -Rent Control Programs |
| -Legal Aid |
| -Ministry of Government Services |

| PROJECT NUMBER: 20200805027 | |
|-----------------------------|--------------------------------------|
| Site Address: | 36 Mulcaster Street, Barrie, Ontario |
| Year: 1982 | |
| | |
| Site Listing: | -Barrie Farmer's Market |
| | |
| Adjacent Properties: | |
| | |
| Mulcaster Street (1-75) | -All Residential |
| | 17-Barrie Furniture Ltd |
| | 37-Barrie Public Library |
| | 55-Market Square IGA |



| | · |
|---------------------------|--|
| | |
| | 16-Master Vacuum Sales & Service |
| | 18-Pizzeria Italia Restaurant |
| | 56-Barrie Public Library |
| | |
| Chase McEachern Way (All) | -Street Not Listed |
| | |
| Collier Street (25-130) | -All Residential |
| | 44-Canada Post Corporation |
| | -Customs and Excise |
| | -Department of Public Works |
| | 48-Cusden's Pharmacy |
| | 58-Bell Temple |
| | 60-The Salvation Army |
| | 70-Canada Pension Plan |
| | -Family Allowances |
| | -Municipal Savings & Loan Corporation |
| | -Revenue Canada Excise Office |
| | -Employment Development Branch |
| | -Ministry of Community & Social Services |
| | -Ministry of Community. Social Services |
| | -Sun Life Assurance Co of Canada |
| | -Canada Mortgage & Housing Corpn |
| | -Commercial Union Assurance Group |
| | -Insurer's Advisory Organization |
| | -Federal Business Development Bank |
| | reactal Eddiness Eddiness Eddiness |



-Canada Life Assurance Co

-Mutual Life Assurance Co of Canada

74-American Hotel

** - Municipal Parking

84-City of Barrie Offices

-Mayor's Office

-City Administrator's Office

-City Clerk's Office

-City Treasurer's Office

-Welfare Office

-Public Works Department

-Planning & Development

-Recreation Department

100-Market Square Barrie Ltd

-Law Offices

112-Collier St United Church

-Fellowship Hall

118-Law Offices

-Simcoe Office Services LTD

120-Nijan Ventures Ltd

-Dental Surgeon's Office

126 – Koury's Maude Steak House

130 – Cowper Les Photography

39-Steingard Photography Barrie Ltd

-MDS Laboratories Health Group Inc



- -Credit Counselling Service of Simcoe-Georgian Bay Region
- -Kirby Distributing Company
- -Crown Life Insurance Co
- 43 MacLaren A F & Co
- 45-Mallory Insurance Brokers Ltd
- 47-Allendale Mortgage Services
- 49-Kimarc Consultants Inc
- -Real Estate Broker
- 51-New & Now Unisex Hairstyling
- -Denny's Sandwich Bar
- 53-Chau's Chinese Food & Gifts
- 55-Re-Max Barrie Realty Ltd
- 57-City of Barrie Engineering Dept
- 61-Heyworth Charles Insurance Agency Ltd
- -State Farm Insurance Co
- 63-Mississippi Belle Restaurant
- 65-Barrie Fitness Club
- 67-Rainbow Makers
- -Stiches Unlimited
- 71-75-J R T Service
- -Jerry's Radio-Hi-Fi Sales
- 89-Farm Credit Corporation
- -Dominion of Canada General Insurance Co
- -Livingston Myers & Cockburn
- -Lawyer's Offices
- -SIgmatics Computer Corporation LTD



| | -Dental Office |
|-----------------------------|--|
| | |
| | 103-Faulkner P J General Insurance |
| | 105-Lehman Robert Planning Consultants Ltd |
| | 107 – Cowan & Carter |
| | 113-Gryphon Theatre |
| | |
| Dunlop Street East (30-185) | -All Residential |
| | 34-Sally Shops Ltd |
| | 40-Stephens Store for Men |
| | 42-Graig J F & Sons |
| | 44-Records of Wheels |
| | 46-Canadian Imperial Bank of Commerce |
| | 50-Bi-Way Stores Ltd |
| | 58-Walkwel Shoes |
| | -Manpower Temporary Services |
| | 60-Zellers Ltd |
| | 64-Municipal Savings & Loan Corporation |
| | 66-Toronto Dominion Bank |
| | 72-Multi Tenant Office |
| | 74-Music Pro |
| | 76-Mr Submarine |
| | 80-Barrie TV & Appliances |
| | 84-Art Thing |
| | -Hair Alon |
| | 94-Queens Hotel |
| | 98-Home Hardware |
| | |



106-Society of St Vincent de Paul 110-Multi Tenant Office 114-Janes Stationery -Marlin Travel 118-Monarch TV & Appliances Ltd 120-Oakes & Sons Shoes 128-Aussy's Corner Fast Foods 13-Clarkson Hotel 148-Bayshore Motor Hotel 168-Shelswell Norman E Real Estate Ltd 178-180 – La Fayette Restaurant 31-Robinson Hardware 35-Victoria and Grey Trust Co 39-Simmons & Company 41-Malcomsons Insurance Brokers Ltd 45-Reggie's Sandwich Factory 47-Hair Salon 49-A-1 Jewellers 53-Wood Elegance Hobby Crafts 55-Heritage China & Gifts 59-The Establishment 89-Multi Tenant Office 91-Canada Trust 93-Multi Tenant Office 99-Harris Fowers



| | 105-Barrie & District Real Estate Boards Inc |
|-------------------------|--|
| | -National Bank of Canada |
| | 113-McCluskey Real Estate Limited |
| | -Apex Travel Service |
| | 115-Simcoe Learning Place |
| | -Underwriters Adjustment Bureau Ltd |
| | -Andrew & Latimer Limited |
| | 117-Stevenson-McCluskey Insurance Brokers Ltd |
| | 119-Wilson J H Real Estate Limited |
| | 123-Garnet's Hobbies Ltd |
| | 125-Simcoe Hearing Aid Centre |
| | 129-Multi Tenant Office |
| | 133-Electrolux Canada Sales & Service |
| | 137-Smith & Rutter Furniture Ltd |
| | 139-Rainbow Wood Stoves Inc |
| | 141-Designs by Mary Profitt |
| | -Stome Image Pottery |
| | 147-Roberto's Pizzeria |
| | -Tony's Appliance & Vacuum Service |
| | 149-Mike's Mart |
| | ** - Bayview Park |
| | 185 – Beatrice Foods (Ont) LTD – Lakeview Dairy Division |
| | |
| Fred Grant Street (All) | 2-Multi Tenant Office |
| | |
| Lakeshore Drive (1-10) | -No Listings Within Radius |
| | |



| -Street Not Listed |
|---|
| |
| -All Residential |
| 9-Law Offices |
| 11-The McBee Company |
| 13-Law Offices |
| 15-Law Offices |
| 17-Masonic Temple |
| -Law Offices |
| 21-Barrie School of Hair Styling |
| 23-Law Offices |
| 29-Big Sisters Association of Barrie |
| -Accutrix Collection System Ltd |
| 39-Law Offices |
| 41-Simcoe Insurance Brokers Ltd |
| 47-St Andrew's Presbyterian Church |
| |
| 2-Toronto Dominion Bank |
| 20-Law Offices |
| 22-Driftwood Coffee Shop |
| 24-Laking & Rhoades Travel Services Ltd |
| 26-Law Offices |
| 28-Simcoe Introductions |
| 30-Brewer R Realty Limited |
| -Law Offices |
| |



| | T |
|-------------------------|---|
| | -Dunlop Chiropractic Office |
| | 48-Canad Employment Centre |
| | -Veteran's Affairs Canada |
| | -Citizenship Court |
| | |
| Poyntz Street (1-30) | -All Residential |
| | 17 – Graham Wilson & Green |
| | |
| | 30 – Provincial Court Criminal Division |
| | -Provincial Court (Family Division) |
| | |
| Simcoe Street (1-10) | 4 – Clark Financial Service |
| | -Morden & Helwig LTD |
| | -Tim Horton Donuts |
| | -Chiropractor's Office |
| | |
| Worsley Street (70-115) | -All Residential |
| | 114 – County Court House |
| | -County Sheriff's Department |
| | -Court Reporters |
| | -County Court Clerk & Local Registrar |
| | -Small Claims Court |
| | -Crown Attorney Office |
| | -Justice of the Peace |
| | -Family Court |
| | -Criminal Court |
| | G. Hillian Court |



| Ministry of Culture & Recreation |
|---|
| -Legal Aid |
| -Ministry of Community & Social Services |
| -Probation & Parole Services Adult |
| -Probation & After Care |
| -O H I P |
| -Child & Family Development Clinic |
| -Ministry of Consumer & Commercial Relations-Land Registry Office |
| -H & N Construction LTD |
| -Ministry of Education Apprenticeship Branch |
| -Rent Review Office |
| -Surrogate Registrar |

| PROJECT NUMBER: 20200805027 | | |
|-----------------------------|--------------------------------------|--|
| Site Address: | 36 Mulcaster Street, Barrie, Ontario | |
| Year: 1974 | | |
| Site Listing: | -Barrie Farmer's Market | |
| Adjacent Properties: | | |
| Mulcaster Street (1-75) | -All Residential | |
| | 17-Barrie Furniture Ltd | |



| | 37-Barrie Public Library |
|---------------------------|----------------------------------|
| | |
| | 2-Tony's Appliance & TV Serv |
| | |
| | 14-Advance TV Vacuum Serv |
| | 18-Pizzeria Italia Restaurant |
| | 56-Barrie Sports |
| | |
| Chase McEachern Way (All) | -Street Not Listed |
| | |
| Collier Street (25-130) | -All Residential |
| | 44-Canada Post Corporation |
| | -Citizenship Court |
| | -Canada Pension Plan |
| | 48-Cusden's Pharmacy |
| | 58-Bell Temple |
| | -Medical Office |
| | 60-The Salvation Army |
| | 70-Picken & Mason RI Est |
| | -Industrial Development |
| | -Frod Motor Credit Co of Can Ltd |
| | 74-American Hotel |
| | 84-City of Barrie Offices |
| | 90-Barrie Deli |
| | 96-Prov. Court |
| | 98-Natl Conservatory of Music |
| | 112-Fellowship Hall |
| | |



-Collier United Church 120-Dental Office 130-Cowper Photo 27-Sarjeant Ins. Agency 29-Barrie Auto Trim Serv. -Barrie TV SIs & Serv. -Lorvic Audio 33-Parking Lot 39-MDS Laboratories Health Group Inc -Credit Counselling Service of Simcoe -Crown Life Insurance Co -Craig Reading Clinics -Wood Secuities Ltd. 43-MacLaren A F & Co 45-Hair Salon 49-Victoria & Grey Trust Co 51-Cackwell Ofce Equip -O'Donnell Rlty Management Ltd -Prestige Leasing Ltd 53-Chau's Chinese Food 55-Ont Hydro Area Ofce 63-Can Imp Bk of Comm 65-Paradise Health Spa 67-Barrie Cable TV Ltd -Cable 8 Studio



| | 69-Paradise Health Spa |
|-----------------------------|--|
| | 71-75-Jerry's Radio & TV Of Barrie |
| | -J R T Serv. |
| | 79-City of Barrie Planning & Development |
| | 81-City of Barrie Municipal Bldg |
| | 83-Public Library |
| | 89-Law Offices |
| | 103-Faulkner P J General Insurance |
| | 105-Barrister Office |
| | |
| Dunlop Street East (30-185) | -All Residential |
| | 30-Maher Shoe Stores |
| | 34-Sally Shops Ltd |
| | 40-Stephens Store for Men |
| | 42-Graig J F & Sons |
| | 50-Walker's Stores Ltd |
| | 54-Greenhams of Barrie |
| | 58-Walkwel Shoes |
| | -Manpower Temporary Services |
| | 60-Zellers Ltd |
| | 64-Tor Dom Bk |
| | 76-Reeves Jwlrs Ltd |
| | 80-Eaton's Order Ofce |
| | 84-Hair Salon |
| | -Simcoe Hearing Aid Centre |
| | 94-Queens Hotel |
| | |



98-Armstrong Hardware 106-Society of St Vincent de Paul 110-Multi Tenant Office 118-Monarch TV & Appliances Ltd 120-OK Shoe Shop 124-Hair Salon 128-Sam's Restr 130-Clarkson Hotel 134-150-Bayshore Motor Hotel 158-Medical Office 168-Shelswell Real Estate 31-Robinson Hardware 37-Sterling Trusts Corpn 39-Simmons & Company 41-Malcomsons Insurance Brokers Ltd 43-Silver Thimble Sewing Serv 45-Ardele Fabrics Ltd 47-Hair Salon 49-The Gift Shop 53-Wass D C Real Estate Ltd 55-The Uncommon Touch 59-Jackson's Grill 89-Multi Tenant Office 91-Canada Trust 93-Multi Tenant Office



99-Harris Flowers 103-Georgian Foundation for the Performing Arts -Georgian Theatre 105-Barrie Denture Clinic -Can Life Assce Co 113-McCluskey Real Estate Limited 115-The Attic -Can Red Cross Socy -Action Information Centre 117-Elna Sewing Centre 119-Wilson J H Real Estate Limited 123-Garnet's Hobbies Ltd 125-Modern Carpet & Draperies 129-Mtge Funding -Town Management Ltd -Tobarrie Investments Ltd 131-Jane Stationery 133-Roberto's 137-Smith & Rutter Furniture Ltd 139-The Gallery 143-Hair Salon 147-Robertson Fabrics -Tony's Appliance & Vacuum Service 149-Hamburger Shoppe -Assoc Financial Serv Ltd 151-Mike's Milk



| | 153-Ont Mrt League |
|--------------------------|--------------------------------------|
| | -Bayview Pumping Station |
| | 185-Lakeview Pure Milk Dairy Ltd. |
| | -Lakeview Rest |
| | |
| Fred Grant Street (All) | 2-Multi Tenant Office |
| | |
| Lakeshore Drive (1-10) | -No Listings Within Radius |
| | |
| Lakeshore Mews (100-130) | -Street Not Listed |
| | |
| Owen Street (1-60) | -All Residential |
| | 9-Law Offices |
| | 11-The McBee Company |
| | 13-Law Offices |
| | 15-Law Offices |
| | 17-Masonic Temple |
| | -Law Offices |
| | 21-Barrie School of Hair Styling |
| | 23-Law Offices |
| | 29-Big Sisters Association of Barrie |
| | -Accutrix Collection System Ltd |
| | 39-Law Offices |
| | 41-Simcoe Insurance Brokers Ltd |
| | 47-St Andrew's Presbyterian Church |
| | |
| | |



| | 2-Toronto Dominion Bank |
|-------------------------|---|
| | 20-Law Offices |
| | 22-Driftwood Coffee Shop |
| | 24-Laking & Rhoades Travel Services Ltd |
| | 26-Law Offices |
| | 28-Simcoe Introductions |
| | 30-Brewer R Realty Limited |
| | -Law Offices |
| | -Dunlop Chiropractic Office |
| | 48-Canad Employment Centre |
| | -Veteran's Affairs Canada |
| | -Citizenship Court |
| | |
| Poyntz Street (1-30) | -All Residential |
| | 17-Law Offices |
| | |
| Simcoe Street (1-10) | 4-Canadian Security Management |
| | -Harris & Wright |
| | -Artemis Marine Sales Inc. |
| | -Artemis Sailing School |
| | |
| Worsley Street (70-115) | -All Residential |
| | 114-County Bldgs & Court Ofce |
| | |

| PROJECT NUMBER: 20200805027 | |
|-----------------------------|--|
| | |
| | |



| Site Address: | 36 Mulcaster Street, Barrie, Ontario |
|---------------------------|--------------------------------------|
| | |
| Year: 1966 | |
| | |
| Site Listing: | -Barrie Farmer's Market |
| | |
| Adjacent Properties: | |
| | |
| Mulcaster Street (1-75) | -All Residential |
| | 17-Barrie Furniture Ltd |
| | 37-Barrie Public Library |
| | |
| | 14-Advance TV Vacuum Serv |
| | 56-Bay City Ford Sls Ltd |
| | |
| Chase McEachern Way (All) | -Street Not Listed |
| | |
| Collier Street (25-130) | -All Residential |
| | 44-Canada Post Corporation |
| | -Dept of Agric |
| | -Dept of Natl Rev |
| | -Vet Land Acts |
| | 48-Cusden's Pharmacy |
| | 60-The Salvation Army |
| | 64-Ont Dept of Agric |
| | 74-American Hotel |



84-City of Barrie Offices 90-Barrie Deli 100-Velkay Maternity Dress Shop 112-Fellowship Hall -Collier United Church 27-Sarjeant Insurance Agency 29-Barrie Auto Trim Service -Barrie Electronic Sply 35-Oddfellow's Temple 39-Bell Tel Employment Ofce -First Div Court -Public & Separate School 43-MacLaren A F & Co 45-Hair Salon 51-Don's Grill 53-Law Office 55-Hydro Elect Power Comm 57-Ont Hydro Area Ofce 63-LCBO 65-Watts, E, Sls & Serv Ltd -Universal Rug Co of Barrie 71-75-Royal Can Legion 81-City of Barrie Municipal Bldg 83-Public Library 89-Myers, N M, Hides & Skins



| Dunlop Street East (30-185) | -All Residential |
|-----------------------------|---------------------------------------|
| | 30-Maher Shoe Stores |
| | 34-Sally Shops Ltd |
| | 40-Stephens Store for Men |
| | 42-Craig J F & Sons |
| | 44-Stransman's Ladies Wear |
| | 46-Canadian Imperial Bank of Commerce |
| | 50-Walker's Stores Ltd |
| | 56-Super Save Disc |
| | 58-Walkwel Shoes |
| | 60-Zellers Ltd |
| | 64-Tor Dom Bk |
| | 66-MacKay's Pharmacy |
| | 68-Reward Shoe Store |
| | 70-Barrie & District Union Hall |
| | 74-A & P Food Stores |
| | 76-Reeves Jwlrs Ltd |
| | 84-Hair Salon |
| | -Monkman's Drug Store |
| | 88-Wright Clnrs Ltd |
| | 94-Queens Hotel |
| | 98-Armstrong Hardware |
| | 106-Dixie Smoke Shop |
| | -Barrie Wholesale Ltd |
| | 118-Monarch Refrigeration's Co |
| | |



120-Laurence Sewing & Knitting Centre -OK Shoe Shop 124-Hair Salon 128-Pete's Place 130-Clarkson Hotel 134-150-Bayshore Motor Hotel 158-Medical Office 168-Ont Mtr League 31-Robinson Hardware 35-Sterling Trusts Corpn 39-Simmons & Company 41-Malcomsons Insurance Brokers Ltd 45-Barrie Camera Cente 49-The Gift Shop 55-Lincoln Shoe Canada Ltd 59-Jackson's Grill 89-Multi Tenant Office 91-Canada Trust 93-Multi Tenant Office 99-Harris Flowers 103-J & J Constr 105-Beatty-Armstrong Ltd -Can Life Assce Co 113-OK Johnson & Co 115-Can Red Cross Socy



| | 117-Elna Sewing Centre |
|--------------------------|--|
| | 119-Wilson J H Real Estate Limited |
| | 123-Garnet's Hobbies Ltd |
| | 127-Robertson's Fabrics |
| | 129-Mtge Funding |
| | -Simpson-Sears Ltd |
| | 133-Shoreline Restr |
| | 137-Smith & Rutter Furniture Ltd |
| | 141-Seaboard Finance Co |
| | 143-Hair Salon |
| | |
| | 185-Lakeview Pure Milk Dairy Ltd. |
| | |
| Fred Grant Street (All) | 2-Multi Tenant Office |
| | |
| Lakeshore Drive (1-10) | -Street Not Listed |
| | |
| Lakeshore Mews (100-130) | -Street Not Listed |
| | |
| Owen Street (1-60) | -All Residential |
| | 5-Coutts Insurance Agency |
| | -United Electrical Radio & Machine Workers |
| | 9-Law Offices |
| | 11-Retail Credit Co |
| | -Masonic Hall |
| | 13-Law Offices |
| | 17-Ross Knowles & Co |
| | |



| | -Vespra Township Ofc |
|-------------------------|---|
| | -Eastern Star Rooms |
| | 21-Law Offices |
| | 23-Law Offices |
| | 53-Barrie Electric Motors & Contracting |
| | |
| | 2-Toronto Dominion Bank |
| | 20-Law Offices |
| | 22-Driftwood Coffee Shop |
| | 26-Bentley R S & Co Ins Agency |
| | 40-Natl Employment Service |
| | |
| Poyntz Street (1-30) | -All Residential |
| | |
| Simcoe Street (1-10) | 4-Sharpe's Printing Service |
| | -Coin Laundry |
| | |
| Worsley Street (70-115) | -All Residential |
| | 114-County Bldgs & Court Ofce |
| | |

| PROJECT NUMBER: 20200805027 | |
|-----------------------------|--------------------------------------|
| Site Address: | 36 Mulcaster Street, Barrie, Ontario |
| | |
| Year: 1961 | |
| | |



| -Market Bldg. |
|-----------------------------------|
| |
| |
| |
| -All Residential |
| **Clarkson Hotel |
| 17-Barrie Furniture Ltd. |
| |
| 14-16-Ferguson & Reid Floor Serv. |
| 18-Bethel Church |
| **-American Hotel |
| 56-Bay City Motors Ltd. |
| -Ford Sales & Serv. |
| |
| -Street Not Listed |
| |
| -All Residential |
| 44-Federal Building |
| -Post Office |
| -Dept. Of Agric |
| -Unemploy Ins. Com |
| -Customs House |
| -Vet Land Acts |
| -Farm Credit Corp. |
| -Dept. Of Natl Rev |
| 48-Cusden's Pharmacy |
| |



52-Boswell Deli 56-58-Medical Office 60-The Salvation Army 64-Ont Dept of Agric -Simcoe County Federation Of Agric 72-74-American Hotel 84-City Hall 90-Alsco Barrie Northern Ont Sales Ltd 96-Norris Dairy 100-Velkay Maternity Dress Shop 112-Collier St United Church 25-Storage 29-Barrie Auto Trim Service 33-Levit's Trading 35-Oddfellow's Temple 39-First Div Court -Bell Tel Co of Can -Dept. Of Welfare -Public & Separate School Inspector -Howard Ins Agency -Traffic Bell Tel -Crown Life Ins. Co 43-MacLaren A F & Co -Moore Business Forms Ltd 45-Hair Salon



| | 47-Simcoe Medical Group |
|-----------------------------|--------------------------------|
| | 51-Don's Grill |
| | -Hong Mark Laundry |
| | 53-Law Office |
| | 55-Hydro Elect Power Comm |
| | 61-Barrister Office |
| | 63-LCBO |
| | 65-Dangerfield Motors Ltd |
| | 69-Rose & Harrison Accts. |
| | 73-Royal Can Legion |
| | 79-Fire Hall |
| | 81-Police Dept |
| | -Assessment Dept |
| | -Barrie Planning Bd |
| | -Park Management |
| | -Committee Of Adjustment |
| | 83-Public Library |
| | 87-89-Myers, N M, Hides & Furs |
| | 103-Barrie Vending Service |
| | 113-Fairway Distributors |
| | -Can Albums Assoc. |
| | |
| Dunlop Street East (30-185) | -All Residential |
| | 30-Maher Shoe Stores |
| | 34-Sally Shops Ltd |
| | -Peel Conservatory of Music |
| | |



36-Hunts Ltd 38-Smith Studio 40-Stephens Store for Men 42-Craig J F & Sons 46-Canadian Imperial Bank of Commerce 50-Walker's Stores Ltd 54-Norwich Union Ins Soc -Moore's Shoes 58-Walkwel Shoes 60-Zellers Ltd 64-Tor Dom Bk 66-Caldwell Drug Store 70-Reward Shoe Store 72-K of C Hall 74-A & P Food Stores 76-Reeves Jwlrs Ltd 80-Crest Hdwe 84-Monkman's Drug Store 88-Wright Clnrs Ltd 94-Queens Hotel 98-Armstrong Hardware 106-Dixie Smoke Shop -Barrie Wholesale Ltd 116-Barrie Bowling Academy 118-Monarch Refrigeration's Co 120-Pfaff Sewing Centre



-OK Shoe Shop 124-Hair Salon 128-Pete's Place 130-Clarkson Hotel 148-Mayor's Motel 158-Medical Office 31-Robinson Hardware 35-Sterling Trusts Corpn 37-Trans Canada Credit 39-Simmons & Company 41-Malcomsons Insurance Brokers Ltd 49-Sarjeant Ins Agency Ltd 51-Stauffert Dental Laboratory 55-Lincoln Shoe Canada Ltd 59-Jackson's Grill 89-Multi Tenant Office 99-Harris Flowers 107-Dutch Pantry 109-Barrie Paint & Wallpaper 113-Cotty's Cleaners & Shirt Launders 115-Can Red Cross Socy -United of Omaha 117-Elna Sewing Centre 119-Brown & Co Ltd 123-Glenn, Geoff Men's Wear



| | 129-Reid's Television |
|--------------------------|----------------------------------|
| | -Simpson-Sears Ltd |
| | 133-Marg's Fish & Chips |
| | 137-Smith & Rutter Furniture Ltd |
| | 139-Ernie's Bargain Centre |
| | 141-Seaboard Finance Co |
| | 143-Hair Salon |
| | 145-Caldwell Dressmaker |
| | 147-Eplett's Furn & Elect |
| | 149-Jackson Motors |
| | 185-Lakeview Dairy |
| | |
| Fred Grant Street (All) | 2-Multi Tenant Office |
| | |
| Lakeshore Drive (1-10) | -Street Not Listed |
| | |
| Lakeshore Mews (100-130) | -Street Not Listed |
| | |
| Owen Street (1-60) | -All Residential |
| | 5-Coutts Insurance Agency |
| | -Hastings & Co |
| | -Prudential Ins. Co |
| | 9-Law Offices |
| | 11-Barrie Civil Defense |
| | -Masonic Hall |
| | 13-Law Offices |
| | |



| | 15-Henry Real Estate |
|-------------------------|-------------------------------|
| | 17-Christie Investments |
| | -Vespra Township Ofc |
| | 19-Barrister Office |
| | 23-Lee Caterer |
| | 43-St. Andrew's Presby Church |
| | 53-Barrie Electric Motors |
| | |
| | 2-Toronto Dominion Bank |
| | -Imperial Life Assce Co |
| | -Zellers Ltd. |
| | 18-Can Life Assce Co |
| | 20-Law Offices |
| | 22-Coffee Shop |
| | 24-Stock Shop |
| | 26-YWCA & YMCA |
| | 40-Unemployment Ins. Comm |
| | 60-Howey Electric |
| | |
| Poyntz Street (1-30) | -All Residential |
| | |
| Simcoe Street (1-10) | -All Residential |
| | 4-Sharpe's Printing Service |
| | -Coin Laundry |
| | |
| Worsley Street (70-115) | -All Residential |
| L | I . |



| PROJECT NUMBER: 20200805027 | |
|-----------------------------|--------------------------------------|
| Site Address: | 36 Mulcaster Street, Barrie, Ontario |
| | |
| Year: 1952 | |
| | |
| Site Listing: | -Market Bldg. |
| | |
| Adjacent Properties: | |
| | |
| Mulcaster Street (1-75) | -All Residential |
| | **Clarkson Hotel |
| | 17-Barrie Welding & Machine Co |
| | |
| | 20-Full Gospel Tabernacle |
| | **-American Hotel |
| | 56-Corby Motors Ltd. |
| | -Ford Sales & Serv. |
| | |
| Chase McEachern Way (All) | -Street Not Listed |
| | |
| Collier Street (25-130) | -All Residential |
| | 52-Boswell Deli |
| | 60-Salvation Army Citadel |
| | 72-74-American Hotel |



84-City Hall 96-Norris Dairy 100-La Velma Beauty Salon 102-Collier St United Church 25-McLean Garage 29-Barrie Frosted Foods 35-Oddfellow's Temple 43-MacLaren A F & Co 47-49-Simcoe Medical Group 51-Hong Mark Laundry 53-Law Office -Simcoe City Recreation Service -Simcoe Federation Of Agriculture 55-Central Taxi 63-LCBO 65-Dangerfield Motors Ltd 69-Canada Health & Accident Assce Co -Barrie Drive-A-Car 71-73-Gray Coach Lines Office & Terminal 79-Fire Hall -Town Hall Annex -Simcoe County Health Unit -Children's Aid Socy. -Town Engineer's Office 85-Public Library



| 89-Myers, N M, Hides |
|-------------------------------|
| |
| -Street Not Listed |
| |
| -All Residential |
| 3-Silks Ltd. |
| 5-Coutts Insurance Agency |
| 9-Law Offices |
| 11-Ont Dept. Of Agric |
| -North American Life |
| -Masonic Hall |
| 13-Law Offices |
| 15-Coutts Real Estate |
| 17-Eastern Star Rooms |
| -Children's Aid Soc. |
| -Corbett Chiro |
| 19-Barrister Office |
| 43-St. Andrew's Presby Church |
| 53-Barrie Electric Motors |
| |
| |



| | 2-Toronto Dominion Bank |
|-------------------------|-------------------------|
| | 22-Jebb & Son Jewellers |
| | 24-Stork Shop |
| | 26-Canadian Legion |
| | |
| Poyntz Street (1-30) | -All Residential |
| | |
| Simcoe Street (1-10) | -All Residential |
| | |
| Worsley Street (70-115) | -All Residential |

⁻All listings for businesses were listed as they are in the city directory.



⁻Listings that are residential are listed as "residential" with the number of tenants. The name of the residential tenant is not listed in the above city directory.

^{**}Barrie, Ontario is listed from 1952 to 1998-99 within the city directory archives**

APPENDIX G





Project Property: SP20-666-00

79 Collier Street

Barrie ON L4M 1G7

Project No:

Report Type: RSC Report (Urban)

Order No: 20200504087

Requested by: Sirati & Partners Consultants Ltd.

Date Completed: May 7, 2020

Table of Contents

| Table of Contents | 2 |
|---|-----|
| Executive Summary | 3 |
| Executive Summary: Report Summary | 4 |
| Executive Summary: Site Report Summary - Project Property | 6 |
| Executive Summary: Site Report Summary - Surrounding Properties | 7 |
| Executive Summary: Summary By Data Source | |
| Map | 63 |
| Aerial | |
| Topographic Map | 65 |
| Detail Report | 66 |
| Unplottable Summary | 281 |
| Unplottable Report | 283 |
| Appendix: Database Descriptions | 296 |
| Definitions | 305 |

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

| _ | _ | | |
|------------|-------|--------|---------|
| ν_{ro} | nortv | Int∩rn | าation: |
| 110 | DCILV | ,,,, | ıauvı. |

Project Property: SP20-666-00

79 Collier Street Barrie ON L4M 1G7

Project No:

Order Information:

 Order No:
 20200504087

 Date Requested:
 May 4, 2020

Requested by: Sirati & Partners Consultants Ltd.

Report Type: RSC Report (Urban)

Historical/Products:

Land Title Search Historical Land Title Search

Topographic Map RSC Maps

Executive Summary: Report Summary

| Database | Name | Searched | Project Property | Boundary to 0.30km | Total |
|-----------|--|----------|---------------------|-----------------------|-------|
| AAGR | Abandoned Aggregate Inventory | Y | 0 | 0 | 0 |
| AGR | Aggregate Inventory | Υ | 0 | 0 | 0 |
| AMIS | Abandoned Mine Information System | Υ | 0 | 0 | 0 |
| ANDR | Anderson's Waste Disposal Sites | Υ | 0 | 0 | 0 |
| AST | Aboveground Storage Tanks | Υ | 0 | 0 | 0 |
| AUWR | Automobile Wrecking & Supplies | Υ | 0 | 0 | 0 |
| BORE | Borehole | Υ | 0 | 0 | 0 |
| CA | Certificates of Approval | Υ | 0 | 13 | 13 |
| CDRY | Dry Cleaning Facilities | Y | 0 | 0 | 0 |
| CFOT | Commercial Fuel Oil Tanks | Υ | 0 | 3 | 3 |
| CHEM | Chemical Register | Υ | 0 | 0 | 0 |
| CNG | Compressed Natural Gas Stations | Y | 0 | 0 | 0 |
| COAL | Inventory of Coal Gasification Plants and Coal Tar Sites | Υ | 0 | 0 | 0 |
| CONV | Compliance and Convictions | Υ | 0 | 0 | 0 |
| CPU | Certificates of Property Use | Υ | 0 | 2 | 2 |
| DRL | Drill Hole Database | Υ | 0 | 0 | 0 |
| EASR | Environmental Activity and Sector Registry | Υ | 0 | 1 | 1 |
| EBR | Environmental Registry | Y | 0 | 1 | 1 |
| ECA | Environmental Compliance Approval | Υ | 0 | 23 | 23 |
| EEM | Environmental Effects Monitoring | Y | 0 | 0 | 0 |
| EHS | ERIS Historical Searches | Y | 0 | 54 | 54 |
| EIIS | Environmental Issues Inventory System | Y | 0 | 0 | 0 |
| EMHE | Emergency Management Historical Event | Y | 0 | 0 | 0 |
| EPAR | Environmental Penalty Annual Report | Υ | 0 | 0 | 0 |
| EXP | List of Expired Fuels Safety Facilities | Υ | 0 | 2 | 2 |
| FCON | Federal Convictions | Υ | 0 | 0 | 0 |
| FCS | Contaminated Sites on Federal Land | Υ | 0 | 1 | 1 |
| FED TANKS | Federal Identification Registry for Storage Tank Systems (FIRSTS) | Υ | 0 | 0 | 0 |
| FOFT | Fisheries & Oceans Fuel Tanks | Y | 0 | 0 | 0 |
| FST | Fuel Storage Tank | Y | 0 | 0 | 0 |
| FSTH | Fuel Storage Tank - Historic | Υ | 0 | 0 | 0 |
| GEN | Ontario Regulation 347 Waste Generators Summary | Υ | 0 | 87 | 87 |
| GHG | Greenhouse Gas Emissions from Large Facilities | Υ | 0 | 0 | 0 |
| HINC | TSSA Historic Incidents | Υ | 0 | 3 | 3 |
| IAFT | Indian & Northern Affairs Fuel Tanks | Y | 0 | 0 | 0 |
| INC | Fuel Oil Spills and Leaks | Υ | 0 | 0 | 0 |

| Database | Name | Searched | Project Property | Boundary to 0.30km | Total |
|----------|--|----------|---------------------|-----------------------|-------|
| LIMO | Landfill Inventory Management Ontario | Y | 0 | 0 | 0 |
| MINE | Canadian Mine Locations | Y | 0 | 0 | 0 |
| MNR | Mineral Occurrences | Y | 0 | 0 | 0 |
| NATE | National Analysis of Trends in Emergencies System | Y | 0 | 0 | 0 |
| NCPL | (NATES) Non-Compliance Reports | Y | 0 | 0 | 0 |
| NDFT | National Defense & Canadian Forces Fuel Tanks | Y | 0 | 0 | 0 |
| NDSP | National Defense & Canadian Forces Spills | Y | 0 | 0 | 0 |
| NDWD | National Defence & Canadian Forces Waste Disposal | Y | 0 | 0 | 0 |
| NEBI | Sites National Energy Board Pipeline Incidents | Y | 0 | 0 | 0 |
| NEBP | National Energy Board Wells | Y | 0 | 0 | 0 |
| NEES | National Environmental Emergencies System (NEES) | Υ | 0 | 0 | 0 |
| NPCB | National PCB Inventory | Y | 0 | 5 | 5 |
| NPRI | National Pollutant Release Inventory | Y | 0 | 1 | 1 |
| OGWE | Oil and Gas Wells | Y | 0 | 0 | 0 |
| OOGW | Ontario Oil and Gas Wells | Y | 0 | 0 | 0 |
| OPCB | Inventory of PCB Storage Sites | Y | 0 | 0 | 0 |
| ORD | Orders | Y | 0 | 1 | 1 |
| PAP | Canadian Pulp and Paper | Y | 0 | 0 | 0 |
| PCFT | Parks Canada Fuel Storage Tanks | Y | 0 | 0 | 0 |
| PES | Pesticide Register | Υ | 0 | 4 | 4 |
| PINC | Pipeline Incidents | Υ | 0 | 0 | 0 |
| PRT | Private and Retail Fuel Storage Tanks | Υ | 0 | 0 | 0 |
| PTTW | Permit to Take Water | Υ | 0 | 0 | 0 |
| REC | Ontario Regulation 347 Waste Receivers Summary | Y | 0 | 0 | 0 |
| RSC | Record of Site Condition | Y | 0 | 4 | 4 |
| RST | Retail Fuel Storage Tanks | Υ | 0 | 0 | 0 |
| SCT | Scott's Manufacturing Directory | Y | 0 | 14 | 14 |
| SPL | Ontario Spills | Y | 0 | 54 | 54 |
| SRDS | Wastewater Discharger Registration Database | Y | 0 | 0 | 0 |
| TANK | Anderson's Storage Tanks | Y | 0 | 0 | 0 |
| TCFT | Transport Canada Fuel Storage Tanks | Y | 0 | 0 | 0 |
| VAR | Variances for Abandonment of Underground Storage Tanks | Y | 0 | 0 | 0 |
| WDS | Waste Disposal Sites - MOE CA Inventory | Υ | 0 | 0 | 0 |
| WDSH | Waste Disposal Sites - MOE 1991 Historical Approval Inventory | Υ | 0 | 0 | 0 |
| WWIS | Water Well Information System | Y | 0 | 42 | 42 |
| | - | Total: | 0 | 315 | 315 |

Executive Summary: Site Report Summary - Project Property

MapDBCompany/Site NameAddressDir/Dist (m)Elev diffPageKey(m)Number

No records found in the selected databases for the project property.

Executive Summary: Site Report Summary - Surrounding Properties

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|------------|-----|-------------------------------------|--|--------------|------------------|----------------|
| 1 | EHS | | 36 Mulcaster St Barrie ON L4M3M1 | SE/6.6 | 0.00 | <u>66</u> |
| <u>2</u> | GEN | Altima Barrie Dental Centre | 75 collier st Barrie ON I4m 1g7 | WNW/4.6 | 2.07 | <u>66</u> |
| <u>2</u> | GEN | Altima Barrie Dental Centre | 75 collier st Barrie ON I4m 1g7 | WNW/4.6 | 2.07 | <u>66</u> |
| <u>2</u> | GEN | Altima Barrie Dental Centre | 75 collier st Barrie ON I4m 1g7 | WNW/4.6 | 2.07 | <u>67</u> |
| <u>2</u> | GEN | Altima Dental Services Ontario Inc. | 75 collier st Barrie ON I4m 1g7 | WNW/4.6 | 2.07 | <u>67</u> |
| <u>2</u> | GEN | Altima Dental Services Ontario Inc. | 75 collier st Barrie ON I4m 1g7 | WNW/4.6 | 2.07 | <u>67</u> |
| <u>3</u> | GEN | Altima Barrie Dental Centre | 75 collier st Barrie ON | WNW/4.7 | 2.07 | <u>68</u> |
| <u>3</u> | GEN | Altima Barrie Dental Centre | 75 collier st Barrie ON | WNW/4.7 | 2.07 | <u>68</u> |
| <u>4</u> * | EHS | | 24 Mulcaster St Barrie ON L4M3M1 | SSE/14.7 | 0.00 | <u>68</u> |
| <u>5</u> * | SPL | | Mulcaster, between Collier and Dunlop Barrie ON | ESE/22.4 | 0.05 | <u>69</u> |
| <u>6</u> | SPL | Enbridge Gas Distribution Inc. | 24 Mulcaster Street Barrie ON | SSE/23.0 | 0.00 | <u>69</u> |
| <u>7</u> | SPL | CONSTRUCTION COMPANY | CORNER OF MULCASTER AND COLLIER MOTOR VEHICLE (OPERATING FLUID) BARRIE CITY ON | NE/19.9 | 3.07 | <u>70</u> |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|------------|-----|---------------------------------------|--|--------------|------------------|----------------|
| <u>7</u> | SPL | | Collier St. and Mulcaster St. Barrie ON | NE/19.9 | 3.07 | <u>70</u> |
| <u>8</u> | ECA | The Corporation of the City of Barrie | 37 Mulcaster Street Barrie ON L4M 4T5 | E/32.9 | 1.99 | <u>71</u> |
| <u>8</u> | GEN | City of Barrie Corporate Facilities | 37 Mulcaster St. Barrie ON L4M 4T5 | E/32.9 | 1.99 | <u>71</u> |
| <u>8</u> | GEN | City of Barrie Corporate Facilities | 37 Mulcaster St. Barrie ON L4M 4T5 | E/32.9 | 1.99 | <u>71</u> |
| <u>9</u> | CA | MacLaren Art Centre | 37 Mulcaster Street Barrie ON L4M 3M2 | E/33.0 | 1.99 | <u>71</u> |
| <u>9</u> | GEN | MacLaren Art Centre | 37 Mulcaster Street Barrie ON L4M 3M2 | E/33.0 | 1.99 | <u>72</u> |
| <u>10</u> | SCT | Selmar Dental Industries | 65 Collier St Barrie ON L4M 1G7 | WNW/38.2 | 1.50 | <u>72</u> |
| <u>11</u> | EHS | | 63 Collier St Barrie ON L4M1G7 | W/44.1 | -0.35 | <u>72</u> |
| <u>12</u> | ORD | Allandale Community Development Corp. | 70 Collier Street, Barrie CITY OF BARRIE ON | NW/36.5 | 2.63 | <u>72</u> |
| <u>12</u> | GEN | CORPORATION OF THE CITY OF BARRIE | 70 COLLIER STREET BARRIE ON L4M 4Z2 | NW/36.5 | 2.63 | <u>73</u> |
| <u>12</u> | SPL | The Corporation of the City of Barrie | 70 Collier Street Barrie ON | NW/36.5 | 2.63 | <u>74</u> |
| <u>12</u> | CA | The Corporation of the City of Barrie | 70 Collier St Barrie ON | NW/36.5 | 2.63 | <u>74</u> |
| <u>12</u> | GEN | CORPORATION OF THE CITY OF BARRIE | 70 COLLIER STREET BARRIE ON | NW/36.5 | 2.63 | <u>74</u> |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|------------|-----|--|--|--------------|------------------|----------------|
| <u>12</u> | GEN | CORPORATION OF THE CITY OF BARRIE | 70 COLLIER STREET BARRIE ON | NW/36.5 | 2.63 | <u>75</u> |
| <u>12</u> | GEN | CORPORATION OF THE CITY OF BARRIE | 70 COLLIER STREET BARRIE ON | NW/36.5 | 2.63 | <u>76</u> |
| <u>12</u> | GEN | THE CORPORATION OF THE CITY OF BARRIE | 70 Collier Street Barrie ON | NW/36.5 | 2.63 | <u>77</u> |
| <u>12</u> | GEN | THE CORPORATION OF THE CITY OF BARRIE | 70 Collier Street Barrie ON | NW/36.5 | 2.63 | <u>78</u> |
| 12 | ECA | The Corporation of the City of Barrie | 70 Collier St (sanitary collection system- wide and storm drainage collection system- wide) Barrie ON L4M 4T5 | NW/36.5 | 2.63 | <u>79</u> |
| 12 | ECA | The Corporation of the City of Barrie | 70 Collier St (sanitary collection system- wide and storm drainage collection system- wide) Barrie ON L4M 4T5 | NW/36.5 | 2.63 | <u>79</u> |
| <u>12</u> | ECA | The Corporation of the City of Barrie | 70 Collier St Barrie ON L4M 4T5 | NW/36.5 | 2.63 | <u>79</u> |
| <u>12</u> | GEN | THE CORPORATION OF THE CITY OF BARRIE | 70 Collier Street Barrie ON L4M 4T5 | NW/36.5 | 2.63 | <u>80</u> |
| <u>12</u> | GEN | THE CORPORATION OF THE CITY OF BARRIE | 70 Collier Street Barrie ON L4M 4T5 | NW/36.5 | 2.63 | <u>81</u> |
| <u>12</u> | GEN | THE CORPORATION OF THE CITY OF BARRIE | 70 Collier Street Barrie ON L4M 4T5 | NW/36.5 | 2.63 | <u>81</u> |
| 12 | GEN | THE CORPORATION OF THE CITY OF BARRIE | 70 Collier Street Barrie ON L4M 4T5 | NW/36.5 | 2.63 | <u>82</u> |
| 12 | ECA | The Corporation of the City of Barrie | 70 Collier St (sanitary collection system- wide and storm drainage collection system- wide) Barrie ON L4M 4T5 | NW/36.5 | 2.63 | <u>83</u> |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|------------|-----|---------------------------------------|--|--------------|------------------|----------------|
| <u>12</u> | ECA | The Corporation of the City of Barrie | 70 Collier St (sanitary collection system- wide and storm drainage collection system- wide) Barrie ON L4M 4T5 | NW/36.5 | 2.63 | <u>83</u> |
| 12 | ECA | The Corporation of the City of Barrie | 70 Collier St (sanitary collection system- wide and storm drainage collection system- wide) Barrie ON L4M 4T5 | NW/36.5 | 2.63 | <u>83</u> |
| <u>12</u> | GEN | THE CORPORATION OF THE CITY OF BARRIE | 70 Collier Street Barrie ON L4M 4T5 | NW/36.5 | 2.63 | <u>84</u> |
| <u>13</u> | EHS | | 110 Dunlop Street East Barrie ON L4M 1A5 | SW/34.5 | -3.60 | <u>84</u> |
| <u>14</u> | SCT | SPRINT PRINTING | 17B MULCASTER ST UNIT B BARRIE ON L4M 3M2 | ESE/47.5 | -2.64 | <u>84</u> |
| <u>14</u> | SCT | SPRINT PRINTING | 17 B MULCASTER ST BARRIE ON L4M 3M2 | ESE/47.5 | -2.64 | <u>85</u> |
| <u>14</u> | EHS | | 17 Mulcaster St. Barrie ON L4M 3M2 | ESE/47.5 | -2.64 | <u>85</u> |
| <u>14</u> | GEN | SPRINT PRINTING 34-674 | 17B MULCASTER STREET BARRIE ON L4M 3M2 | ESE/47.5 | -2.64 | <u>85</u> |
| <u>14</u> | GEN | SPRINT PRINTING AND GRAPHICS | 17B MULCASTER STREET BARRIE ON L4M 3M2 | ESE/47.5 | -2.64 | <u>86</u> |
| <u>14</u> | GEN | SPRINT P(OUT OF BUSINESS) ICS | 17B MULCASTER STREET BARRIE ON L4M 3M2 | ESE/47.5 | -2.64 | <u>86</u> |
| <u>14</u> | SPL | Akira Sushi <unofficial></unofficial> | 17 Mulcaster St Barrie ON L4M 3M2 | ESE/47.5 | -2.64 | <u>86</u> |
| <u>15</u> | EHS | | 17 Mulcaster St Barrie Barrie ON L4M3M2 | ESE/47.5 | -2.64 | <u>87</u> |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|------------|------|---------------------------------------|--|--------------|------------------|----------------|
| <u>16</u> | GEN | PARA-MED HEALTH SERVICES 31-828 | 110 DUNLOP ST.E., SUITE 205 BARRIE ON L4M 1A5 | SSW/55.7 | -6.32 | <u>87</u> |
| <u>16</u> | ECA | NuComm Marketing Inc. | 110 Dunlop St Barrie ON L2R 7G1 | SSW/55.7 | -6.32 | <u>87</u> |
| <u>17</u> | HINC | | 100 DUNLOP STREET EAST BARRIE ON L4M 1A4 | SW/60.2 | -6.32 | <u>87</u> |
| <u>18</u> | SPL | | 55 Collier St Barrie ON | W/71.3 | 0.73 | <u>88</u> |
| <u>19</u> | GEN | BARRIE, CITY OF | ENGINEERING DEPT. BOX 400-57 COLLIER STREET BARRIE ON L4M 1G7 | W/76.3 | -0.32 | <u>88</u> |
| <u>19</u> | GEN | BARRIE, CITY OF 04-257 | ENGINEERING DEPT. BOX 400-57 COLLIER STREET BARRIE ON L4M 1G7 | W/76.3 | -0.32 | <u>89</u> |
| <u>19</u> | GEN | BARRIE, CITY OF(OUT OF BUSINESS) | ENGINEERING DEPARTMENT BOX 400- 57 COLLIER STREET BARRIE ON L4M 1G7 | W/76.3 | -0.32 | <u>89</u> |
| <u>20</u> | EHS | | 130 Dunlop St. E. Barrie ON L4M 1B1 | SE/73.6 | -4.54 | <u>89</u> |
| <u>21</u> | ECA | The Corporation of the City of Barrie | Tiffin and Cross Street Barrie ON L4M 4Z2 | E/73.6 | -0.02 | <u>89</u> |
| <u>21</u> | ECA | The Corporation of the City of Barrie | Rawson Avenue Barrie ON L4M 4Z2 | E/73.6 | -0.02 | <u>90</u> |
| <u>21</u> | ECA | The Corporation of the City of Barrie | Anne Street South, Essa Road, Burton Avenue, Milburn Street and Lakeshore Dr Barrie ON L4M 4T5 | E/73.6 | -0.02 | <u>90</u> |
| <u>21</u> | ECA | The Corporation of the City of Barrie | Anne Street, Cundles Road West, Kozlov Street, Heather Street, Bayfield Rd Barrie ON L4M 4T5 | E/73.6 | -0.02 | <u>90</u> |
| <u>21</u> | ECA | The Corporation of the City of Barrie | Rawson Avenue Barrie ON L4M 4Z2 | E/73.6 | -0.02 | <u>90</u> |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|------------|-----|---------------------------------------|--|--------------|------------------|----------------|
| <u>21</u> | ECA | The Corporation of the City of Barrie | 32 Perry Street to 209 Dunlop Street West Barrie ON L4M 4Z2 | E/73.6 | -0.02 | <u>91</u> |
| <u>21</u> | ECA | The Corporation of the City of Barrie | Simcoe Street, Lakeshore Drive, Victoria Street Barrie ON L4M 4Z2 | E/73.6 | -0.02 | <u>91</u> |
| <u>21</u> | ECA | The Corporation of the City of Barrie | Letitia St Barrie ON L4M 4T5 | E/73.6 | -0.02 | <u>91</u> |
| <u>22</u> | SPL | The Corporation of the City of Barrie | Mulcastor & Dunlop Barrie ON | SSE/72.1 | -5.32 | <u>92</u> |
| <u>23</u> | EHS | | 143, 145, 147 Dunlop St. East Barrie ON L4M1A7 | SSE/72.3 | -5.62 | <u>92</u> |
| <u>24</u> | SCT | GAGE MARKING PRODUCTS INC. | 143 DUNLOP ST E BARRIE ON L4M 1A6 | S/75.6 | -5.62 | <u>92</u> |
| <u>24</u> | GEN | GAGE MARKING PRODUCTS INC. | 143 DUNLOP STREET EAST BARRIE ON L4M 1A6 | S/75.6 | -5.62 | <u>93</u> |
| <u>25</u> | CA | The Corporation of the City of Barrie | No. 9 Simcoe Street, 89-141 Dunlop Street East Registered Plan 51R-35398 Barrie ON | SSW/71.7 | -6.32 | <u>93</u> |
| <u>26</u> | EHS | | 89 Collier Street Barrie ON L4M 1H2 | E/79.4 | 4.04 | <u>93</u> |
| <u>27</u> | EHS | | 89 Collier St Barrie ON L4M1H2 | E/79.4 | 4.04 | <u>93</u> |
| <u>28</u> | SPL | | 147 Dunlop Street East. Barrie ON L4M 1A6 | SSE/77.1 | -5.62 | <u>94</u> |
| <u>29</u> | ECA | The Corporation of the City of Barrie | 11-60 Collier St Barrie ON L4M 4T5 | WNW/80.0 | 1.46 | <u>94</u> |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|------------|------|---------------------------------------|--|--------------|------------------|----------------|
| <u>29</u> | ECA | The Corporation of the City of Barrie | 11-60 Collier St Barrie ON L4M 4T5 | WNW/80.0 | 1.46 | <u>94</u> |
| 30 | CA | The Corporation of the City of Barrie | 11-60 Collier St Barrie ON | WNW/80.0 | 1.46 | <u>95</u> |
| <u>31</u> | EHS | | 143-147 Dunlop Street East Barrie ON L4M 1A6 | S/81.3 | -8.07 | <u>95</u> |
| <u>32</u> | SPL | The Corporation of the City of Barrie | 53 Collier St Barrie ON L4M 1G7 | W/87.6 | -1.40 | <u>95</u> |
| <u>33</u> | SCT | Rainbow Makers Stained Glass | 123 Dunlop St E Barrie ON L4M 1A6 | SSW/78.4 | -6.32 | <u>96</u> |
| <u>33</u> | SCT | Rainbow Makers Stained Glass I | 123 Dunlop St E Barrie ON L4M 1A6 | SSW/78.4 | -6.32 | <u>96</u> |
| 34 | wwis | | BARRIE ON Well ID: 7264495 | W/92.8 | -3.21 | <u>96</u> |
| <u>35</u> | EHS | | 149 Dunlop St E Barrie ON L4M1B2 | SE/87.8 | -4.54 | <u>99</u> |
| <u>36</u> | EHS | | 149-153 DUNLOP ST E BARRIE ON L4M 1B2 | SE/88.4 | -4.54 | <u>99</u> |
| <u>37</u> | SPL | Mady Development Corporation | 90 Collier St. Barrie ON | ENE/86.0 | 5.41 | <u>99</u> |
| <u>37</u> | RSC | Mady Collier Centre Ltd. | 90 COLLIER STREET, BARRIE, ONTARIO L4M 4S3 Barrie ON | ENE/86.0 | 5.41 | <u>99</u> |
| <u>38</u> | EHS | | 140 Dunlop Street East Barrie ON L4M 6H1 | ESE/90.4 | -3.30 | <u>101</u> |
| <u>39</u> | SCT | Flying Monkeys Craft Brewery | 107 Dunlop St E Barrie ON L4M 1A6 | SW/85.9 | -6.32 | <u>101</u> |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|------------|-----|--|--|--------------|------------------|----------------|
| 39 | EBR | The Robert Simpson Brewing Company Limited operating as Flying Monkeys Craft | Brewery ON | SW/85.9 | -6.32 | <u>101</u> |
| <u>39</u> | ECA | The Robert Simpson Brewing Company Limited | operating as Flying Monkeys Craft Brewery 107 Dunlop Street East Barrie ON | SW/85.9 | -6.32 | <u>102</u> |
| 39 | SPL | The Robert Simpson Brewing Company Limited operating as Flying Monkeys Craft | Brewery 107 Dunlop Street East Barrie ON | SW/85.9 | -6.32 | <u>102</u> |
| <u>39</u> | ECA | The Robert Simpson Brewing Company Limited operating as Flying Monkeys Craft | Brewery 107 Dunlop St E Barrie ON L4M 1A6 | SW/85.9 | -6.32 | <u>102</u> |
| 39 | SPL | The Robert Simpson Brewing Company Limited operating as Flying Monkeys Craft | Brewery 107 Dunlop St E Barrie ON L4M 1A6 | SW/85.9 | -6.32 | 103 |
| <u>39</u> | SPL | The Robert Simpson Brewing Company Limited operating as Flying Monkeys Craft | Brewery 107 Dunlop St E Barrie ON L4M 1A6 | SW/85.9 | -6.32 | 103 |
| <u>39</u> | SPL | | 107 Dunlop St East Barrie ON | SW/85.9 | -6.32 | 104 |
| 39 | SPL | The Robert Simpson Brewing Company Limited operating as Flying Monkeys Craft | Brewery 107 Dunlop St E Barrie ON L4M 1A6 | SW/85.9 | -6.32 | 104 |
| <u>39</u> | SPL | The Robert Simpson Brewing Company Limited operating as Flying Monkeys Craft | Brewery 107 Dunlop St E Barrie ON L4M 1A6 | SW/85.9 | -6.32 | <u>105</u> |
| <u>40</u> | GEN | GAGE (OUT OF BUS) 16-329 | 84 DUNLOP ST.E. BARRIE ON L4M 1A4 | WSW/88.6 | -6.32 | 105 |
| <u>41</u> | EHS | | 47, 49, 51, 53 Collier St & 9, 21, 23, 25 Owen Street Barrie ON L4M 1G7 | W/101.6 | -1.40 | <u>105</u> |
| <u>42</u> | EHS | | 49 Collier Street Barrie ON L4M 1G7 | W/102.6 | -3.21 | <u>106</u> |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|------------|------|---------------------------------------|--|--------------|------------------|----------------|
| <u>43</u> | EHS | | 80 Dunlop St E Barrie ON L4M1A4 | WSW/94.6 | -4.99 | <u>106</u> |
| 44 | SPL | | 82 Dunlop St East (Alley behind the pub) Barrie ON | WSW/95.8 | -6.32 | <u>106</u> |
| <u>45</u> | EHS | | 140 Dunlop Street East Barrie ON L4M 6H9 | ESE/102.5 | -3.30 | <u>107</u> |
| <u>46</u> | wwis | | BARRIE ON <i>Well ID:</i> 7185113 | NE/98.5 | 5.38 | <u>107</u> |
| <u>47</u> | EHS | | 9-17 And 21 Owen Street Barrie ON | W/108.3 | -3.79 | <u>110</u> |
| <u>48</u> | EHS | | 47 Collier St Barrie ON L4M1G7 | W/110.3 | -1.23 | <u>110</u> |
| <u>49</u> | EHS | | 70 & 74 Dunlop Street East Barrie ON | WSW/105.8 | -4.96 | <u>110</u> |
| <u>50</u> | SPL | Hooters | 5 Mulcaster St Barrie ON | SE/108.5 | -6.92 | <u>110</u> |
| <u>50</u> | SPL | The Corporation of the City of Barrie | 5 Mulcaster St Barrie ON L4M 3L9 | SE/108.5 | -6.92 | <u>111</u> |
| <u>50</u> | SPL | | 5 Mulcaster Street Barrie ON | SE/108.5 | -6.92 | <u>111</u> |
| <u>51</u> | HINC | | 47 Collier St Barrie BARRIE ON L4M 1G7 | W/117.1 | -1.23 | 112 |
| <u>52</u> | SPL | | 47 Collier Street Barrie ON | W/117.1 | -1.23 | 112 |
| <u>53</u> | PES | IGA STORE #7359 - BARRIE | 55 MULCASTER ST BARRIE ON L4M 4S3 | NNE/109.2 | 6.47 | 113 |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|------------|-----|--|---|--------------|------------------|----------------|
| <u>53</u> | PES | FOOD LAND #6288 - BARRIE | 55 MULCASTER ST BARRIE ON L4M 4S3 | NNE/109.2 | 6.47 | <u>113</u> |
| <u>53</u> | PES | FOOD LAND #6288 - BARRIE | 55 MULCASTER ST BARRIE ON L4M 4S3 | NNE/109.2 | 6.47 | 113 |
| <u>53</u> | PES | FOOD LAND #6288 - BARRIE | 55 MULCASTER ST BARRIE ON L4M4S3 | NNE/109.2 | 6.47 | 114 |
| <u>54</u> | EHS | | 23 Owen St Barrie ON L4M3G8 | W/120.4 | -1.23 | 114 |
| <u>55</u> | GEN | CITY OF BARRIE | 155 DUNLOP STREET WEST BARRIE ON L4M 4T5 | SE/117.6 | -5.27 | 114 |
| <u>56</u> | GEN | Ontario Addiction Treatment Centres | 20 Owen Street Barrie ON L4M 3G7 | W/129.1 | -3.79 | <u>115</u> |
| <u>56</u> | GEN | Ontario Addiction Treatment Centres | 20 Owen Street Barrie ON L4M 3G7 | W/129.1 | -3.79 | <u>115</u> |
| <u>56</u> | GEN | Ontario Addiction Treatment Centres | 20 Owen Street Barrie ON L4M 3G7 | W/129.1 | -3.79 | 116 |
| <u>56</u> | GEN | Ontario Addiction Treatment Centres | 20 Owen Street Barrie ON | W/129.1 | -3.79 | <u>116</u> |
| <u>56</u> | GEN | Ontario Addiction Treatment Centres | 20 Owen Street Barrie ON L4M3G7 | W/129.1 | -3.79 | <u>116</u> |
| <u>56</u> | GEN | Rexall Pharmacy Group Ltd. | 20 Owen Street Barrie ON L4M 3G7 | W/129.1 | -3.79 | <u>116</u> |
| <u>56</u> | GEN | Pharmaservice Inc. | 20 Owen Street Barrie ON L4M 3G7 | W/129.1 | -3.79 | <u>117</u> |
| <u>56</u> | GEN | Ontario Addiction Treatment Centres | 20 Owen Street Barrie ON L4M3G7 | W/129.1 | -3.79 | 117 |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|------------|------|--|--|--------------|------------------|----------------|
| <u>56</u> | GEN | Ontario Addiction Treatment Centres | 20 Owen Street Barrie ON L4M3G7 | W/129.1 | -3.79 | <u>117</u> |
| <u>56</u> | GEN | Pharmaservice Inc. | 20 Owen Street Barrie ON L4M 3G7 | W/129.1 | -3.79 | 118 |
| <u>56</u> | GEN | Rexall Pharmacy Group Ltd. | 20 Owen Street Barrie ON L4M 3G7 | W/129.1 | -3.79 | 118 |
| <u>56</u> | GEN | Canadian Addiction Treatment Clinics LP | 20 Owen Street Barrie ON L4M3G7 | W/129.1 | -3.79 | 118 |
| <u>57</u> | WWIS | | ON <i>Well ID</i> : 5700288 | SE/127.0 | -7.71 | <u>118</u> |
| <u>58</u> | GEN | MURRAY MECHANICAL SYSTEMS LTD. | 150 DUNLOP ST. EAST BARRIE ON L4M 6H1 | ESE/127.0 | 0.05 | 125 |
| <u>58</u> | SPL | | 150 Dunlop Street East Barrie ON | ESE/127.0 | 0.05 | <u>125</u> |
| <u>59</u> | SPL | Spaghetti Western <unofficial></unofficial> | SE corner of Owen Street and Collier Street Barrie ON | W/133.7 | -0.93 | 126 |
| <u>60</u> | WWIS | | Barrie ON <i>Well ID</i> : 7124832 | SE/134.3 | -7.71 | 126 |
| <u>61</u> | СА | P.U.C. BARRIE | LAKESHORE DR./MULCASTER ST. BARRIE CITY ON | SSE/137.7 | -9.65 | 129 |
| <u>62</u> | EHS | | 149, 155, 157, 185, and 205 Dunlop Street East and 9 Lakeshore Drive Barrie ON | ESE/141.5 | -6.32 | <u>129</u> |
| <u>63</u> | CA | BARRIE CITY - POYNTZ ST. | WORSLEY ST./MULCASTER ST./OWEN BARRIE CITY ON | NNE/141.9 | 7.27 | <u>130</u> |
| <u>63</u> | SPL | City of Barrie <unofficial></unofficial> | Worsley Street and Muleaster Street Barrie ON | NNE/141.9 | 7.27 | <u>130</u> |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|------------|------|--|--|--------------|------------------|----------------|
| <u>64</u> | CA | P.U.C. BARRIE - MCDONALD ST./CODRINGTON | MULCASTER ST./WORSLEY ST. BARRIE CITY ON | NNE/141.9 | 7.27 | <u>130</u> |
| <u>64</u> | EHS | | Mulcaster Street & Worsley Street 90 Collier Street & 55 Mulcaster Street Barrie ON | NNE/141.9 | 7.27 | <u>131</u> |
| <u>65</u> | wwis | | ON Well ID: 5719264 | SSW/146.6 | -11.32 | <u>131</u> |
| <u>66</u> | GEN | Pharmaright Pharmacy Inc. | 43 Collier Street Barrie ON L4M1G5 | W/157.3 | -2.32 | 136 |
| <u>67</u> | EHS | | 111 Collier Street Barrie ON L4M 1H2 | E/154.3 | 4.12 | 136 |
| <u>68</u> | NPCB | CANADA POST | BARRIE CANADA POST BUILDING 44 COLLIER STREET OTTAWA ON K1A 0B1 | WNW/158.5 | -0.61 | <u>136</u> |
| <u>69</u> | NPCB | CANADA POST | 44 COOLIER ST BARRIE CANADA POST BUILDING BARRIE ON L4M 1G6 | WNW/158.5 | -0.61 | 137 |
| <u>69</u> | EHS | | 44 Collier Street Barrie ON L4M 1G6 | WNW/158.5 | -0.61 | 137 |
| <u>70</u> | СА | | 157 Dunlop St. & Part of Water Lot 16 in Front of Lot No. 16, Located on Lakeshore Drive Barrie ON | ESE/164.0 | -6.32 | 137 |
| <u>70</u> | GEN | The City of Barrie | 157 Dunlop Street East Barrie ON L4M 1B2 | ESE/164.0 | -6.32 | 137 |
| <u>70</u> | GEN | THE CORPORATION OF THE CITY OF BARRIE | 157 Dunlop Street East Barrie ON L4M 1B2 | ESE/164.0 | -6.32 | 138 |
| <u>70</u> | GEN | THE CORPORATION OF THE CITY OF BARRIE | 157 Dunlop Street East Barrie ON | ESE/164.0 | -6.32 | 138 |
| <u>70</u> | ECA | The Corporation of the City of Barrie | 157 Dunlop St. & Part of Water Lot 16 Barrie ON L4M 4T5 | ESE/164.0 | -6.32 | 138 |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|------------|------|---|---|--------------|------------------|----------------|
| <u>70</u> | GEN | THE CORPORATION OF THE CITY OF BARRIE | 157 Dunlop Street East Barrie ON L4M 1B2 | ESE/164.0 | -6.32 | 138 |
| <u>70</u> | GEN | THE CORPORATION OF THE CITY OF BARRIE | 157 Dunlop Street East Barrie ON L4M 1B2 | ESE/164.0 | -6.32 | 139 |
| <u>70</u> | GEN | THE CORPORATION OF THE CITY OF BARRIE | 157 Dunlop Street East Barrie ON L4M 1B2 | ESE/164.0 | -6.32 | 139 |
| <u>70</u> | GEN | THE CORPORATION OF THE CITY OF BARRIE | 157 Dunlop Street East Barrie ON L4M 1B2 | ESE/164.0 | -6.32 | <u>139</u> |
| <u>70</u> | GEN | THE CORPORATION OF THE CITY OF BARRIE | 157 Dunlop Street East Barrie ON L4M 1B2 | ESE/164.0 | -6.32 | <u>139</u> |
| <u>71</u> | EHS | | 58 Dunlop Street East Barrie ON L4M 1A3 | WSW/166.2 | -5.69 | 140 |
| <u>72</u> | WWIS | | ON <i>Well ID</i> : 5700236 | ESE/175.4 | -3.40 | 140 |
| <u>73</u> | EHS | | 155 Dunlop Street East Barrie ON L4M 1B2 | ESE/176.8 | -7.92 | 143 |
| <u>74</u> | WWIS | | Barrie ON <i>Well ID:</i> 7169806 | WSW/179.2 | -5.48 | 143 |
| <u>75</u> | EHS | | 156 & 158 Dunlop Street East Barrie ON | ESE/183.3 | -3.40 | 144 |
| <u>75</u> | EHS | | 156 And 158 Dunlop Street Barrie ON | ESE/183.3 | -3.40 | <u>145</u> |
| <u>76</u> | GEN | Mohammed Qanbar-Agha professional Corporation | 50 Dunlop St. East Suite 402 Barrie ON L4M 6J9 | WSW/182.8 | -8.27 | <u>145</u> |
| <u>76</u> | GEN | Abdel-Gawad Dentistry Professional Corporation | 50 Dunlop St. East Suite 402 Barrie ON L4M 6J9 | WSW/182.8 | -8.27 | 145 |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|------------|------|---|---|--------------|------------------|----------------|
| <u>76</u> | GEN | Lovers Harbour Inc. | 50 Dunlop Street East Barrie ON L4M6J9 | WSW/182.8 | -8.27 | 146 |
| <u>76</u> | GEN | Lovers Harbour Inc. | 50 Dunlop Street East Barrie ON L4M6J9 | WSW/182.8 | -8.27 | 146 |
| <u>76</u> | GEN | Lovers Harbour Inc. | 50 Dunlop Street East Barrie ON L4M6J9 | WSW/182.8 | -8.27 | 146 |
| <u>76</u> | GEN | Mohammed Qanbar-Agha professional Corporation | 50 Dunlop St. East Suite 402 Barrie ON L4M 6J9 | WSW/182.8 | -8.27 | 146 |
| <u>76</u> | GEN | Mohammed Qanbar-Agha professional Corporation | 50 Dunlop St. East Suite 402 Barrie ON L4M 6J9 | WSW/182.8 | -8.27 | <u>147</u> |
| <u>77</u> | GEN | Lovers Harbour Inc. | 50 Dunlop Street East Barrie ON L4M6J9 | WSW/182.9 | -8.27 | 147 |
| <u>77</u> | GEN | Lovers Harbour Inc. | 50 Dunlop Street East Barrie ON L4M6J9 | WSW/182.9 | -8.27 | 147 |
| <u>77</u> | GEN | Lovers Harbour Inc. | 50 Dunlop Street East Barrie ON | WSW/182.9 | -8.27 | 148 |
| <u>78</u> | GEN | Pentor Electric Ltd | 108 Collier Street Barrie ON L4M 5R5 | ENE/179.4 | 10.10 | 148 |
| <u>79</u> | WWIS | | Barrie ON <i>Well ID:</i> 7169805 | WSW/183.5 | -9.82 | 148 |
| <u>80</u> | EHS | | 46 Dunlop Street East Barrie ON | WSW/188.5 | -5.48 | <u>150</u> |
| <u>81</u> | WWIS | | BARRIE ON Well ID: 7301015 | SW/181.1 | -9.90 | <u>150</u> |
| <u>82</u> | EHS | | 158 Dunlop Street East Barrie ON L4M 1B1 | ESE/189.7 | -3.40 | <u>152</u> |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|------------|------|---|---|--------------|------------------|----------------|
| <u>83</u> | wwis | | Barrie ON <i>Well ID:</i> 7157664 | WNW/188.7 | 0.68 | 152 |
| <u>83</u> | WWIS | | Barrie ON <i>Well ID</i> : 7157665 | WNW/188.7 | 0.68 | <u>155</u> |
| <u>84</u> | SPL | UNKNOWN | SIMCOE ST. & FRED GRANT SQUARE BARRIE BARRIE CITY ON | WSW/187.0 | -8.68 | <u>158</u> |
| <u>85</u> | NPCB | MINISTRY OF GOVERNMENT SERVICES | 114 WORSLEY STREET; BOX 790 BARRIE ON L4M 1M1 | NE/188.2 | 13.68 | <u>158</u> |
| <u>85</u> | GEN | MINISTRY OF GOVERNMENT SERVICES | 114 WORSLEY ST., BARRIE C/O 24 JAMES ST. ORILLIA ON L4M 1M1 | NE/188.2 | 13.68 | <u>159</u> |
| <u>85</u> | GEN | MINISTRY OF GOVERNMENT SERVICES 27-531 | 114 WORSLEY ST., BARRIE C/O 24 JAMES ST. ORILLIA ON L4M 1M1 | NE/188.2 | 13.68 | <u>159</u> |
| <u>85</u> | GEN | MINISTRY OF GOVERNMENT SERVICES | 114 WORSLEY STREET BARRIE_ ON L4M 1M1 | NE/188.2 | 13.68 | <u>159</u> |
| <u>85</u> | EHS | | 114 Worsley Street Barrie ON L4M 1M1 | NE/188.2 | 13.68 | <u>160</u> |
| <u>85</u> | GEN | ECOH Management Inc. | 114 Worsley Street Barrie ON L4M 1M1 | NE/188.2 | 13.68 | <u>160</u> |
| <u>85</u> | NPRI | ONTARIO REALTY | 114 WORSLEY Street BARRIE ON L4M1M1 | NE/188.2 | 13.68 | <u>160</u> |
| <u>86</u> | WWIS | | ON <i>Well ID:</i> 5700237 | ESE/193.6 | -3.40 | <u>161</u> |
| <u>87</u> | SPL | Barrie Hydro Distribution Inc. | 46 Dunlop Stre. E. Barrie ON L4M 1A3 | WSW/194.3 | -8.27 | 164 |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|------------|------|---------------------------------------|---|--------------|------------------|----------------|
| 88 | WWIS | | ON <i>Well ID:</i> 5718640 | S/194.2 | -12.93 | <u>165</u> |
| <u>89</u> | CA | P.U.C. BARRIE - POYNTZ ST. | WORSLEY ST./OWEN ST. BARRIE CITY ON | NW/192.1 | 0.68 | <u>172</u> |
| <u>89</u> | CA | BARRIE CITY | WORSLEY ST/OWEN ST/CLAPPERTON BARRIE CITY ON | NW/192.1 | 0.68 | <u>172</u> |
| <u>89</u> | CA | P.U.C. BARRIE | WORSLEY ST./OWEN ST. BARRIE CITY ON | NW/192.1 | 0.68 | <u>172</u> |
| <u>90</u> | SPL | The Corporation of the City of Barrie | 5 Simcoe Street Barrie ON | SSW/195.6 | -12.71 | <u>172</u> |
| 90 | ECA | The Corporation of the City of Barrie | 5 Simcoe Street City of Barrie ON | SSW/195.6 | -12.71 | <u>173</u> |
| 90 | ECA | The Corporation of the City of Barrie | 5 Simcoe St Barrie ON L4M 4T5 | SSW/195.6 | -12.71 | <u>173</u> |
| 90 | EASR | CORPORATION OF THE CITY OF BARRIE | 5 Simcoe ST Barrie ON L4M 4T5 | SSW/195.6 | -12.71 | <u>173</u> |
| <u>90</u> | SPL | The Corporation of the City of Barrie | 5 Simcoe Street Barrie ON | SSW/195.6 | -12.71 | 174 |
| <u>91</u> | SPL | The Corporation of the City of Barrie | 5 Simcoe Street Barrie ON | SSW/195.7 | -12.71 | 174 |
| <u>92</u> | FCS | Office Building - 48 Owen Street | Barrie ON | WNW/200.4 | -0.79 | <u>175</u> |
| <u>93</u> | EHS | | 53 Owen St Barrie ON L4M3H2 | NW/201.3 | 0.68 | <u>177</u> |
| <u>94</u> | SCT | Seniors Plus Newspaper | 53 Owen St Barrie ON L4M 3H2 | NW/201.8 | 0.68 | <u>177</u> |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|------------|------|--|--|--------------|------------------|----------------|
| <u>95</u> | GEN | SNC-Lavalin ProFac Inc. | 48 Owen Street Suite 312 Barrie ON L4M 3H1 | WNW/202.3 | 0.37 | <u>178</u> |
| <u>95</u> | EHS | | 48 Owen St. Barrie ON L4M 3H1 | WNW/202.3 | 0.37 | <u>178</u> |
| <u>95</u> | SPL | Government of Canada <unofficial></unofficial> | 48 Owen St Barrie ON | WNW/202.3 | 0.37 | <u>178</u> |
| <u>95</u> | SPL | | 48 Owen St. Barrie ON | WNW/202.3 | 0.37 | <u>179</u> |
| <u>95</u> | SPL | Brookfield Properties Corporation | 48 Owen St Barrie ON L4M 3H1 | WNW/202.3 | 0.37 | <u>179</u> |
| <u>95</u> | SPL | Brookfield Properties Corporation | 48 Owen St Barrie ON | WNW/202.3 | 0.37 | <u>179</u> |
| <u>95</u> | SPL | Her Majesty the Queen in Right of Canada as Represented by the Minister of | Public Works and Government Services Canada 48 Owen Street Barrie ON L4M 3H1 | WNW/202.3 | 0.37 | 180 |
| <u>95</u> | SPL | Her Majesty the Queen in Right of Canada as Represented by the Minister of | Public Works and Government Services Canada 48 Owen St Barrie ON L4M 3H1 | WNW/202.3 | 0.37 | <u>180</u> |
| <u>96</u> | GEN | City of Barrie City of Barrie | 31 Collier St. Barrie ON L4M 4T5 | W/214.5 | -3.32 | 181 |
| <u>96</u> | GEN | City of Barrie City of Barrie | 31 Collier St. Barrie ON L4M 4T5 | W/214.5 | -3.32 | <u>181</u> |
| <u>97</u> | WWIS | | lot 25 con 4 ON <i>Well ID:</i> 5727319 | S/209.4 | -13.49 | <u>182</u> |
| <u>98</u> | WWIS | | lot 25 con 4 ON <i>Well ID:</i> 5727318 | S/210.7 | -14.15 | <u>187</u> |
| <u>99</u> | wwis | | Barrie ON | E/214.6 | -1.37 | 192 |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|------------|------|--|--|--------------|------------------|----------------|
| | | | Well ID: 7230455 | | | |
| 100 | WWIS | | ON <i>Well ID:</i> 5700262 | ESE/214.5 | -6.32 | <u>194</u> |
| <u>100</u> | WWIS | | ON <i>Well ID:</i> 5735508 | ESE/214.5 | -6.32 | <u>197</u> |
| <u>101</u> | EHS | | 2 Fred Grant St Barrie ON L4M3G6 | WSW/212.8 | -10.53 | 198 |
| 102 | EHS | | 17 Poyntz St Barrie ON L4M3N6 | E/220.3 | 1.68 | <u>198</u> |
| 103 | WWIS | | Barrie ON <i>Well ID:</i> 7230454 | ESE/219.1 | -6.32 | <u>199</u> |
| <u>104</u> | SPL | | OWEN ST., RIGHT BESIDE 60 WORSLEY ST. <unofficial> Barrie ON</unofficial> | NW/217.1 | 0.71 | <u>201</u> |
| 105 | WWIS | | ON <i>Well ID</i> : 7176288 | SW/215.0 | -12.32 | <u>201</u> |
| 106 | SPL | RESTAURANT | 34 DUNLOP ST. EAST (N.O.S.) BARRIE CITY ON L4M 1A3 | WSW/225.1 | -9.35 | 202 |
| <u>107</u> | WWIS | | Barrie ON <i>Well ID:</i> 7157663 | WNW/225.0 | -0.79 | <u>202</u> |
| 108 | GEN | Simcoe Muskoka District Health Unit | 24 Collier Street Barrie ON | W/230.5 | -4.37 | 205 |
| <u>108</u> | GEN | Simcoe Muskoka District Health Unit | 24 Collier Street Barrie ON | W/230.5 | -4.37 | 205 |
| 108 | GEN | Simcoe Muskoka District Health Unit | 24 Collier Street Barrie ON L4M 1G6 | W/230.5 | -4.37 | 206 |
| <u>109</u> | SPL | | 59 Owen Street Barrie ON | NW/226.5 | 1.83 | 206 |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|------------|------|---|---|--------------|------------------|----------------|
| <u>110</u> | NPCB | MINISTRY OF GOVERNMENT SERVICES | BARRIE COURTHOUSE BARRIE COURTHOUSE BARRIE ON | NE/225.4 | 17.68 | 206 |
| <u>110</u> | SPL | PRIVATE OWNER | COURTHOUSE \MACDONALD STREET MOTOR VEHICLE (OPERATING FLUID) BARRIE CITY ON | NE/225.4 | 17.68 | <u>207</u> |
| <u>110</u> | NPCB | MINISTRY OF GOVERNMENT SERVICE | BARRIE COURTHOUSE BARRIE ON | NE/225.4 | 17.68 | 207 |
| <u>111</u> | wwis | | ON <i>Well ID</i> : 7110081 | WSW/226.5 | -10.83 | 208 |
| 112 | wwis | | ON Well ID: 5700235 | E/233.5 | -3.94 | <u>218</u> |
| <u>113</u> | GEN | MINISTRY OF CORRECTIONAL SERVICES | BARRIE JAIL 87 MULCASTER STREET BARRIE ON L4M 4T2 | NNE/233.6 | 15.02 | 222 |
| <u>113</u> | GEN | MINISTRY OF CORRECTIONAL SERVICES 26-568 | BARRIE JAIL 87 MULCASTER STREET BARRIE ON L4M 4T2 | NNE/233.6 | 15.02 | 222 |
| 114 | wwis | | ON Well ID: 7303226 | NW/236.9 | 3.30 | 222 |
| 115 | HINC | | 67 McDONALD STREET BARRIE ON L4M 1P4 | NNW/244.5 | 6.84 | 223 |
| <u>116</u> | SPL | COMMERCIAL BUILDING | BEHIND COMMERCIAL BUILDING AT 23 COLLIER ST. BARRIE CITY ON L4M 1G5 | W/249.3 | -6.74 | 223 |
| <u>117</u> | EHS | | 39 Dunlop St E Barrie ON L4M1A2 | WSW/243.1 | -9.23 | 224 |
| <u>118</u> | RSC | THE CORPORATION OF THE CITY OF BARRIE | 61 OWEN STREET, BARRIE, ON L4M 1P4 Barrie ON | NW/242.1 | 1.83 | 224 |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|------------|------|--------------------------------|--|--------------|------------------|----------------|
| 119 | wwis | | ON <i>Well ID</i> : 5735507 | ESE/249.2 | -14.32 | <u>225</u> |
| <u>120</u> | EHS | | 2-4 Bayfield Street, 50 Worsley Street and 23 Collier Street, Barrie, ON Barrie ON | W/256.2 | -6.74 | <u>227</u> |
| <u>121</u> | CFOT | KRUAWAN SIMANURAK | 168 DUNLOP STREET EAST BARRIE ON L4M 1B3 | E/250.8 | -3.83 | 227 |
| <u>121</u> | CFOT | ERKKI LAAKKONEN | 168 DUNLOP STREET EAST BARRIE ON L4M 1B3 | E/250.8 | -3.83 | 227 |
| <u>121</u> | SPL | Enbridge Gas Distribution Inc. | 168 Dunlop St. E Barrie ON | E/250.8 | -3.83 | 228 |
| 122 | wwis | | Barrie ON <i>Well ID:</i> 7204528 | ESE/250.6 | -8.70 | 228 |
| 123 | EHS | | 62 Owen Street Barrie ON L4M 3H2 | NW/247.2 | 1.73 | 231 |
| 124 | wwis | | Barrie ON Well ID: 7204527 | ESE/251.5 | -8.70 | <u>231</u> |
| 125 | wwis | | Barrie ON <i>Well ID:</i> 7204526 | ESE/253.2 | -6.32 | 234 |
| <u>126</u> | wwis | | Barrie ON <i>Well ID</i> : 7204525 | ESE/253.4 | -6.32 | 236 |
| 127 | EHS | | 1 Bayfield Street Barrie ON | SW/247.7 | -11.71 | 238 |
| 128 | SCT | HURONIA BUSINESS TIMES | 24 DUNLOP ST E FLOOR 2 BARRIE ON L4M 1A3 | WSW/255.1 | -8.62 | 239 |
| <u>129</u> | EHS | | 31 Dunlop St. Barrie ON | WSW/255.0 | -9.44 | 239 |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|------------|------|--|---|--------------|------------------|----------------|
| 130 | wwis | | ON Well ID: 7274933 | WSW/251.8 | -10.32 | 239 |
| 131 | CA | BARRIE CITY | 60 WORSLEY STREET (SWM) BARRIE CITY ON L4M 1L6 | NW/254.8 | -0.01 | <u>240</u> |
| <u>131</u> | SPL | | 60 Worsley St Barrie ON | NW/254.8 | -0.01 | <u>240</u> |
| <u>131</u> | GEN | The Corporation of the City of Barrie | 60 Worsley St Barrie ON L4M 4T5 | NW/254.8 | -0.01 | <u>240</u> |
| <u>131</u> | GEN | The Corporation of the City of Barrie | 60 Worsley St Barrie ON L4M 4T5 | NW/254.8 | -0.01 | <u>241</u> |
| 131 | GEN | The Corporation of the City of Barrie | 60 Worsley St Barrie ON L4M 4T5 | NW/254.8 | -0.01 | <u>241</u> |
| 131 | GEN | The Corporation of the City of Barrie | 60 Worsley St Barrie ON L4M 4T5 | NW/254.8 | -0.01 | <u>241</u> |
| 132 | SPL | UNKNOWN | MULCASTER ST/MCDONALD ST- PARKING LOT INFRONT OF THE BARRIE COURT HOUSE BARRIE CITY ON | N/261.6 | 15.05 | 242 |
| 133 | SPL | Redacted S 21(1)(f) of FIPPA | 75 Mulcaster Street Barrie ON | NNE/257.8 | 19.05 | 242 |
| 133 | SPL | ECOH Management <unofficial></unofficial> | 75 Mulcaster Rd. Barrie ON | NNE/257.8 | 19.05 | 243 |
| <u>133</u> | GEN | CBRE Limited | 75 Mulcaster Street Barrie ON L4M 3P2 | NNE/257.8 | 19.05 | 243 |
| <u>134</u> | SCT | PRESTIGE SIGNS BARRIE LTD | 21 COLLIER ST BARRIE ON L4M 1G5 | W/267.0 | -7.32 | 244 |
| <u>135</u> | EHS | | 21 Collier Street Barrie ON L4M 1G5 | W/267.0 | -7.32 | 244 |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|------------|------|--|--|--------------|------------------|----------------|
| <u>136</u> | EHS | | 31 Dunlop Street East Barrie ON L4M 1A2 | WSW/260.6 | -9.44 | 244 |
| <u>137</u> | EHS | | 31 Dunlop St E Barrie ON L4M1A2 | WSW/259.5 | -9.44 | 244 |
| <u>138</u> | EHS | | 20 (or 20-28) Dunlop Street East Barrie ON L4M 1A3 | WSW/263.0 | -8.62 | 245 |
| <u>139</u> | EHS | | 185 - 205 Dunlop Street, East Barrie ON L4M 1B2 | ESE/266.1 | -8.46 | 245 |
| <u>140</u> | wwis | | ON <i>Well ID</i> : 7177202 | ESE/269.4 | -8.46 | <u>245</u> |
| <u>141</u> | RSC | PM(129 COLLIER ST) INC. | 129 COLLIER STREET, BARRIE, ON L4M 5R5 Barrie ON | E/273.1 | 3.17 | 246 |
| 142 | wwis | | BARRIE ON Well ID: 7265149 | W/277.3 | -6.27 | 247 |
| 143 | GEN | Simcoe Muskoka District Health Unit | 88 Mulcaster Street Barrie ON L4M5E1 | N/276.7 | 14.55 | 249 |
| 143 | GEN | Simcoe Muskoka District Health Unit | 88 Mulcaster Street Barrie ON L4M5E1 | N/276.7 | 14.55 | 249 |
| 143 | GEN | Simcoe Muskoka District Health Unit | 88 Mulcaster Street Barrie ON L4M5E1 | N/276.7 | 14.55 | <u>250</u> |
| 143 | GEN | Simcoe Muskoka District Health Unit | 88 Mulcaster Street Barrie ON L4M5E1 | N/276.7 | 14.55 | <u>250</u> |
| 144 | SCT | Cdn Inst of Management - HO | 15 Collier St Lower Level Barrie ON L4M 1G5 | W/281.1 | -7.32 | <u>250</u> |
| <u>145</u> | EHS | | 129 Collier Street Barrie ON L4M 1H5 | E/280.0 | 0.08 | <u>250</u> |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|------------|------|---------------------------------------|---|--------------|------------------|----------------|
| <u>146</u> | wwis | | Barrie ON <i>Well ID:</i> 7207029 | ESE/281.4 | -6.32 | <u>251</u> |
| <u>147</u> | wwis | | Barrie ON <i>Well ID:</i> 7207028 | ESE/281.5 | -6.32 | <u>253</u> |
| 148 | SPL | | 12 Dunlop Street East Barrie ON | WSW/282.5 | -8.32 | <u>255</u> |
| <u>149</u> | SCT | Brass Group International Gem | 12 Dunlop St E Barrie ON L4M 1A3 | WSW/282.5 | -8.32 | <u>255</u> |
| <u>149</u> | SCT | Brass Group International Gem Ltd. | 12 Dunlop St E Barrie ON L4M 1A3 | WSW/282.5 | -8.32 | <u>256</u> |
| 149 | SPL | The Corporation of the City of Barrie | behind 12 Dunlop Street East Barrie ON L4M 1A3 | WSW/282.5 | -8.32 | <u>256</u> |
| <u>150</u> | wwis | | BARRIE ON Well ID: 7265150 | WNW/283.4 | -4.32 | <u>256</u> |
| <u>151</u> | EHS | | 11 Collier Street Barrie ON | W/289.4 | -4.84 | <u>259</u> |
| <u>152</u> | EHS | | 185 To 205 Dunlop St E Barrie ON | ESE/286.5 | -7.90 | <u>259</u> |
| <u>153</u> | wwis | | ON Well ID: 7269389 | WSW/282.2 | -10.40 | <u>259</u> |
| <u>154</u> | EHS | | 18 Collier Street Barrie ON | W/290.9 | -6.25 | <u>260</u> |
| 155 | SPL | | 10 Dunlop St. East Barrie ON | WSW/289.2 | -8.32 | <u>260</u> |
| <u>156</u> | wwis | | Barrie ON | ESE/289.4 | -7.90 | <u>260</u> |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|------------|------|-------------------------------|--|--------------|------------------|----------------|
| | | | Well ID: 7230453 | | | |
| <u>157</u> | WWIS | | Barrie ON <i>Well ID:</i> 7230450 | ESE/292.1 | -6.32 | <u>262</u> |
| <u>158</u> | EXP | SAM & JAMES CANCILLA | 13-17 CLAPPERTON ST BARRIE ON | W/298.6 | -4.30 | <u>265</u> |
| <u>158</u> | EXP | SAM & JAMES CANCILLA | 13-17 CLAPPERTON ST BARRIE ON L4M 3E4 | W/298.6 | -4.30 | <u>265</u> |
| <u>158</u> | СГОТ | SAM & JAMES CANCILLA | 13-17 CLAPPERTON ST BARRIE ON L4M 3E4 | W/298.6 | -4.30 | <u>265</u> |
| <u>159</u> | WWIS | | Barrie ON <i>Well ID:</i> 7166918 | WSW/289.3 | -10.40 | <u>265</u> |
| <u>160</u> | SCT | Mel Brass Custom Jewellers | 9B Dunlop St E Barrie ON L4M 1A2 | WSW/294.5 | -8.62 | <u>268</u> |
| <u>161</u> | SPL | | south of Wellington to 31 Clapperton St Barrie ON L4M 3E6 | WNW/296.1 | -4.32 | <u>268</u> |
| 162 | WWIS | | lot 24 con 4 ON | WSW/290.2 | -11.37 | <u>269</u> |
| 163 | SPL | | Well ID: 7289191 17 Bayfield Street Barrie ON L4M 3A3 | WSW/297.5 | -8.62 | <u>269</u> |
| 164 | CPU | Erkki Jaakko Juhani Laakkonen | 185-205 Dunlop Street East CITY OF BARRIE ON | ESE/299.9 | -6.32 | <u>270</u> |
| <u>164</u> | CPU | Erkki Jaakko Juhani Laakkonen | 185-205 Dunlop Street East CITY OF BARRIE ON | ESE/299.9 | -6.32 | <u>270</u> |
| 164 | SPL | PowerStream Inc. | 205 Dunlop St. E Barrie ON | ESE/299.9 | -6.32 | <u>271</u> |

| Map Key | DB | Company/Site Name | Address | Dir/Dist (m) | Elev Diff (m) | Page Number |
|------------|------|----------------------------------|---|--------------|------------------|----------------|
| 164 | RSC | THE ESTATE OF ERKKI LAAKKONEN | 185-205 DUNLOP STREET EAST, BARRIE, ON L4M 1B2 Barrie ON | ESE/299.9 | -6.32 | <u>271</u> |
| <u>165</u> | EHS | | 55-57 McDonald St, 61-67 Owen St, 60 Worsley St, 58, 72, 76-78 Maple Ave, 26 Mary St Barrie ON | WNW/298.0 | -1.59 | <u>273</u> |
| <u>166</u> | CA | P.U.C. BARRIE | WCDONALD ST./OWEN ST. BARRIE CITY ON | NW/297.5 | 3.68 | <u>273</u> |
| <u>167</u> | WWIS | | BARRIE ON Well ID: 5739379 | WSW/298.4 | -9.35 | <u>273</u> |
| <u>167</u> | WWIS | | BARRIE ON <i>Well ID:</i> 7044172 | WSW/298.4 | -9.35 | 275 |
| <u>167</u> | EHS | | 15 Bayfield Street Barrie ON | WSW/298.4 | -9.35 | 278 |
| <u>168</u> | EHS | | 81 MULCASTER STREET BARRIE ON L4M 6T7 | NNE/299.5 | 24.71 | 278 |
| <u>168</u> | GEN | 1646434 Ontario Inc | 81 Mulcaster barrie ON L4M6T7 | NNE/299.5 | 24.71 | 278 |
| <u>168</u> | GEN | 1646434 Ontario Inc | 81 Mulcaster barrie ON L4M6T7 | NNE/299.5 | 24.71 | 279 |
| <u>169</u> | SPL | UNKNOWN | KEMPENFELT BAY (LAKE SIMCOE) AT LAKESHORE ROAD & BAYFIELD ROAD BARRIE CITY ON | SW/299.6 | -14.40 | <u>279</u> |
| <u>169</u> | SPL | UNKNOWN | LAKE SIMCOE IN KEMPENFELT BAY AT THE GOVERNMENT DOCKS AT FT. OF BAYFIELD ST. BARRIE CITY ON | SW/299.6 | -14.40 | <u>279</u> |

Executive Summary: Summary By Data Source

CA - Certificates of Approval

A search of the CA database, dated 1985-Oct 30, 2011* has found that there are 13 CA site(s) within approximately 0.30 kilometers of the project property.

| Site MacLaren Art Centre | Address 37 Mulcaster Street Barrie ON L4M 3M2 | Distance (m) 33.0 | Map Key 9 |
|---|---|----------------------|--------------|
| The Corporation of the City of Barrie | 70 Collier St Barrie ON | 36.5 | <u>12</u> |
| The Corporation of the City of Barrie | No. 9 Simcoe Street, 89-141 Dunlop Street East Registered Plan 51R-35398 Barrie ON | 71.7 | <u>25</u> |
| The Corporation of the City of Barrie | 11-60 Collier St Barrie ON | 80.0 | <u>30</u> |
| P.U.C. BARRIE | LAKESHORE DR./MULCASTER ST. BARRIE CITY ON | 137.7 | <u>61</u> |
| BARRIE CITY - POYNTZ ST. | WORSLEY ST./MULCASTER ST./OWEN BARRIE CITY ON | 141.9 | <u>63</u> |
| P.U.C. BARRIE - MCDONALD ST. /CODRINGTON | MULCASTER ST./WORSLEY ST. BARRIE CITY ON | 141.9 | <u>64</u> |
| | 157 Dunlop St. & Part of Water Lot 16 in Front of Lot No. 16, Located on Lakeshore Drive Barrie ON | 164.0 | <u>70</u> |
| P.U.C. BARRIE - POYNTZ ST. | WORSLEY ST./OWEN ST. BARRIE CITY ON | 192.1 | <u>89</u> |

| <u>Site</u> | <u>Address</u> | Distance (m) | <u>Map Key</u> |
|---------------|---|--------------|----------------|
| P.U.C. BARRIE | WORSLEY ST./OWEN ST. BARRIE CITY ON | 192.1 | <u>89</u> |
| BARRIE CITY | WORSLEY ST/OWEN ST/CLAPPERTON BARRIE CITY ON | 192.1 | <u>89</u> |
| BARRIE CITY | 60 WORSLEY STREET (SWM) BARRIE CITY ON L4M 1L6 | 254.8 | <u>131</u> |
| P.U.C. BARRIE | WCDONALD ST./OWEN ST. BARRIE CITY ON | 297.5 | <u>166</u> |

<u>CFOT</u> - Commercial Fuel Oil Tanks

A search of the CFOT database, dated Feb 28, 2017 has found that there are 3 CFOT site(s) within approximately 0.30 kilometers of the project property.

| <u>Site</u> ERKKI LAAKKONEN | Address 168 DUNLOP STREET EAST BARRIE ON L4M 1B3 | <u>Distance (m)</u> 250.8 | <u>Map Key</u> <u>121</u> |
|--------------------------------|---|------------------------------|------------------------------|
| KRUAWAN SIMANURAK | 168 DUNLOP STREET EAST BARRIE ON L4M 1B3 | 250.8 | <u>121</u> |
| SAM & JAMES CANCILLA | 13-17 CLAPPERTON ST BARRIE ON L4M 3E4 | 298.6 | <u>158</u> |

CPU - Certificates of Property Use

A search of the CPU database, dated 1994-Mar 31, 2020 has found that there are 2 CPU site(s) within approximately 0.30 kilometers of the project property.

| <u>Site</u> | <u>Address</u> | Distance (m) | Map Key |
|-------------------------------|---|--------------|------------|
| Erkki Jaakko Juhani Laakkonen | 185-205 Dunlop Street East CITY OF BARRIE | 299.9 | <u>164</u> |

| <u>Site</u> | <u>Address</u> | Distance (m) | <u>Map Key</u> |
|-------------------------------|--|--------------|----------------|
| Erkki Jaakko Juhani Laakkonen | 185-205 Dunlop Street East CITY OF BARRIE ON | 299.9 | <u>164</u> |

EASR - Environmental Activity and Sector Registry

A search of the EASR database, dated Oct 2011-Mar 31, 2020 has found that there are 1 EASR site(s) within approximately 0.30 kilometers of the project property.

| <u>Site</u> | <u>Address</u> | Distance (m) | <u>Map Key</u> |
|-----------------------------------|----------------------------------|--------------|----------------|
| CORPORATION OF THE CITY OF BARRIE | 5 Simcoe ST Barrie ON L4M 4T5 | 195.6 | <u>90</u> |

EBR - Environmental Registry

A search of the EBR database, dated 1994-Mar 31, 2020 has found that there are 1 EBR site(s) within approximately 0.30 kilometers of the project property.

| <u>Site</u> | <u>Address</u> | Distance (m) | Map Key |
|--|----------------|--------------|-----------|
| The Robert Simpson Brewing Company Limited operating as Flying Monkeys Craft | Brewery ON | 85.9 | <u>39</u> |

ECA - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011-Mar 31, 2020 has found that there are 23 ECA site(s) within approximately 0.30 kilometers of the project property.

| <u>Site</u> | <u>Address</u> | Distance (m) | Map Key |
|---------------------------------------|---|--------------|-----------|
| The Corporation of the City of Barrie | 37 Mulcaster Street Barrie ON L4M 4T5 | 32.9 | <u>8</u> |
| The Corporation of the City of Barrie | 70 Collier St Barrie ON L4M 4T5 | 36.5 | <u>12</u> |
| The Corporation of the City of Barrie | 70 Collier St (sanitary collection system-wide and storm drainage collection system-wide) Barrie ON L4M 4T5 | 36.5 | <u>12</u> |

| <u>Site</u> | <u>Address</u> | Distance (m) | Map Key |
|---------------------------------------|---|--------------|-----------|
| The Corporation of the City of Barrie | 70 Collier St (sanitary collection system-wide and storm drainage collection system-wide) Barrie ON L4M 4T5 | 36.5 | <u>12</u> |
| The Corporation of the City of Barrie | 70 Collier St (sanitary collection system-wide and storm drainage collection system-wide) Barrie ON L4M 4T5 | 36.5 | <u>12</u> |
| The Corporation of the City of Barrie | 70 Collier St (sanitary collection system-wide and storm drainage collection system-wide) Barrie ON L4M 4T5 | 36.5 | 12 |
| The Corporation of the City of Barrie | 70 Collier St (sanitary collection system-wide and storm drainage collection system-wide) Barrie ON L4M 4T5 | 36.5 | 12 |
| NuComm Marketing Inc. | 110 Dunlop St Barrie ON L2R 7G1 | 55.7 | <u>16</u> |
| The Corporation of the City of Barrie | Tiffin and Cross Street Barrie ON L4M 4Z2 | 73.6 | 21 |
| The Corporation of the City of Barrie | Rawson Avenue Barrie ON L4M 4Z2 | 73.6 | <u>21</u> |
| The Corporation of the City of Barrie | Anne Street South, Essa Road, Burton Avenue, Milburn Street and Lakeshore Dr Barrie ON L4M 4T5 | 73.6 | 21 |
| The Corporation of the City of Barrie | Anne Street, Cundles Road West, Kozlov Street, Heather Street, Bayfield Rd Barrie ON L4M 4T5 | 73.6 | <u>21</u> |
| The Corporation of the City of Barrie | Rawson Avenue Barrie ON L4M 4Z2 | 73.6 | 21 |
| The Corporation of the City of Barrie | 32 Perry Street to 209 Dunlop Street West Barrie ON L4M 4Z2 | 73.6 | <u>21</u> |
| The Corporation of the City of Barrie | Simcoe Street, Lakeshore Drive, Victoria Street Barrie ON L4M 4Z2 | 73.6 | <u>21</u> |

| <u>Site</u> | <u>Address</u> | Distance (m) | Map Key |
|--|--|--------------|-----------|
| The Corporation of the City of Barrie | Letitia St Barrie ON L4M 4T5 | 73.6 | <u>21</u> |
| The Corporation of the City of Barrie | 11-60 Collier St Barrie ON L4M 4T5 | 80.0 | <u>29</u> |
| The Corporation of the City of Barrie | 11-60 Collier St Barrie ON L4M 4T5 | 80.0 | <u>29</u> |
| The Robert Simpson Brewing Company Limited | operating as Flying Monkeys Craft Brewery 107 Dunlop Street East Barrie ON | 85.9 | <u>39</u> |
| The Robert Simpson Brewing Company Limited operating as Flying Monkeys Craft | Brewery 107 Dunlop St E Barrie ON L4M 1A6 | 85.9 | <u>39</u> |
| The Corporation of the City of Barrie | 157 Dunlop St. & Part of Water Lot 16 Barrie ON L4M 4T5 | 164.0 | <u>70</u> |
| The Corporation of the City of Barrie | 5 Simcoe Street City of Barrie ON | 195.6 | <u>90</u> |
| The Corporation of the City of Barrie | 5 Simcoe St Barrie ON L4M 4T5 | 195.6 | <u>90</u> |

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Jan 31, 2020 has found that there are 54 EHS site(s) within approximately 0.30 kilometers of the project property.

| <u>Site</u> | <u>Address</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|-------------|------------------|---------------------|----------------|
| | 36 Mulcaster St | 6.6 | 1 |
| | Barrie ON L4M3M1 | | _ |

| Site | Address 24 Mulcaster St Barrie ON L4M3M1 | Distance (m) 14.7 | Map Key 4 |
|------|---|----------------------|------------|
| | 63 Collier St Barrie ON L4M1G7 | 44.1 | <u>11</u> |
| | 110 Dunlop Street East Barrie ON L4M 1A5 | 34.5 | <u>13</u> |
| | 17 Mulcaster St. Barrie ON L4M 3M2 | 47.5 | <u>14</u> |
| | 17 Mulcaster St Barrie Barrie ON L4M3M2 | 47.5 | <u>15</u> |
| | 130 Dunlop St. E. Barrie ON L4M 1B1 | 73.6 | <u>20</u> |
| | 143, 145, 147 Dunlop St. East Barrie ON L4M1A7 | 72.3 | <u>23</u> |
| | 89 Collier Street Barrie ON L4M 1H2 | 79.4 | <u>26</u> |
| | 89 Collier St Barrie ON L4M1H2 | 79.4 | <u>27</u> |
| | 143-147 Dunlop Street East Barrie ON L4M 1A6 | 81.3 | <u>31</u> |
| | 149 Dunlop St E Barrie ON L4M1B2 | 87.8 | <u>35</u> |
| | 149-153 DUNLOP ST E BARRIE ON L4M 1B2 | 88.4 | <u>36</u> |

| Address | Distance (m) | Map Key |
|---|--------------|-----------|
| 140 Dunlop Street East Barrie ON L4M 6H1 | 90.4 | <u>38</u> |
| 47, 49, 51, 53 Collier St & 9, 21, 23, 25 Owen Street Barrie ON L4M 1G7 | 101.6 | <u>41</u> |
| 49 Collier Street Barrie ON L4M 1G7 | 102.6 | <u>42</u> |
| 80 Dunlop St E Barrie ON L4M1A4 | 94.6 | <u>43</u> |
| 140 Dunlop Street East Barrie ON L4M 6H9 | 102.5 | <u>45</u> |
| 9-17 And 21 Owen Street Barrie ON | 108.3 | <u>47</u> |
| 47 Collier St Barrie ON L4M1G7 | 110.3 | <u>48</u> |
| 70 & 74 Dunlop Street East Barrie ON | 105.8 | <u>49</u> |
| 23 Owen St Barrie ON L4M3G8 | 120.4 | <u>54</u> |
| 149, 155, 157, 185, and 205 Dunlop Street East and 9 Lakeshore Drive Barrie ON | 141.5 | <u>62</u> |
| Mulcaster Street & Worsley Street 90 Collier Street & 55 Mulcaster Street Barrie ON | 141.9 | <u>64</u> |

<u>Site</u>

| <u>Site</u> | Address 111 Collier Street Barrie ON L4M 1H2 | <u>Distance (m)</u> 154.3 | <u>Map Key</u> <u>67</u> |
|-------------|--|------------------------------|-----------------------------|
| | 44 Collier Street Barrie ON L4M 1G6 | 158.5 | <u>69</u> |
| | 58 Dunlop Street East Barrie ON L4M 1A3 | 166.2 | <u>71</u> |
| | 155 Dunlop Street East Barrie ON L4M 1B2 | 176.8 | <u>73</u> |
| | 156 & 158 Dunlop Street East Barrie ON | 183.3 | <u>75</u> |
| | 156 And 158 Dunlop Street Barrie ON | 183.3 | <u>75</u> |
| | 46 Dunlop Street East Barrie ON | 188.5 | <u>80</u> |
| | 158 Dunlop Street East Barrie ON L4M 1B1 | 189.7 | <u>82</u> |
| | 114 Worsley Street Barrie ON L4M 1M1 53 Owen St | 188.2 201.3 | <u>85</u> |
| | Barrie ON L4M3H2 48 Owen St. | 202.3 | <u>93</u> 95 |
| | Barrie ON L4M 3H1 2 Fred Grant St | 212.8 | <u>35</u> 101 |
| | Barrie ON L4M3G6 | | 101 |

| Address | Distance (m) | Map Key |
|--|--------------|------------|
| 17 Poyntz St Barrie ON L4M3N6 | 220.3 | <u>102</u> |
| 39 Dunlop St E Barrie ON L4M1A2 | 243.1 | <u>117</u> |
| 2-4 Bayfield Street, 50 Worsley Street and 23 Collier Street, Barrie, ON Barrie ON | 256.2 | 120 |
| 62 Owen Street Barrie ON L4M 3H2 | 247.2 | 123 |
| 1 Bayfield Street Barrie ON | 247.7 | <u>127</u> |
| 31 Dunlop St. Barrie ON | 255.0 | <u>129</u> |
| 21 Collier Street Barrie ON L4M 1G5 | 267.0 | <u>135</u> |
| 31 Dunlop Street East Barrie ON L4M 1A2 | 260.6 | <u>136</u> |
| 31 Dunlop St E Barrie ON L4M1A2 | 259.5 | <u>137</u> |
| 20 (or 20-28) Dunlop Street East Barrie ON L4M 1A3 | 263.0 | <u>138</u> |
| 185 - 205 Dunlop Street, East Barrie ON L4M 1B2 | 266.1 | <u>139</u> |

<u>Site</u>

| <u>Site</u> | Address 129 Collier Street Barrie ON L4M 1H5 | <u>Distance (m)</u> 280.0 | <u>Map Key</u> <u>145</u> |
|-------------|---|------------------------------|------------------------------|
| | 11 Collier Street Barrie ON | 289.4 | <u>151</u> |
| | 185 To 205 Dunlop St E Barrie ON | 286.5 | <u>152</u> |
| | 18 Collier Street Barrie ON | 290.9 | <u>154</u> |
| | 55-57 McDonald St, 61-67 Owen St, 60 Worsley St, 58, 72, 76-78 Maple Ave, 26 Mary St Barrie ON | 298.0 | <u>165</u> |
| | 15 Bayfield Street Barrie ON | 298.4 | <u>167</u> |
| | 81 MULCASTER STREET BARRIE ON L4M 6T7 | 299.5 | <u>168</u> |

EXP - List of Expired Fuels Safety Facilities

A search of the EXP database, dated Feb 28, 2017 has found that there are 2 EXP site(s) within approximately 0.30 kilometers of the project property.

| <u>Site</u> | <u>Address</u> | Distance (m) | <u>Map Key</u> |
|----------------------|--|--------------|----------------|
| SAM & JAMES CANCILLA | 13-17 CLAPPERTON ST BARRIE ON L4M 3E4 | 298.6 | <u>158</u> |
| SAM & JAMES CANCILLA | 13-17 CLAPPERTON ST BARRIE ON | 298.6 | <u>158</u> |

FCS - Contaminated Sites on Federal Land

A search of the FCS database, dated Jun 2000-Nov 2019 has found that there are 1 FCS site(s) within approximately 0.30 kilometers of the project property.

| <u>Site</u> | <u>Address</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|----------------------------------|----------------|---------------------|----------------|
| Office Building - 48 Owen Street | Barrie ON | 200.4 | <u>92</u> |

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-Jan 31, 2020 has found that there are 87 GEN site(s) within approximately 0.30 kilometers of the project property.

| <u>Site</u> | Address | Distance (m) | Map Key |
|-------------------------------------|---------------------------------------|--------------|----------|
| Altima Barrie Dental Centre | 75 collier st Barrie ON l4m 1g7 | 4.6 | 2 |
| Altima Barrie Dental Centre | 75 collier st Barrie ON l4m 1g7 | 4.6 | 2 |
| Altima Barrie Dental Centre | 75 collier st Barrie ON l4m 1g7 | 4.6 | 2 |
| Altima Dental Services Ontario Inc. | 75 collier st Barrie ON I4m 1g7 | 4.6 | <u>2</u> |
| Altima Dental Services Ontario Inc. | 75 collier st Barrie ON I4m 1g7 | 4.6 | <u>2</u> |
| Altima Barrie Dental Centre | 75 collier st Barrie ON | 4.7 | <u>3</u> |
| Altima Barrie Dental Centre | 75 collier st Barrie ON | 4.7 | <u>3</u> |
| City of Barrie Corporate Facilities | 37 Mulcaster St. Barrie ON L4M 4T5 | 32.9 | <u>8</u> |

| <u>Site</u> | <u>Address</u> | Distance (m) | Map Key |
|--|--|--------------|-----------|
| City of Barrie Corporate Facilities | 37 Mulcaster St. Barrie ON L4M 4T5 | 32.9 | <u>8</u> |
| MacLaren Art Centre | 37 Mulcaster Street Barrie ON L4M 3M2 | 33.0 | 9 |
| CORPORATION OF THE CITY OF BARRIE | 70 COLLIER STREET BARRIE ON L4M 4Z2 | 36.5 | <u>12</u> |
| CORPORATION OF THE CITY OF BARRIE | 70 COLLIER STREET BARRIE ON | 36.5 | <u>12</u> |
| CORPORATION OF THE CITY OF BARRIE | 70 COLLIER STREET BARRIE ON | 36.5 | <u>12</u> |
| CORPORATION OF THE CITY OF BARRIE | 70 COLLIER STREET BARRIE ON | 36.5 | <u>12</u> |
| THE CORPORATION OF THE CITY OF BARRIE | 70 Collier Street Barrie ON | 36.5 | <u>12</u> |
| THE CORPORATION OF THE CITY OF BARRIE | 70 Collier Street Barrie ON | 36.5 | <u>12</u> |
| THE CORPORATION OF THE CITY OF BARRIE | 70 Collier Street Barrie ON L4M 4T5 | 36.5 | <u>12</u> |
| THE CORPORATION OF THE CITY OF BARRIE | 70 Collier Street Barrie ON L4M 4T5 | 36.5 | <u>12</u> |
| THE CORPORATION OF THE CITY OF BARRIE | 70 Collier Street Barrie ON L4M 4T5 | 36.5 | <u>12</u> |

| Site THE CORPORATION OF THE CITY OF BARRIE | Address 70 Collier Street Barrie ON L4M 4T5 | Distance (m) 36.5 | Map Key |
|--|--|----------------------|-----------|
| THE CORPORATION OF THE CITY OF BARRIE | 70 Collier Street Barrie ON L4M 4T5 | 36.5 | 12 |
| SPRINT PRINTING 34-674 | 17B MULCASTER STREET BARRIE ON L4M 3M2 | 47.5 | <u>14</u> |
| SPRINT PRINTING AND GRAPHICS | 17B MULCASTER STREET BARRIE ON L4M 3M2 | 47.5 | <u>14</u> |
| SPRINT P(OUT OF BUSINESS)ICS | 17B MULCASTER STREET BARRIE ON L4M 3M2 | 47.5 | <u>14</u> |
| PARA-MED HEALTH SERVICES 31-828 | 110 DUNLOP ST.E., SUITE 205 BARRIE ON L4M 1A5 | 55.7 | <u>16</u> |
| BARRIE, CITY OF | ENGINEERING DEPT. BOX 400-57 COLLIER STREET BARRIE ON L4M 1G7 | 76.3 | <u>19</u> |
| BARRIE, CITY OF 04-257 | ENGINEERING DEPT. BOX 400-57 COLLIER STREET BARRIE ON L4M 1G7 | 76.3 | <u>19</u> |
| BARRIE, CITY OF(OUT OF BUSINESS) | ENGINEERING DEPARTMENT BOX 400-57 COLLIER STREET BARRIE ON L4M 1G7 | 76.3 | <u>19</u> |
| GAGE MARKING PRODUCTS INC. | 143 DUNLOP STREET EAST BARRIE ON L4M 1A6 | 75.6 | <u>24</u> |
| GAGE (OUT OF BUS) 16-329 | 84 DUNLOP ST.E. BARRIE ON L4M 1A4 | 88.6 | <u>40</u> |
| CITY OF BARRIE | 155 DUNLOP STREET WEST BARRIE ON L4M 4T5 | 117.6 | <u>55</u> |

| Site | <u>Address</u> | Distance (m) | <u>Map Key</u> |
|-------------------------------------|-------------------------------------|--------------|----------------|
| Ontario Addiction Treatment Centres | 20 Owen Street Barrie ON L4M 3G7 | 129.1 | <u>56</u> |
| Ontario Addiction Treatment Centres | 20 Owen Street Barrie ON L4M 3G7 | 129.1 | <u>56</u> |
| Ontario Addiction Treatment Centres | 20 Owen Street Barrie ON L4M 3G7 | 129.1 | <u>56</u> |
| Ontario Addiction Treatment Centres | 20 Owen Street Barrie ON | 129.1 | <u>56</u> |
| Ontario Addiction Treatment Centres | 20 Owen Street Barrie ON L4M3G7 | 129.1 | <u>56</u> |
| Rexall Pharmacy Group Ltd. | 20 Owen Street Barrie ON L4M 3G7 | 129.1 | <u>56</u> |
| Pharmaservice Inc. | 20 Owen Street Barrie ON L4M 3G7 | 129.1 | <u>56</u> |
| Ontario Addiction Treatment Centres | 20 Owen Street Barrie ON L4M3G7 | 129.1 | <u>56</u> |
| Ontario Addiction Treatment Centres | 20 Owen Street Barrie ON L4M3G7 | 129.1 | <u>56</u> |
| Pharmaservice Inc. | 20 Owen Street Barrie ON L4M 3G7 | 129.1 | <u>56</u> |
| Rexall Pharmacy Group Ltd. | 20 Owen Street Barrie ON L4M 3G7 | 129.1 | <u>56</u> |

| Site Canadian Addiction Treatment Clinics LP | Address 20 Owen Street Barrie ON L4M3G7 | <u>Distance (m)</u> 129.1 | <u>Map Key</u> <u>56</u> |
|---|---|------------------------------|-----------------------------|
| MURRAY MECHANICAL SYSTEMS LTD. | 150 DUNLOP ST. EAST BARRIE ON L4M 6H1 | 127.0 | <u>58</u> |
| Pharmaright Pharmacy Inc. | 43 Collier Street Barrie ON L4M1G5 | 157.3 | <u>66</u> |
| The City of Barrie | 157 Dunlop Street East Barrie ON L4M 1B2 | 164.0 | <u>70</u> |
| THE CORPORATION OF THE CITY OF BARRIE | 157 Dunlop Street East Barrie ON L4M 1B2 | 164.0 | <u>70</u> |
| THE CORPORATION OF THE CITY OF BARRIE | 157 Dunlop Street East Barrie ON | 164.0 | <u>70</u> |
| THE CORPORATION OF THE CITY OF BARRIE | 157 Dunlop Street East Barrie ON L4M 1B2 | 164.0 | <u>70</u> |
| THE CORPORATION OF THE CITY OF BARRIE | 157 Dunlop Street East Barrie ON L4M 1B2 | 164.0 | <u>70</u> |
| THE CORPORATION OF THE CITY OF BARRIE | 157 Dunlop Street East Barrie ON L4M 1B2 | 164.0 | <u>70</u> |
| THE CORPORATION OF THE CITY OF BARRIE | 157 Dunlop Street East Barrie ON L4M 1B2 | 164.0 | <u>70</u> |
| THE CORPORATION OF THE CITY OF BARRIE | 157 Dunlop Street East Barrie ON L4M 1B2 | 164.0 | <u>70</u> |
| Mohammed Qanbar-Agha professional Corporation | 50 Dunlop St. East Suite 402 Barrie ON L4M 6J9 | 182.8 | <u>76</u> |

| Site | <u>Address</u> | Distance (m) | <u>Map Key</u> |
|---|---|--------------|----------------|
| Abdel-Gawad Dentistry Professional Corporation | 50 Dunlop St. East Suite 402 Barrie ON L4M 6J9 | 182.8 | <u>76</u> |
| Lovers Harbour Inc. | 50 Dunlop Street East Barrie ON L4M6J9 | 182.8 | <u>76</u> |
| Lovers Harbour Inc. | 50 Dunlop Street East Barrie ON L4M6J9 | 182.8 | <u>76</u> |
| Lovers Harbour Inc. | 50 Dunlop Street East Barrie ON L4M6J9 | 182.8 | <u>76</u> |
| Mohammed Qanbar-Agha professional Corporation | 50 Dunlop St. East Suite 402 Barrie ON L4M 6J9 | 182.8 | <u>76</u> |
| Mohammed Qanbar-Agha professional Corporation | 50 Dunlop St. East Suite 402 Barrie ON L4M 6J9 | 182.8 | <u>76</u> |
| Lovers Harbour Inc. | 50 Dunlop Street East Barrie ON L4M6J9 | 182.9 | <u>77</u> |
| Lovers Harbour Inc. | 50 Dunlop Street East Barrie ON L4M6J9 | 182.9 | <u>77</u> |
| Lovers Harbour Inc. | 50 Dunlop Street East Barrie ON | 182.9 | <u>77</u> |
| Pentor Electric Ltd | 108 Collier Street Barrie ON L4M 5R5 | 179.4 | <u>78</u> |
| MINISTRY OF GOVERNMENT SERVICES | 114 WORSLEY ST., BARRIE C/O 24 JAMES ST. ORILLIA ON L4M 1M1 | 188.2 | <u>85</u> |

| Site MINISTRY OF GOVERNMENT SERVICES 27-531 | Address 114 WORSLEY ST., BARRIE C/O 24 JAMES ST. ORILLIA ON L4M 1M1 | <u>Distance (m)</u> 188.2 | <u>Map Key</u> <u>85</u> |
|---|---|------------------------------|-----------------------------|
| MINISTRY OF GOVERNMENT SERVICES | 114 WORSLEY STREET BARRIE_ ON L4M 1M1 | 188.2 | <u>85</u> |
| ECOH Management Inc. | 114 Worsley Street Barrie ON L4M 1M1 | 188.2 | <u>85</u> |
| SNC-Lavalin ProFac Inc. | 48 Owen Street Suite 312 Barrie ON L4M 3H1 | 202.3 | <u>95</u> |
| City of Barrie City of Barrie | 31 Collier St. Barrie ON L4M 4T5 | 214.5 | <u>96</u> |
| City of Barrie City of Barrie | 31 Collier St. Barrie ON L4M 4T5 | 214.5 | <u>96</u> |
| Simcoe Muskoka District Health Unit | 24 Collier Street Barrie ON | 230.5 | <u>108</u> |
| Simcoe Muskoka District Health Unit | 24 Collier Street Barrie ON | 230.5 | <u>108</u> |
| Simcoe Muskoka District Health Unit | 24 Collier Street Barrie ON L4M 1G6 | 230.5 | <u>108</u> |
| MINISTRY OF CORRECTIONAL SERVICES | BARRIE JAIL 87 MULCASTER STREET BARRIE ON L4M 4T2 | 233.6 | <u>113</u> |
| MINISTRY OF CORRECTIONAL SERVICES 26-568 | BARRIE JAIL 87 MULCASTER STREET BARRIE ON L4M 4T2 | 233.6 | <u>113</u> |
| The Corporation of the City of Barrie | 60 Worsley St Barrie ON L4M 4T5 | 254.8 | <u>131</u> |

| <u>Site</u> | <u>Address</u> | Distance (m) | <u>Map Key</u> |
|---------------------------------------|--|--------------|----------------|
| The Corporation of the City of Barrie | 60 Worsley St Barrie ON L4M 4T5 | 254.8 | <u>131</u> |
| The Corporation of the City of Barrie | 60 Worsley St Barrie ON L4M 4T5 | 254.8 | <u>131</u> |
| The Corporation of the City of Barrie | 60 Worsley St Barrie ON L4M 4T5 | 254.8 | <u>131</u> |
| CBRE Limited | 75 Mulcaster Street Barrie ON L4M 3P2 | 257.8 | <u>133</u> |
| Simcoe Muskoka District Health Unit | 88 Mulcaster Street Barrie ON L4M5E1 | 276.7 | <u>143</u> |
| Simcoe Muskoka District Health Unit | 88 Mulcaster Street Barrie ON L4M5E1 | 276.7 | <u>143</u> |
| Simcoe Muskoka District Health Unit | 88 Mulcaster Street Barrie ON L4M5E1 | 276.7 | <u>143</u> |
| Simcoe Muskoka District Health Unit | 88 Mulcaster Street Barrie ON L4M5E1 | 276.7 | <u>143</u> |
| 1646434 Ontario Inc | 81 Mulcaster barrie ON L4M6T7 | 299.5 | <u>168</u> |
| 1646434 Ontario Inc | 81 Mulcaster barrie ON L4M6T7 | 299.5 | <u>168</u> |

HINC - TSSA Historic Incidents

A search of the HINC database, dated 2006-June 2009* has found that there are 3 HINC site(s) within approximately 0.30 kilometers of the project property.

| Site | Address 100 DUNLOP STREET EAST BARRIE ON L4M 1A4 | Distance (m) 60.2 | <u>17</u> |
|------|--|-------------------|------------|
| | 47 Collier St Barrie BARRIE ON L4M 1G7 | 117.1 | <u>51</u> |
| | 67 McDONALD STREET BARRIE ON L4M 1P4 | 244.5 | <u>115</u> |

NPCB - National PCB Inventory

A search of the NPCB database, dated 1988-2008* has found that there are 5 NPCB site(s) within approximately 0.30 kilometers of the project property.

| <u>Site</u> | <u>Address</u> | Distance (m) | Map Key |
|------------------------------------|---|--------------|------------|
| CANADA POST | BARRIE CANADA POST BUILDING 44 COLLIER STREET OTTAWA ON K1A 0B1 | 158.5 | <u>68</u> |
| CANADA POST | 44 COOLIER ST BARRIE CANADA POST BUILDING BARRIE ON L4M 1G6 | 158.5 | <u>69</u> |
| MINISTRY OF GOVERNMENT SERVICES | 114 WORSLEY STREET; BOX 790 BARRIE ON L4M 1M1 | 188.2 | <u>85</u> |
| MINISTRY OF GOVERNMENT SERVICE | BARRIE COURTHOUSE BARRIE ON | 225.4 | <u>110</u> |
| MINISTRY OF GOVERNMENT SERVICES | BARRIE COURTHOUSE BARRIE COURTHOUSE BARRIE ON | 225.4 | <u>110</u> |

NPRI - National Pollutant Release Inventory

A search of the NPRI database, dated 1993-May 2017 has found that there are 1 NPRI site(s) within approximately 0.30 kilometers of

the project property.

| <u>Site</u> | <u>Address</u> | Distance (m) | Map Key |
|----------------|---|--------------|-----------|
| ONTARIO REALTY | 114 WORSLEY Street BARRIE ON I 4M1M1 | 188.2 | <u>85</u> |

ORD - Orders

A search of the ORD database, dated 1994-Mar 31, 2020 has found that there are 1 ORD site(s) within approximately 0.30 kilometers of the project property.

| Site | <u>Address</u> | Distance (m) | <u>Map Key</u> |
|---------------------------------------|---|--------------|----------------|
| Allandale Community Development Corp. | 70 Collier Street, Barrie CITY OF BARRIE ON | 36.5 | <u>12</u> |

PES - Pesticide Register

A search of the PES database, dated 1988 - Mar 2020 has found that there are 4 PES site(s) within approximately 0.30 kilometers of the project property.

| <u>Site</u> | <u>Address</u> | Distance (m) | Map Key |
|--------------------------|--------------------------------------|--------------|-----------|
| IGA STORE #7359 - BARRIE | 55 MULCASTER ST BARRIE ON L4M 4S3 | 109.2 | <u>53</u> |
| FOOD LAND #6288 - BARRIE | 55 MULCASTER ST BARRIE ON L4M4S3 | 109.2 | <u>53</u> |
| FOOD LAND #6288 - BARRIE | 55 MULCASTER ST BARRIE ON L4M 4S3 | 109.2 | <u>53</u> |
| FOOD LAND #6288 - BARRIE | 55 MULCASTER ST BARRIE ON L4M 4S3 | 109.2 | <u>53</u> |

RSC - Record of Site Condition

A search of the RSC database, dated 1997-Sept 2001, Oct 2004-Mar 2020 has found that there are 4 RSC site(s) within approximately 0.30 kilometers of the project property.

| <u>Site</u> | <u>Address</u> | Distance (m) | Map Key |
|--|--|--------------|------------|
| Mady Collier Centre Ltd. | 90 COLLIER STREET, BARRIE, ONTARIO L4M 4S3 Barrie ON | 86.0 | <u>37</u> |
| THE CORPORATION OF THE CITY OF BARRIE | 61 OWEN STREET, BARRIE, ON L4M 1P4 Barrie ON | 242.1 | 118 |
| PM(129 COLLIER ST) INC. | 129 COLLIER STREET, BARRIE, ON L4M 5R5 Barrie ON | 273.1 | <u>141</u> |
| THE ESTATE OF ERKKI LAAKKONEN | 185-205 DUNLOP STREET EAST, BARRIE, ON L4M 1B2 Barrie ON | 299.9 | <u>164</u> |

SCT - Scott's Manufacturing Directory

A search of the SCT database, dated 1992-Mar 2011* has found that there are 14 SCT site(s) within approximately 0.30 kilometers of the project property.

| Site | <u>Address</u> | Distance (m) | Map Key |
|--------------------------------|--|--------------|-----------|
| Selmar Dental Industries | 65 Collier St Barrie ON L4M 1G7 | 38.2 | <u>10</u> |
| SPRINT PRINTING | 17B MULCASTER ST UNIT B BARRIE ON L4M 3M2 | 47.5 | <u>14</u> |
| SPRINT PRINTING | 17 B MULCASTER ST BARRIE ON L4M 3M2 | 47.5 | 14 |
| GAGE MARKING PRODUCTS INC. | 143 DUNLOP ST E BARRIE ON L4M 1A6 | 75.6 | <u>24</u> |
| Rainbow Makers Stained Glass | 123 Dunlop St E Barrie ON L4M 1A6 | 78.4 | <u>33</u> |
| Rainbow Makers Stained Glass I | 123 Dunlop St E Barrie ON L4M 1A6 | 78.4 | <u>33</u> |

| Site | Address | Distance (m) | <u>Map Key</u> |
|------------------------------------|--|--------------|----------------|
| Flying Monkeys Craft Brewery | 107 Dunlop St E Barrie ON L4M 1A6 | 85.9 | <u>39</u> |
| Seniors Plus Newspaper | 53 Owen St Barrie ON L4M 3H2 | 201.8 | <u>94</u> |
| HURONIA BUSINESS TIMES | 24 DUNLOP ST E FLOOR 2 BARRIE ON L4M 1A3 | 255.1 | <u>128</u> |
| PRESTIGE SIGNS BARRIE LTD | 21 COLLIER ST BARRIE ON L4M 1G5 | 267.0 | <u>134</u> |
| Cdn Inst of Management - HO | 15 Collier St Lower Level Barrie ON L4M 1G5 | 281.1 | <u>144</u> |
| Brass Group International Gem | 12 Dunlop St E Barrie ON L4M 1A3 | 282.5 | <u>149</u> |
| Brass Group International Gem Ltd. | 12 Dunlop St E Barrie ON L4M 1A3 | 282.5 | <u>149</u> |
| Mel Brass Custom Jewellers | 9B Dunlop St E Barrie ON L4M 1A2 | 294.5 | <u>160</u> |

SPL - Ontario Spills

A search of the SPL database, dated 1988-Aug 2019 has found that there are 54 SPL site(s) within approximately 0.30 kilometers of the project property.

| <u>Site</u> | <u>Address</u> | Distance (m) | <u>Map Key</u> |
|-------------|---------------------------------------|--------------|----------------|
| | Mulcaster, between Collier and Dunlop | 22.4 | 5 |
| | Barrie ON | | _ |

| Site Enbridge Gas Distribution Inc. | Address 24 Mulcaster Street Barrie ON | Distance (m) 23.0 | Map Key 6 |
|--|--|--------------------------|--------------|
| CONSTRUCTION COMPANY | CORNER OF MULCASTER AND COLLIER MOTOR VEHICLE (OPERATING FLUID) BARRIE CITY ON | 19.9 | 7 |
| | Collier St. and Mulcaster St. Barrie ON | 19.9 | 7 |
| The Corporation of the City of Barrie | 70 Collier Street Barrie ON | 36.5 | 12 |
| Akira Sushi <unofficial></unofficial> | 17 Mulcaster St Barrie ON L4M 3M2 | 47.5 | <u>14</u> |
| | 55 Collier St Barrie ON | 71.3 | <u>18</u> |
| The Corporation of the City of Barrie | Mulcastor & Dunlop Barrie ON | 72.1 | <u>22</u> |
| | 147 Dunlop Street East. Barrie ON L4M 1A6 | 77.1 | <u>28</u> |
| The Corporation of the City of Barrie | 53 Collier St Barrie ON L4M 1G7 | 87.6 | <u>32</u> |
| Mady Development Corporation | 90 Collier St. Barrie ON | 86.0 | <u>37</u> |
| The Robert Simpson Brewing Company Limited operating as Flying Monkeys Craft | Brewery 107 Dunlop Street East Barrie ON | 85.9 | <u>39</u> |
| The Robert Simpson Brewing Company Limited operating as Flying Monkeys Craft | Brewery 107 Dunlop St E Barrie ON L4M 1A6 | 85.9 | <u>39</u> |

| <u>Site</u> | <u>Address</u> | Distance (m) | Map Key |
|--|--|--------------|-----------|
| The Robert Simpson Brewing Company Limited operating as Flying Monkeys Craft | Brewery 107 Dunlop St E Barrie ON L4M 1A6 | 85.9 | <u>39</u> |
| | 107 Dunlop St East Barrie ON | 85.9 | <u>39</u> |
| The Robert Simpson Brewing Company Limited operating as Flying Monkeys Craft | Brewery 107 Dunlop St E Barrie ON L4M 1A6 | 85.9 | <u>39</u> |
| The Robert Simpson Brewing Company Limited operating as Flying Monkeys Craft | Brewery 107 Dunlop St E Barrie ON L4M 1A6 | 85.9 | <u>39</u> |
| | 82 Dunlop St East (Alley behind the pub) Barrie ON | 95.8 | <u>44</u> |
| Hooters | 5 Mulcaster St Barrie ON | 108.5 | <u>50</u> |
| The Corporation of the City of Barrie | 5 Mulcaster St Barrie ON L4M 3L9 | 108.5 | <u>50</u> |
| | 5 Mulcaster Street Barrie ON | 108.5 | <u>50</u> |
| | 47 Collier Street Barrie ON | 117.1 | <u>52</u> |
| | 150 Dunlop Street East Barrie ON | 127.0 | <u>58</u> |

| Spaghetti Western <unofficial></unofficial> | Address SE corner of Owen Street and Collier Street Barrie ON | <u>Distance (m)</u> 133.7 | <u>Map Key</u> <u>59</u> |
|--|--|------------------------------|-----------------------------|
| City of Barrie <unofficial></unofficial> | Worsley Street and Muleaster Street Barrie ON | 141.9 | <u>63</u> |
| UNKNOWN | SIMCOE ST. & FRED GRANT SQUARE BARRIE BARRIE CITY ON | 187.0 | <u>84</u> |
| Barrie Hydro Distribution Inc. | 46 Dunlop Stre. E. Barrie ON L4M 1A3 | 194.3 | <u>87</u> |
| The Corporation of the City of Barrie | 5 Simcoe Street Barrie ON | 195.6 | <u>90</u> |
| The Corporation of the City of Barrie | 5 Simcoe Street Barrie ON | 195.6 | <u>90</u> |
| The Corporation of the City of Barrie | 5 Simcoe Street Barrie ON | 195.7 | <u>91</u> |
| Government of Canada <unofficial></unofficial> | 48 Owen St Barrie ON | 202.3 | <u>95</u> |
| | 48 Owen St. Barrie ON | 202.3 | <u>95</u> |
| Brookfield Properties Corporation | 48 Owen St Barrie ON L4M 3H1 | 202.3 | <u>95</u> |
| Brookfield Properties Corporation | 48 Owen St Barrie ON | 202.3 | <u>95</u> |
| Her Majesty the Queen in Right of Canada as Represented by the Minister of | Public Works and Government Services Canada 48 Owen Street Barrie ON L4M 3H1 | 202.3 | <u>95</u> |

| <u>Site</u> | <u>Address</u> | Distance (m) | Map Key |
|--|---|--------------|------------|
| Her Majesty the Queen in Right of Canada as Represented by the Minister of | Public Works and Government Services Canada 48 Owen St Barrie ON L4M 3H1 | 202.3 | <u>95</u> |
| | OWEN ST., RIGHT BESIDE 60 WORSLEY ST. <unofficial> Barrie ON</unofficial> | 217.1 | <u>104</u> |
| RESTAURANT | 34 DUNLOP ST. EAST (N.O.S.) BARRIE CITY ON L4M 1A3 | 225.1 | <u>106</u> |
| | 59 Owen Street Barrie ON | 226.5 | <u>109</u> |
| PRIVATE OWNER | COURTHOUSE \MACDONALD STREET MOTOR VEHICLE (OPERATING FLUID) BARRIE CITY ON | 225.4 | <u>110</u> |
| COMMERCIAL BUILDING | BEHIND COMMERCIAL BUILDING AT 23 COLLIER ST. BARRIE CITY ON L4M 1G5 | 249.3 | <u>116</u> |
| Enbridge Gas Distribution Inc. | 168 Dunlop St. E Barrie ON | 250.8 | <u>121</u> |
| | 60 Worsley St Barrie ON | 254.8 | <u>131</u> |
| UNKNOWN | MULCASTER ST/MCDONALD ST- PARKING LOT INFRONT OF THE BARRIE COURT HOUSE BARRIE CITY ON | 261.6 | <u>132</u> |
| Redacted S 21(1)(f) of FIPPA | 75 Mulcaster Street Barrie ON | 257.8 | <u>133</u> |
| ECOH Management <unofficial></unofficial> | 75 Mulcaster Rd. Barrie ON | 257.8 | <u>133</u> |

| <u>Site</u> | <u>Address</u> | Distance (m) | Map Key |
|---------------------------------------|--|--------------|------------|
| | 12 Dunlop Street East Barrie ON | 282.5 | 148 |
| The Corporation of the City of Barrie | behind 12 Dunlop Street East Barrie ON L4M 1A3 | 282.5 | <u>149</u> |
| | 10 Dunlop St. East Barrie ON | 289.2 | <u>155</u> |
| | south of Wellington to 31 Clapperton St Barrie ON L4M 3E6 | 296.1 | <u>161</u> |
| | 17 Bayfield Street Barrie ON L4M 3A3 | 297.5 | <u>163</u> |
| PowerStream Inc. | 205 Dunlop St. E Barrie ON | 299.9 | <u>164</u> |
| UNKNOWN | KEMPENFELT BAY (LAKE SIMCOE) AT LAKESHORE ROAD & BAYFIELD ROAD BARRIE CITY ON | 299.6 | <u>169</u> |
| UNKNOWN | LAKE SIMCOE IN KEMPENFELT BAY AT THE GOVERNMENT DOCKS AT FT. OF BAYFIELD ST. BARRIE CITY ON | 299.6 | <u>169</u> |

WWIS - Water Well Information System

A search of the WWIS database, dated Feb 28, 2019 has found that there are 42 WWIS site(s) within approximately 0.30 kilometers of the project property.

| <u>Site</u> | <u>Address</u> | <u>Distance (m)</u> | <u>Map Key</u> |
|-------------|-------------------------|---------------------|----------------|
| | BARRIE ON | 92.8 | <u>34</u> |
| | Well ID: 7264495 | | |

| Site | <u>Address</u> | Distance (m) | Map Key |
|------|-------------------------------------|--------------|-----------|
| | BARRIE ON <i>Well ID:</i> 7185113 | 98.5 | <u>46</u> |
| | ON Well ID: 5700288 | 127.0 | <u>57</u> |
| | Barrie ON | 134.3 | <u>60</u> |
| | Well ID: 7124832 ON | 146.6 | <u>65</u> |
| | Well ID: 5719264 ON | 175.4 | <u>72</u> |
| | Well ID: 5700236 Barrie ON | 179.2 | <u>74</u> |
| | Well ID: 7169806 Barrie ON | 183.5 | <u>79</u> |
| | Well ID: 7169805 BARRIE ON | 181.1 | <u>81</u> |
| | <i>Well ID</i> : 7301015 Barrie ON | 188.7 | <u>83</u> |
| | <i>Well ID:</i> 7157664 Barrie ON | 188.7 | <u>83</u> |
| | Well ID: 7157665 | | |

193.6

194.2

86

88

Order No: 20200504087

ON

ON

Well ID: 5700237

| <u>Site</u> | Address Well ID: 5718640 | Distance (m) | Map Key |
|-------------|-----------------------------|--------------|------------|
| | lot 25 con 4 ON | 209.4 | <u>97</u> |
| | Well ID: 5727319 | | |
| | lot 25 con 4 ON | 210.7 | <u>98</u> |
| | Well ID: 5727318 | | |
| | Barrie ON | 214.6 | <u>99</u> |
| | Well ID : 7230455 | | |
| | ON | 214.5 | <u>100</u> |
| | Well ID: 5700262 | | |
| | ON | 214.5 | <u>100</u> |
| | Well ID: 5735508 | | |
| | Barrie ON | 219.1 | <u>103</u> |
| | Well ID: 7230454 | | |
| | ON | 215.0 | <u>105</u> |
| | Well ID : 7176288 | | |
| | Barrie ON | 225.0 | <u>107</u> |
| | Well ID: 7157663 | | |
| | ON | 226.5 | <u>111</u> |
| | Well ID: 7110081 | | |
| | ON | 233.5 | 112 |
| | Well ID: 5700235 | | |
| | ON | 236.9 | <u>114</u> |

Well ID: 7303226

| <u>Site</u> | <u>Address</u> | Distance (m) 249.2 | <u>Map Key</u> 119 |
|-------------|-----------------------------------|-----------------------|-----------------------|
| | ON | | |
| | Well ID: 5735507 | | |
| | Barrie ON | 250.6 | 122 |
| | Well ID: 7204528 | | |
| | Barrie ON | 251.5 | <u>124</u> |
| | Well ID: 7204527 | | |
| | Barrie ON <i>Well ID:</i> 7204526 | 253.2 | <u>125</u> |
| | Well ID. 1204326 | | |
| | Barrie ON | 253.4 | <u>126</u> |
| | Well ID: 7204525 | | |
| | ON | 251.8 | <u>130</u> |
| | Well ID: 7274933 | | |
| | ON | 269.4 | <u>140</u> |
| | Well ID: 7177202 | | |
| | BARRIE ON | 277.3 | <u>142</u> |
| | Well ID: 7265149 | | |
| | Barrie ON | 281.4 | <u>146</u> |
| | Well ID: 7207029 | | |
| | | | |
| | Barrie ON | 281.5 | <u>147</u> |
| | Well ID: 7207028 | | |
| | BARRIE ON | 283.4 | <u>150</u> |
| | Well ID: 7265150 | | |
| | | | |

282.2


<u>153</u>


Order No: 20200504087

ON

| <u>Site</u> | Address Well ID: 7269389 | Distance (m) | Map Key |
|-------------|---|--------------|------------|
| | Barrie ON <i>Well ID:</i> 7230453 | 289.4 | <u>156</u> |
| | Barrie ON Well ID: 7230450 | 292.1 | <u>157</u> |
| | Barrie ON <i>Well ID:</i> 7166918 | 289.3 | <u>159</u> |
| | lot 24 con 4 ON <i>Well ID:</i> 7289191 | 290.2 | <u>162</u> |
| | BARRIE ON Well ID: 5739379 | 298.4 | <u>167</u> |
| | BARRIE ON | 298.4 | <u>167</u> |

Well ID: 7044172





Aerial Year: 2019

Address: 79 Collier Street, Barrie, ON

Source: ESRI World Imagery

Order Number: 20200504087



Topographic Map

Address: 79 Collier Street, ON

Source: ESRI World Topographic Map

Order Number: 20200504087



Detail Report

| Map Key | Number Records | | Direction/ Distance (m) | Elev/Diff (m) | Site | | DB |
|---|---------------------------|--|----------------------------|------------------|---|--|-----|
| 1 | 1 of 1 | | SE/6.6 | 234.2 / 0.00 | 36 Mulcaster St Barrie ON L4M3M1 | | EHS |
| Order No: Status: Report Type Report Date Date Receiv Previous Si Lot/Building Additional li | e: /ed: te Name: | 2015021 C Standard 17-FEB- 10-FEB- | d Report 15 | ial Photos | Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y: | Barrie ON .25 -79.685733 44.390031 | |
| <u>2</u> | 1 of 5 | | WNW/4.6 | 236.2 / 2.07 | Altima Barrie Dental 75 collier st Barrie ON l4m 1g7 | Centre | GEN |
| Generator N Status: Approval Ye Contam. Faci MHSW Faci SIC Code: SIC Descrip | ears: cility: lity: | ON7114 2016 No No 621210 | 697 OFFICES OF DEN | TISTS | PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin: | Canada CO_OFFICIAL | |
| <u>Detail(s)</u> | | | | | | | |
| Waste Class | | | 264 PHOTOPROCESS | ING WASTES | | | |
| Waste Class Waste Class | | | 148 INORGANIC LABO | RATORY CHEMI | CALS | | |
| Waste Class Waste Class | | | 312 PATHOLOGICAL V | VASTES | | | |
| 2 | 2 of 5 | | WNW/4.6 | 236.2 / 2.07 | Altima Barrie Dental 75 collier st Barrie ON l4m 1g7 | Centre | GEN |
| Generator N Status: Approval Ye Contam. Faci MHSW Faci SIC Code: | ears: cility: | ON7114 2015 No No 621210 | 697 | | PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin: | Canada CO_OFFICIAL | |
| SIC Descrip | otion: | | OFFICES OF DEN | TISTS | | | |
| <u>Detail(s)</u> | | | | | | | |
| Waste Class Waste Class | | | 148 INORGANIC LABO | RATORY CHEMI | CALS | | |

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) 312 Waste Class: Waste Class Desc: PATHOLOGICAL WASTES Waste Class: Waste Class Desc: PHOTOPROCESSING WASTES Altima Barrie Dental Centre 2 3 of 5 WNW/4.6 236.2 / 2.07 **GEN** 75 collier st Barrie ON I4m 1g7 Generator No: ON7114697 PO Box No: Status: Country: Canada Approval Years: 2014 Choice of Contact: CO_OFFICIAL Contam. Facility: Co Admin: No MHSW Facility: No Phone No Admin: SIC Code: 621210 SIC Description: OFFICES OF DENTISTS Detail(s) Waste Class: 264 Waste Class Desc: PHOTOPROCESSING WASTES Waste Class: INORGANIC LABORATORY CHEMICALS Waste Class Desc: Waste Class: Waste Class Desc: PATHOLOGICAL WASTES 4 of 5 WNW/4.6 236.2 / 2.07 Altima Dental Services Ontario Inc. 2 **GEN** 75 collier st Barrie ON I4m 1g7 Generator No: ON7114697 PO Box No: Registered Status: Country: Canada As of Dec 2018 Choice of Contact: Approval Years: Contam. Facility: Co Admin: Phone No Admin: MHSW Facility: SIC Code: SIC Description: Detail(s) Waste Class: 312 P Waste Class Desc: Pathological wastes 5 of 5 WNW/4.6 236.2 / 2.07 Altima Dental Services Ontario Inc. 2 GEN 75 collier st Barrie ON I4m 1g7 Generator No: ON7114697 PO Box No: Status: Registered Country: Canada Approval Years:

As of Oct 2019

Choice of Contact: Co Admin: Phone No Admin:

Order No: 20200504087

Detail(s)

SIC Code: SIC Description:

Contam. Facility:

MHSW Facility:

Waste Class: 312 P

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) Waste Class Desc: Pathological wastes Waste Class: 264 L Waste Class Desc: Photoprocessing wastes 3 1 of 2 WNW/4.7 236.2 / 2.07 Altima Barrie Dental Centre **GEN** 75 collier st Barrie ON Generator No: ON7114697 PO Box No: Status: Country: Approval Years: 2012 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: 621210 SIC Code: SIC Description: Offices of Dentists Detail(s) Waste Class: 148 Waste Class Desc: **INORGANIC LABORATORY CHEMICALS** Waste Class: PATHOLOGICAL WASTES Waste Class Desc: Waste Class: 264 Waste Class Desc: PHOTOPROCESSING WASTES 3 2 of 2 WNW/4.7 236.2 / 2.07 Altima Barrie Dental Centre **GEN** 75 collier st Barrie ON Generator No: ON7114697 PO Box No: Status: Country: Approval Years: 2013 Choice of Contact: Contam. Facility: Co Admin: Phone No Admin: MHSW Facility: 621210 SIC Code: SIC Description: OFFICES OF DENTISTS Detail(s) Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES

Waste Class: 148

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 264

Waste Class Desc: PHOTOPROCESSING WASTES

4 1 of 1 SSE/14.7 234.2 / 0.00 24 Mulcaster St Barrie ON L4M3M1

Order No: 20180309108

Status: C

Report Type: Standard Report Report Date: 16-MAR-18
Date Received: 09-MAR-18

Previous Site Name: Lot/Building Size: Additional Info Ordered: Nearest Intersection:

Municipality: City of Barrie

Order No: 20200504087

 Client Prov/State:
 ON

 Search Radius (km):
 .25

 X:
 -79.685724

 Y:
 44.389797

Elev/Diff Site DΒ Map Key Number of Direction/

Records Distance (m) (m)

1 of 1 ESE/22.4 234.2 / 0.05 Mulcaster, between Collier and Dunlop 5 SPL Barrie ON

Ref No: 2106-8VM2R9 Discharger Report: Site No: Material Group: 25-JUN-12 Incident Dt: Health/Env Conseq: Year: Client Type:

Incident Cause: Sector Type: Incident Event: Agency Involved: Contaminant Code: Nearest Watercourse:

Contaminant Name: GREASE (N.O.S.) Mulcaster, between Collier and Dunlop Site Address: Contaminant Limit 1: Site District Office:

Contam Limit Freq 1: Site Postal Code: Contaminant UN No 1: Site Region:

Environment Impact: Site Municipality: Barrie Confirmed Nature of Impact: Soil Contamination: Surface Water Pollution Site Lot:

Sewage - Municipal/Private and Commercial Receiving Medium: Site Conc: Receiving Env: Northing:

MOE Response: No Field Response Easting: Dt MOE Arvl on Scn: Site Geo Ref Accu:

25-JUN-12 MOE Reported Dt: Site Map Datum:

Dt Document Closed: 18-JUL-12 SAC Action Class: Watercourse Spills Incident Reason: Source Type:

Akira Japanese Cuisine<UNOFFICIAL> Site Name:

Site County/District:

Site Geo Ref Meth: Spill grease to Catchbasins Incident Summary:

0532-B8VP3F

Contaminant Qty:

1 of 1 SSE/23.0 234.2 / 0.00 Enbridge Gas Distribution Inc. 6 SPL 24 Mulcaster Street

Discharger Report:

Order No: 20200504087

Barrie ON

Material Group: Site No: NA

Incident Dt: 2019/01/29 Health/Env Conseq: 2 - Minor Environment

Corporation Year: Client Type: Incident Cause: Sector Type: Miscellaneous Industrial

Incident Event: Leak/Break Agency Involved: Nearest Watercourse: Contaminant Code:

Contaminant Name: NATURAL GAS (METHANE) Site Address: 24 Mulcaster Street

Contaminant Limit 1: Site District Office: Barrie

Site Postal Code: Contam Limit Freq 1: Contaminant UN No 1: 1075 Site Region: Central Environment Impact: Site Municipality: **Barrie**

Nature of Impact: Site Lot: Receiving Medium: Site Conc: Air Northing: 4916006.01

Receiving Env: MOE Response: No Easting: 604674.6 Dt MOE Arvl on Scn: Site Geo Ref Accu:

2019/01/29 **MOE** Reported Dt: Site Map Datum:

TSSA - Fuel Safety Branch - Hydrocarbon Fuel **Dt Document Closed:** SAC Action Class: Release/Spill

Operator/Human Error Source Type:

Incident Reason: Pipeline/Components Site Name: Private Residence<UNOFFICIAL>

Site County/District: County of Simcoe

Site Geo Ref Meth: TSSAfsb- Riser hit by Vehicle, Made Safe Incident Summary:

Contaminant Qty: 0 other - see incident description

Ref No:

| Мар Кеу | Number Record | | Elev/Diff) (m) | Site | | DB |
|-------------------------------------|------------------|----------------------|--------------------|--|------------------------------|-----|
| 7 | 1 of 2 | NE/19.9 | 237.2 / 3.07 | CONSTRUCTION CO. CORNER OF MULCA MOTOR VEHICLE (OI BARRIE CITY ON | STER AND COLLIER | SPL |
| Ref No: | | 180966 | | Discharger Report: | | |
| Site No: | | | | Material Group: | | |
| Incident Dt: | | 5/18/2000 | | Health/Env Conseg: | | |
| Year: | | | | Client Type: | | |
| Incident Cau | ıse: | PIPE/HOSE LEAK | | Sector Type: | | |
| Incident Eve | nt: | | | Agency Involved: | | |
| Contaminan | t Code: | | | Nearest Watercourse: | | |
| Contaminan | t Name: | | | Site Address: | | |
| Contaminan | t Limit 1: | | | Site District Office: | | |
| Contam Lim | it Freq 1: | | | Site Postal Code: | | |
| Contaminan | t UN No 1: | | | Site Region: | | |
| Environmen | • | POSSIBLE | | Site Municipality: | 70101 | |
| Nature of Im | | Water course or lake | | Site Lot: | | |
| Receiving M | | LAND / WATER | | Site Conc: | | |
| Receiving E | | | | Northing: | | |
| MOE Respon | | | | Easting: | | |
| Dt MOE Arvi | | 5 /4 0 /00 00 | | Site Geo Ref Accu: | | |
| MOE Report | | 5/18/2000 | | Site Map Datum: | | |
| Dt Documen | | FOLUDIAENT FAILUDE | | SAC Action Class: | | |
| Incident Rea | ison: | EQUIPMENT FAILURE | | Source Type: | | |
| Site Name: | Diatriat. | | | | | |
| Site County/ Site Geo Re | | | | | | |
| Incident Sur Contaminan | nmary: | CONSTRUCTION | N COMPANY-15 LE | DIESEL TO DITCH FROM SL | LOWDRIP FROM COMPRESSOR,CITY | |
| <u>7</u> | 2 of 2 | NE/19.9 | 237.2 / 3.07 | Collier St. and Mulca Barrie ON | ster St. | SPL |
| Ref No: Site No: Incident Dt: | | 2036-7A6N9C | | Discharger Report: Material Group: Health/Env Conseq: | Oil | |

| | | Barrie ON | | SPL |
|-----------------------|---|-----------------------|--------|-----|
| Ref No: | 2036-7A6N9C | Discharger Report: | | |
| Site No: | | Material Group: | Oil | |
| Incident Dt: | | Health/Env Conseq: | | |
| Year: | | Client Type: | | |
| Incident Cause: | Unknown | Sector Type: | Other | |
| Incident Event: | | Agency Involved: | | |
| Contaminant Code: | 12 | Nearest Watercourse: | | |
| Contaminant Name: | GASOLINE | Site Address: | | |
| Contaminant Limit 1: | | Site District Office: | | |
| Contam Limit Freq 1: | | Site Postal Code: | | |
| Contaminant UN No 1: | | Site Region: | | |
| Environment Impact: | Not Anticipated | Site Municipality: | Barrie | |
| Nature of Impact: | Other Impact(s) | Site Lot: | | |
| Receiving Medium: | Land | Site Conc: | | |
| Receiving Env: | | Northing: | | |
| MOE Response: | | Easting: | | |
| Dt MOE Arvl on Scn: | | Site Geo Ref Accu: | | |
| MOE Reported Dt: | 12/23/2007 | Site Map Datum: | | |
| Dt Document Closed: | | SAC Action Class: | | |
| Incident Reason: | Unknown - Reason not determined | Source Type: | | |
| Site Name: | Intersection <unofficial></unofficial> | | | |
| Site County/District: | | | | |
| Site Geo Ref Meth: | | | | |
| Incident Summary: | City of Barrie: Gasoline spill to Road. | | | |
| Contaminant Qty: | Unknown other - see incident descrip | tion | | |

| Мар Кеу | Numbe Record | | | Elev/Diff (m) | Site | | DB |
|--|---|---|------------------|------------------|--|--|-----|
| <u>8</u> | 1 of 3 | E/32.9 | | 236.2 / 1.99 | The Corporation of the 37 Mulcaster Street Barrie ON L4M 4T5 | e City of Barrie | ECA |
| Approval No Approval Da Status: Record Type Link Source: SWP Area N Approval Type Approval Type Project Type Address: Full Address | nte: e: :: lame: rpe: e: | 3631-4KCQQV 2000-05-16 Approved ECA IDS Lakes Simcoe and Co ECA-AIR AIR 37 Mulcasto | er Street | | MOE District: City: Longitude: Latitude: Geometry X: Geometry Y: | Barrie -79.68503 44.39009499999995 | |
| <u>8</u> | 2 of 3 | E/32.9 | | 236.2 / 1.99 | City of Barrie Corpora 37 Mulcaster St. Barrie ON L4M 4T5 | nte Facilities | GEN |
| Generator No Status: Approval Ye Contam. Facil MHSW Facil SIC Code: SIC Descript | ears: cility: lity: | ON9583436 Registered As of Dec 2018 | | | PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin: | Canada | |
| Detail(s) | | | | | | | |
| Waste Class Waste Class | | 251 L Waste oils/ | sludges (p | petroleum based) | | | |
| <u>8</u> | 3 of 3 | E/32.9 | | 236.2 / 1.99 | City of Barrie Corpora 37 Mulcaster St. Barrie ON L4M 4T5 | nte Facilities | GEN |
| Generator No Status: Approval Ye Contam. Facili SIC Code: SIC Descript | ears: cility: lity: | ON9583436 Registered As of Oct 2019 | | | PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin: | Canada | |
| Detail(s) | | | | | | | |
| Waste Class Waste Class | | 251 L Waste oils/ | sludges (p | petroleum based) | | | |
| 9 | 1 of 2 | E/33.0 | | 236.2 / 1.99 | MacLaren Art Centre 37 Mulcaster Street Barrie ON L4M 3M2 | | CA |
| Certificate #. Application Issue Date: Approval Tyl Status: Application Client Name. | Year: pe: Type: | 3631-4KC0 00 5/16/00 Industrial a Approved New Certifi Corporatior | ir cate of Ap | | | | |

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) 70 Collier St., P.O. Box 400 Client Address: Client City: Barrie L4M 4T5 Client Postal Code: **Project Description: Emergency Standby Generator** Contaminants: **Emission Control:** Silencer E/33.0 236.2 / 1.99 9 2 of 2 MacLaren Art Centre **GEN** 37 Mulcaster Street Barrie ON L4M 3M2 ON6986902 PO Box No: Generator No: Status: Country: Choice of Contact: 2010 Approval Years: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: 712111 SIC Code: SIC Description: Non-Commercial Art Museums and Galleries Detail(s) Waste Class: 221 LIGHT FUELS Waste Class Desc: Waste Class: 211 Waste Class Desc: AROMATIC SOLVENTS 10 1 of 1 WNW/38.2 235.7 / 1.50 Selmar Dental Industries SCT 65 Collier St Barrie ON L4M 1G7 Established: 01-JAN-84 Plant Size (ft2): Employment: --Details--Description: Professional Machinery, Equipment and Supplies Wholesaler-Distributors SIC/NAICS Code: 417930 1 of 1 W/44.1 233.8 / -0.35 63 Collier St 11 **EHS** Barrie ON L4M1G7 Order No: 20130927029 Nearest Intersection: Municipality: Status: Standard Report Client Prov/State: ON Report Type: Report Date: 08-OCT-13 Search Radius (km): .25 Date Received: 27-SEP-13 X: -79.68672 Y: 44.390167 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans; Topographic Maps; City Directory; Aerial Photos 12 1 of 20 NW/36.5 236.8 / 2.63 Allandale Community Development Corp. **ORD** 70 Collier Street, Barrie CITY OF BARRIE ON

Decision Posted:

Section:

Exception Posted:

Order No: 20200504087

IA03E0438

Instrument Decision

Allandale

EBR Registry No:

Ministry Ref No:

Notice Type:

Elev/Diff Site DΒ Map Key Number of Direction/

Act 2:

Distance (m) Act 1:

Proposal Date: March 31, 2003 Site Location Map:

Year: 2003

Records

Instrument Type: (EPA s. 18) - Order for preventative measures.

Off Instrument Name:

Posted By:

Notice Stage:

Notice Date:

Allandale Community Development Corp. Company Name:

May 29, 2003

Site Address: Location Other: Proponent Name:

Proponent Address: 70 Collier Street, Post Office Box Delivery 400, Barrie Ontario, Canada L4M 4T5

(m)

Comment Period:

URL:

Site Location Details:

70 Collier Street, Barrie CITY OF BARRIE

NW/36.5 **CORPORATION OF THE CITY OF BARRIE** 12 2 of 20 236.8 / 2.63

70 COLLIER STREET **BARRIE ON L4M 4Z2**

GEN

Order No: 20200504087

Generator No: ON9618374 PO Box No:

Status: Country:

Choice of Contact: Approval Years: 03,04,05,06,07,08 Contam. Facility: Co Admin: MHSW Facility: Phone No Admin:

SIC Code: 541620

Environmental Consulting Services SIC Description:

Detail(s)

Waste Class:

Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 221

LIGHT FUELS Waste Class Desc:

Waste Class: 145

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class:

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 251

Waste Class Desc: **OIL SKIMMINGS & SLUDGES**

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 262

Waste Class Desc: **DETERGENTS/SOAPS**

Waste Class: 263

ORGANIC LABORATORY CHEMICALS Waste Class Desc:

Waste Class: 264

Waste Class Desc: PHOTOPROCESSING WASTES

Waste Class: 331

WASTE COMPRESSED GASES Waste Class Desc:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) Waste Class: ACID WASTE - HEAVY METALS Waste Class Desc: Waste Class: OTHER INORGANIC ACID WASTES Waste Class Desc: Waste Class: Waste Class Desc: ALKALINE WASTES - OTHER METALS 12 3 of 20 NW/36.5 236.8 / 2.63 The Corporation of the City of Barrie SPL 70 Collier Street Barrie ON 2043-82DVPR Ref No: Discharger Report: Site No: Material Group: Incident Dt: Health/Env Conseq: Year: Client Type: Incident Cause: Pipe Or Hose Leak Sector Type: Motor Vehicle Incident Event: Agency Involved: Contaminant Code: Nearest Watercourse: Contaminant Name: **GASOLINE** Site Address: Contaminant Limit 1: Site District Office: Contam Limit Freq 1: Site Postal Code: Contaminant UN No 1: Site Region: **Environment Impact:** Not Anticipated Site Municipality: Nature of Impact: Other Impact(s) Site Lot: Receiving Medium: Site Conc: Receiving Env: Northing: MOE Response: No Field Response Easting: Dt MOE Arvl on Scn: Site Geo Ref Accu: MOE Reported Dt: 2/5/2010 Site Map Datum: 4/20/2010 Land Spills Dt Document Closed: SAC Action Class: Incident Reason: Spill Source Type: Site Name: City Hall Underground Garage<UNOFFICIAL> Site County/District: Site Geo Ref Meth: Barrie: ~ 10 L gasoline to concrete, cleaned. Incident Summary: Contaminant Qty: 10 L 12 4 of 20 NW/36.5 236.8 / 2.63 The Corporation of the City of Barrie CA 70 Collier St Barrie ON 6738-6XHKWK Certificate #: Application Year: 2007 Issue Date: 2/8/2007 Approval Type: Approved Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: **Emission Control: CORPORATION OF THE CITY OF BARRIE** 12 5 of 20 NW/36.5 236.8 / 2.63 **GEN** 70 COLLIER STREET

BARRIE ON

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Co Admin:

Phone No Admin:

Generator No: ON9618374 PO Box No: Status: Country:

Approval Years:

2009 Country: Choice of Contact:

Contam. Facility: MHSW Facility:

SIC Code: 541620

SIC Description: Environmental Consulting Services

Detail(s)

Waste Class: 112

Waste Class Desc: ACID WASTE - HEAVY METALS

Waste Class: 114

Waste Class Desc: OTHER INORGANIC ACID WASTES

Waste Class: 122

Waste Class Desc: ALKALINE WASTES - OTHER METALS

Waste Class: 145

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 148

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 213

Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 221

Waste Class Desc: LIGHT FUELS

Waste Class: 25°

Waste Class Desc: OIL SKIMMINGS & SLUDGES

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 262

Waste Class Desc: DETERGENTS/SOAPS

Waste Class: 263

Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 264

Waste Class Desc: PHOTOPROCESSING WASTES

Waste Class: 331

Waste Class Desc: WASTE COMPRESSED GASES

12 6 of 20 NW/36.5 236.8 / 2.63 CORPORATION OF THE CITY OF BARRIE 70 COLLIER STREET

BARRIE ON

ON9618374 PO Box No: Country:

2010 Choice of Contact:

Contam. Facility: Co Admin: MHSW Facility: Phone No Admin:

SIC Code: 541620

SIC Description: Environmental Consulting Services

Detail(s)

Generator No:

Approval Years:

Status:

GEN

Map Key Number of Direction/ Elev/Diff Site DB Records Distance (m) (m)

Waste Class: 148

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 145

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 122

Waste Class Desc: ALKALINE WASTES - OTHER METALS

Waste Class: 262

Waste Class Desc: DETERGENTS/SOAPS

Waste Class: 112

Waste Class Desc: ACID WASTE - HEAVY METALS

Waste Class: 213

Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 263

Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 114

Waste Class Desc: OTHER INORGANIC ACID WASTES

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 221

Waste Class Desc: LIGHT FUELS

Waste Class: 25°

Waste Class Desc: OIL SKIMMINGS & SLUDGES

Waste Class: 264

Waste Class Desc: PHOTOPROCESSING WASTES

Waste Class: 331

Waste Class Desc: WASTE COMPRESSED GASES

12 7 of 20 NW/36.5 236.8 / 2.63 CORPORATION OF THE CITY OF BARRIE 70 COLLIER STREET

PO Box No: Country:

Choice of Contact: Co Admin:

Phone No Admin:

BARRIE ON

Generator No: ON9618374

Status:

Approval Years: 2011

Contam. Facility: MHSW Facility:

SIC Code: 541620

SIC Description: Environmental Consulting Services

Detail(s)

Waste Class: 213

Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 262

Waste Class Desc: DETERGENTS/SOAPS

Waste Class: 145

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 112

Elev/Diff Site DΒ Map Key Number of Direction/ Records Distance (m)

(m)

ACID WASTE - HEAVY METALS Waste Class Desc:

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class:

Waste Class Desc: OTHER INORGANIC ACID WASTES

Waste Class:

Waste Class Desc: PHOTOPROCESSING WASTES

Waste Class:

LIGHT FUELS Waste Class Desc:

Waste Class:

ORGANIC LABORATORY CHEMICALS Waste Class Desc:

Waste Class:

WASTE COMPRESSED GASES Waste Class Desc:

Waste Class: 122

Waste Class Desc: ALKALINE WASTES - OTHER METALS

Waste Class: 251

Waste Class Desc: OIL SKIMMINGS & SLUDGES

Waste Class:

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

THE CORPORATION OF THE CITY OF BARRIE 12 8 of 20 NW/36.5 236.8 / 2.63

70 Collier Street

GEN

Order No: 20200504087

Barrie ON

ON9618374 Generator No: PO Box No: Status: Country:

Approval Years: 2012 Choice of Contact: Contam. Facility: Co Admin:

MHSW Facility: Phone No Admin:

SIC Code: 541620

SIC Description: **Environmental Consulting Services**

Detail(s)

Waste Class: 145

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class:

DETERGENTS/SOAPS Waste Class Desc:

Waste Class:

ALKALINE WASTES - OTHER METALS Waste Class Desc:

Waste Class: 263

Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 264

Waste Class Desc: PHOTOPROCESSING WASTES

Waste Class: 114

Waste Class Desc: OTHER INORGANIC ACID WASTES

Waste Class:

Waste Class Desc: INORGANIC LABORATORY CHEMICALS Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Waste Class: 112

Waste Class Desc: ACID WASTE - HEAVY METALS

Waste Class: 331

Waste Class Desc: WASTE COMPRESSED GASES

Waste Class: 213

Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 251

Waste Class Desc: OIL SKIMMINGS & SLUDGES

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 221

Waste Class Desc: LIGHT FUELS

12 9 of 20 NW/36.5 236.8 / 2.63 THE CORPORATION OF THE CITY OF BARRIE

70 Collier Street

GEN

Order No: 20200504087

Barrie ON

Generator No: ON9618374 PO Box No: Status: Country:

Approval Years: 2013 Choice of Contact:
Contam. Facility: Co Admin:
MHSW Facility: Phone No Admin:

SIC Code: 541620

SIC Description: ENVIRONMENTAL CONSULTING SERVICES

Detail(s)

Waste Class: 264

Waste Class Desc: PHOTOPROCESSING WASTES

Waste Class: 122

Waste Class Desc: ALKALINE WASTES - OTHER METALS

Waste Class: 114

Waste Class Desc: OTHER INORGANIC ACID WASTES

Waste Class: 263

Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 112

Waste Class Desc: ACID WASTE - HEAVY METALS

Waste Class: 213

Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 221

Waste Class Desc: LIGHT FUELS

Waste Class: 145

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 251

Waste Class Desc: OIL SKIMMINGS & SLUDGES

Waste Class: 331

Waste Class Desc: WASTE COMPRESSED GASES

Number of Elev/Diff Site DΒ Map Key Direction/ Records Distance (m) (m)

Waste Class: 146

OTHER SPECIFIED INORGANICS Waste Class Desc:

Waste Class:

DETERGENTS/SOAPS Waste Class Desc:

Waste Class: 148

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class:

Waste Class Desc: PATHOLOGICAL WASTES

10 of 20 NW/36.5 The Corporation of the City of Barrie 12 236.8 / 2.63

70 Collier St (sanitary collection system-wide and storm drainage collection system-wide)

ECA

ECA

ECA

Order No: 20200504087

Barrie ON L4M 4T5

8130-ACUPHF **MOE District:** Approval No: Approval Date: 2016-10-05 City: Status: Approved Longitude: Record Type: **ECA** Latitude: **IDS** Link Source: Geometry X: SWP Area Name: Geometry Y:

ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Approval Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type:

Address: 70 Collier St (sanitary collection system-wide and storm drainage collection system-wide)

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/0853-AAVNN3-14.pdf

11 of 20 NW/36.5 236.8 / 2.63 12 The Corporation of the City of Barrie

70 Collier St (sanitary collection system-wide

and storm drainage collection system-wide)

The Corporation of the City of Barrie

Barrie

-79.68634

44.39102

Barrie ON L4M 4T5

70 Collier St

Geometry X:

Geometry Y:

Approval No: 7639-ACYHUF **MOE District:** Approval Date: 2016-10-05 City: Status: Revoked and/or Replaced Longitude: Record Type: **ECA** Latitude: Link Source: **IDS** Geometry X:

SWP Area Name: Geometry Y: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Approval Type:

Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS 70 Collier St (sanitary collection system-wide and storm drainage collection system-wide)

NW/36.5

Address: Full Address:

12

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/1347-A9WPCC-14.pdf

Barrie ON L4M 4T5

6738-6XHKWK **MOE District:**

236.8 / 2.63

Approval No: 2007-02-08 Approval Date: City: Status: Approved Longitude: Record Type: **ECA** Latitude:

SWP Area Name: Lakes Simcoe and Couchiching/Black River

ECA-AIR Approval Type: Project Type: AIR 70 Collier St Address:

12 of 20

Full Address:

Link Source:

Number of Direction/ Elev/Diff Site DΒ Map Key

Records Distance (m)

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/1513-6TVNTW-14.pdf

12 13 of 20 NW/36.5 236.8 / 2.63 THE CORPORATION OF THE CITY OF BARRIE **GEN**

70 Collier Street Barrie ON L4M 4T5

Order No: 20200504087

ON9618374 Generator No: PO Box No:

Status: Country: Canada 2015 CO_OFFICIAL Approval Years: Choice of Contact: Contam. Facility: No Co Admin: Norm Martin 705 739 4220 Ext.4396

MHSW Facility: No Phone No Admin: 541620

SIC Code: SIC Description: **ENVIRONMENTAL CONSULTING SERVICES**

Detail(s)

Waste Class: 122

Waste Class Desc: ALKALINE WASTES - OTHER METALS

Waste Class: 251

Waste Class Desc: **OIL SKIMMINGS & SLUDGES**

Waste Class: 263

ORGANIC LABORATORY CHEMICALS Waste Class Desc:

Waste Class:

Waste Class Desc: PHOTOPROCESSING WASTES

Waste Class: 331

Waste Class Desc: WASTE COMPRESSED GASES

Waste Class: 112

Waste Class Desc: ACID WASTE - HEAVY METALS

Waste Class: 221

Waste Class Desc: LIGHT FUELS

Waste Class: 145

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class:

OTHER SPECIFIED INORGANICS Waste Class Desc:

Waste Class:

Waste Class Desc: PATHOLOGICAL WASTES

Waste Class: 252

WASTE OILS & LUBRICANTS Waste Class Desc:

Waste Class:

Waste Class Desc: PETROLEUM DISTILLATES

Waste Class:

Waste Class Desc: OTHER INORGANIC ACID WASTES

Waste Class: 148

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class:

Waste Class Desc: **DETERGENTS/SOAPS** Map Key Number of Direction/ Elev/Diff Site DB Records Distance (m) (m)

12 14 of 20 NW/36.5 236.8 / 2.63 THE CORPORATION OF THE CITY OF BARRIE

70 Collier Street Barrie ON L4M 4T5

Co Admin:

Generator No: ON9618374

Status:
Approval Years: 2016
Contam. Facility: No
MHSW Facility: No
SIC Code: 913910

SIC Description: 913910

PO Box No:
Country: Canada
Choice of Contact: CO_OFFICIAL

Phone No Admin: 705 739 4220 Ext.4396

Norm Martin

GEN

GEN

Order No: 20200504087

Detail(s)

Waste Class: 264

Waste Class Desc: PHOTOPROCESSING WASTES

Waste Class: 221

Waste Class Desc: LIGHT FUELS

Waste Class: 262

Waste Class Desc: DETERGENTS/SOAPS

Waste Class: 112

Waste Class Desc: ACID WASTE - HEAVY METALS

Waste Class: 122

Waste Class Desc: ALKALINE WASTES - OTHER METALS

Waste Class: 145

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 213

Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 148

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 263

Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 251

Waste Class Desc: OIL SKIMMINGS & SLUDGES

Waste Class: 146

Waste Class Desc: OTHER SPECIFIED INORGANICS

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 114

Waste Class Desc: OTHER INORGANIC ACID WASTES

Waste Class: 312

Waste Class Desc: PATHOLOGICAL WASTES

Waste Class: 331

Waste Class Desc: WASTE COMPRESSED GASES

12 15 of 20 NW/36.5 236.8 / 2.63 THE CORPORATION OF THE CITY OF BARRIE

70 Collier Street Barrie ON L4M 4T5

Generator No: ON9618374 PO Box No:

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Status:Country:CanadaApproval Years:2014Choice of Contact:CO_OFFICIALContam. Facility:NoCo Admin:Ryan ThompsonMHSW Facility:NoPhone No Admin:705 739 4220 Ext.4535

SIC Code: 541620
SIC Description: ENVIRONMENTAL CONSULTING SERVICES

Detail(s)

Waste Class: 251

Waste Class Desc: OIL SKIMMINGS & SLUDGES

Waste Class: 112

Waste Class Desc: ACID WASTE - HEAVY METALS

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

Waste Class: 148

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 145

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 331

Waste Class Desc: WASTE COMPRESSED GASES

Waste Class: 263

Waste Class Desc: ORGANIC LABORATORY CHEMICALS

Waste Class: 122

Waste Class Desc: ALKALINE WASTES - OTHER METALS

Waste Class: 262

Waste Class Desc: DETERGENTS/SOAPS

Waste Class: 312

Waste Class Desc: PATHOLOGICAL WASTES

Waste Class: 213

Waste Class Desc: PETROLEUM DISTILLATES

Waste Class: 221

Waste Class Desc: LIGHT FUELS

Waste Class: 146

Waste Class Desc: OTHER SPECIFIED INORGANICS

Waste Class: 264

Waste Class Desc: PHOTOPROCESSING WASTES

Waste Class: 114

Waste Class Desc: OTHER INORGANIC ACID WASTES

12 16 of 20 NW/36.5 236.8 / 2.63 THE CORPORATION OF THE CITY OF BARRIE 70 Collier Street

Order No: 20200504087

Barrie ON L4M 4T5

Generator No: ON9618374 PO Box No: 400
Status: Registered Country: Canada

Approval Years:As of Dec 2018Choice of Contact:Contam. Facility:Co Admin:MHSW Facility:Phone No Admin:SIC Code:

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

SIC Description:

Detail(s)

Waste Class: 122 C

Waste Class Desc: Alkaline slutions - containing other metals and non-metals (not cyanide)

Waste Class: 146 T

Waste Class Desc: Other specified inorganic sludges, slurries or solids

Waste Class: 251 L

Waste Class Desc: Waste oils/sludges (petroleum based)

Waste Class: 252 L

Waste Class Desc: Waste crankcase oils and lubricants

Waste Class: 312 F

Waste Class Desc: Pathological wastes

12 17 of 20 NW/36.5 236.8 / 2.63 The Corporation of the City of Barrie

70 Collier St (sanitary collection system-wide and storm drainage collection system-wide)

ECA

ECA

Order No: 20200504087

Barrie ON L4M 4T5

Approval No: 2883-AKUJQZ MOE District: Barrie

Approval Date: 2017-08-16 City:

Status:Revoked and/or ReplacedLongitude:-79.68633Record Type:ECALatitude:44.391019

Link Source: IDS Geometry X:

SWP Area Name: Lakes Simcoe and Couchiching/Black River Geometry Y:

Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS

MUNICIPAL AND PRIVATE SEWAGE WORKS

Project Type:MUNICIPAL AND PRIVATE SEWAGE WORKSAddress:70 Collier St (sanitary collection system-wide and storm drainage collection system-wide)

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/2709-AHQJ44-14.pdf

12 18 of 20 NW/36.5 236.8 / 2.63 The Corporation of the City of Barrie
70 Collier St (sanitary collection system-wide

City:

and storm drainage collection system-wide)

Barrie ON L4M 4T5

Approval No: 7160-AQWSAX MOE District: Barrie

Approval Date: 2017-09-11

Status:Revoked and/or ReplacedLongitude:-79.68633Record Type:ECALatitude:44.391019

Link Source: IDS Geometry X:
SWP Area Name: Lakes Simcoe and Couchiching/Black River Geometry Y:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

Address: 70 Collier St (sanitary collection system-wide and storm drainage collection system-wide)

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/2495-AQWNEF-14.pdf

12 19 of 20 NW/36.5 236.8 / 2.63 The Corporation of the City of Barrie

70 Collier St (sanitary collection system-wide and storm drainage collection system-wide)

Barrie ON L4M 4T5

Approval No: 5921-ATUKKR MOE District: Barrie

Approval Date: 2018-01-10 City:

Status: Approved Longitude: -79.68633

Number of Elev/Diff Site DΒ Map Key Direction/

Records Distance (m) (m)

ECA 44.391019 Record Type: Latitude:

Link Source: **IDS** Geometry X: SWP Area Name: Lakes Simcoe and Couchiching/Black River Geometry Y: Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

70 Collier St (sanitary collection system-wide and storm drainage collection system-wide) Address:

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/2037-AQSQ9G-13.pdf

12 20 of 20 NW/36.5 236.8 / 2.63 THE CORPORATION OF THE CITY OF BARRIE

> 70 Collier Street Barrie ON L4M 4T5

GEN

Order No: 20200504087

ON9618374 400 Generator No: PO Box No: Country: Registered Canada Status:

Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:

Choice of Contact: Co Admin: Phone No Admin:

Detail(s)

Waste Class: 148 C

Waste Class Desc: Misc. wastes and inorganic chemicals

As of Oct 2019

146 T Waste Class:

Waste Class Desc: Other specified inorganic sludges, slurries or solids

Waste Class: 148 I

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class:

Waste Class Desc: Alkaline slutions - containing other metals and non-metals (not cyanide)

Waste Class:

Waste Class Desc: Pathological wastes

Waste Class:

Waste Class Desc: Waste oils/sludges (petroleum based)

Waste Class:

Waste Class Desc: Wastes from the use of pigments, coatings and paints

Waste Class: 252 I

Waste Class Desc: Waste crankcase oils and lubricants

13 1 of 1 SW/34.5 230.6 / -3.60 110 Dunlop Street East **EHS** Barrie ON L4M 1A5

Order No: 20190306004 Nearest Intersection: Status: C Municipality:

Client Prov/State: Report Type: Standard Report ON Report Date: 12-MAR-19 Search Radius (km): .25 Date Received: 06-MAR-19 X:

-79.686299 Previous Site Name: Y: 44.389594

Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans; City Directory; Aerial Photos

1 of 7 ESE/47.5 231.5 / -2.64 **SPRINT PRINTING** 14 SCT

Number of Direction/ Elev/Diff Site DΒ Map Key

> Records Distance (m) (m)

> > 17B MULCASTER ST UNIT B **BARRIE ON L4M 3M2**

Established: 1982 Plant Size (ft2): 0 Employment: 4

--Details--

Description: COMMERCIAL PRINTING, LITHOGRAPHIC

SIC/NAICS Code: 2752

Description: COMMERCIAL PRINTING, NOT ELSEWHERE CLASSIFIED

SIC/NAICS Code: 2759

> 14 2 of 7 ESE/47.5 231.5 / -2.64 **SPRINT PRINTING**

17 B MULCASTER ST **BARRIE ON L4M 3M2**

1982 Established: Plant Size (ft2): 0 Employment: 4

--Details--

COMMERCIAL PRINTING, LITHOGRAPHIC Description:

SIC/NAICS Code: 2752

Description: COMMERCIAL PRINTING, N.E.C.

SIC/NAICS Code: 2759

14 3 of 7 ESE/47.5 231.5 / -2.64 17 Mulcaster St. **EHS** Barrie ON L4M 3M2

231.5 / -2.64

Order No: 20000920002

Status:

Site Report Report Type: 9/22/00 Report Date: Date Received: 9/21/00

Previous Site Name:

lot 7, north of dunop Lot/Building Size:

Additional Info Ordered:

Nearest Intersection: Dunlop/Mulcaster or Collier and Mulcaster st. Cty of Simcoe

SCT

GEN

Order No: 20200504087

Municipality:

Client Prov/State: ON Search Radius (km): 0.25 X: -79.685326

Y: 44.389519

SPRINT PRINTING 34-674

17B MULCASTER STREET

BARRIE ON L4M 3M2

Choice of Contact:

Phone No Admin:

PO Box No:

Country:

Co Admin:

ON1659500 Generator No: Status:

ESE/47.5

Approval Years: Contam. Facility:

4 of 7

92,93,94,95,96,97,98

MHSW Facility:

14

SIC Code: 2819

SIC Description: OTHER COMM. PRINTING

Detail(s)

Waste Class: 264

Waste Class Desc: PHOTOPROCESSING WASTES

| Map Key Numbe Record | | | | Elev/Diff m) (m) | Site | | DB |
|---|----------------------------|---------------------------------|---------------------|---|--|--------------------------------|-----|
| 14 | 5 of 7 | | ESE/47.5 | 231.5/-2.64 | SPRINT PRINTING AN 17B MULCASTER STI BARRIE ON L4M 3M2 | REET | GEN |
| Generator No: | | ON1659500 | | | PO Box No: | | |
| Status: Approval Years: | | 99 | | | Country: Choice of Contact: | | |
| Contam. Fa | cility: | | | | Co Admin: | | |
| MHSW Faci SIC Code: | lity: | 2819 | | | Phone No Admin: | | |
| SIC Description: | | OTHER COMM. PRINTING | | | | | |
| Detail(s) | | | | | | | |
| Waste Clas | | 264 PHOTOPROCESSING WASTES | | | | | |
| | | | | | | | |
| <u>14</u> | 6 of 7 | | ESE/47.5 | 231.5/-2.64 | SPRINT P(OUT OF BU 17B MULCASTER STI BARRIE ON L4M 3M2 | REET | GEN |
| Generator No: | | ON1659500 | | | PO Box No: | | |
| | Status: Approval Years: | | | | Country: Choice of Contact: | | |
| Contam. Fa | cility: | 00,01 | | | Co Admin: | | |
| MHSW Faci SIC Code: | lity: | 2819 | | | Phone No Admin: | | |
| SIC Description: | | OTHER COMM. PRINTING | | | | | |
| Detail(s) | | | | | | | |
| Waste Clas Waste Clas | | | 264 PHOTOPROCESS | SING WASTES | | | |
| <u>14</u> | 7 of 7 | | ESE/47.5 | 231.5/-2.64 | Akira Sushi <unoffic 17 Mulcaster St Barrie ON L4M 3M2</unoffic | CIAL> | SPL |
| Ref No: | | 5881-9N | M83XX | | Discharger Report: | | |
| Site No: | | NA | //10 | | Material Group: | | |
| Incident Dt: Year: | | 2014/07 | /19 | | Health/Env Conseq: Client Type: | | |
| Incident Ca | | Dumpin | g | | Sector Type: | Other | |
| Incident Eve Contaminar | | 16 | | | Agency Involved: Nearest Watercourse: | | |
| Contaminar | | COOKIN | NG OIL | | Site Address: | 17 Mulcaster St | |
| Contaminar Contam Lin | | | | | Site District Office: Site Postal Code: | L4M 3M2 | |
| Contaminant UN No 1: | | Not Antiginated | | | Site Region: | Paret. | |
| Environment Impact: Nature of Impact: | | Not Anticipated Other Impact(s) | | | Site Municipality: Site Lot: | Barrie | |
| Receiving N | Nedium: | | , | | Site Conc: | | |
| Receiving E MOE Respo | | Planned | l Field Response | | Northing: Easting: | | |
| Dt MOE Arv | d on Scn: | | | | Site Geo Ref Accu: | | |
| MOE Repor | | 2014/07 2014/07 | | | Site Map Datum: SAC Action Class: | Primary Assessment of Incident | |
| Incident Re Site Name: | ason: | Delibera | | n laneway <unoff< td=""><td>Source Type:</td><td>,</td><td></td></unoff<> | Source Type: | , | |
| Site County Site Geo Re Incident Su | ef Meth: | | Food waste dumpe | ad to CB | | | |
| moluent Su | iiiiiai y . | | i oou wasie uumpe | JU 10 OD | | | |

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

0 other - see incident description Contaminant Qty:

15 1 of 1 ESE/47.5 231.5 / -2.64 17 Mulcaster St Barrie **EHS** Barrie ON L4M3M2

Order No: 20150527053 Status:

Report Type: Report Date: 03-JUN-15 Date Received: 27-MAY-15

Previous Site Name: Lot/Building Size: Additional Info Ordered:

Nearest Intersection: С Municipality: Standard Report Client Prov/State: ON

Search Radius (km): .25 X: -79.685238 Y: 44.38972

GEN

Order No: 20200504087

1 of 2 SSW/55.7 227.9 / -6.32 PARA-MED HEALTH SERVICES 31-828 16 110 DUNLOP ST.E., SUITE 205

BARRIE ON L4M 1A5

Barrie

-79 69418

44.38756

PO Box No:

Choice of Contact:

Phone No Admin:

Country:

Co Admin:

MOE District:

Longitude:

Geometry X:

Geometry Y:

Latitude:

City:

Generator No: ON1645001 Status:

Approval Years:

93,94,95,96,97,98

Contam. Facility: MHSW Facility:

SIC Code: 8621

PERS./NURS. CARE H. SIC Description:

Detail(s)

Waste Class:

PATHOLOGICAL WASTES Waste Class Desc:

16 2 of 2 SSW/55.7 227.9 / -6.32 NuComm Marketing Inc. **ECA** 110 Dunlop St Barrie ON L2R 7G1

1020-6W6RMZ Approval No: Approval Date: 2006-12-18 Approved Status:

Record Type: **ECA** IDS Link Source:

SWP Area Name: Lakes Simcoe and Couchiching/Black River Approval Type: **ECA-AIR**

Project Type: AIR Address: 110 Dunlop St Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/5367-6TEKTE-14.pdf

17 1 of 1 SW/60.2 227.9 / -6.32 100 DUNLOP STREET EAST HINC **BARRIE ON L4M 1A4**

FS INC 0805-02309 External File Num:

Fuel Occurrence Type: Fire 5/21/2008 Date of Occurrence: Fuel Type Involved: Natural Gas

Completed - Causal Analysis(End) Status Desc: Job Type Desc: Incident/Near-Miss Occurrence (FS)

Oper. Type Involved: Commercial (e.g. restaurant, business unit, etc)

Service Interruptions: Yes Property Damage: Yes Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Fuel Life Cycle Stage: Utilization

Root Cause: Root Cause: Equipment/Material/Component:Yes Procedures:No Maintenance:No Design:No Training:No

Management:No Human Factors:Yes

Reported Details:

Fuel Category: Unknown Occurrence Type: Unknown

Affiliation: Emergency Services (Fire, Police,etc)

County Name: Simcoe

Approx. Quant. Rel: Nearby body of water: Enter Drainage Syst.: Approx. Quant. Unit: Environmental Impact:

поппена пірасі.

SPL

Order No: 20200504087

18 1 of 1 W/71.3 234.9 / 0.73 55 Collier St Barrie ON

Ref No: 1747-BF8LCN Discharger Report:
Site No: NA Material Group:

Incident Dt:8/19/2019Health/Env Conseq:2 - Minor EnvironmentYear:Client Type:

Incident Cause: Sector Type: Miscellaneous Communal

Incident Event:Leak/BreakAgency Involved:Contaminant Code:15Nearest Watercourse:

Contaminant Name: HYDRAULIC OIL Site Address: 55 Collier St

Contaminant Limit 1: Site District Office: Barrie

Contam Limit Freq 1: Site Postal Code:

Contaminant UN No 1: n/a Site Region: Central

Environment Impact: Site Municipality: Barrie

Nature of Impact: Site Lot:

 Receiving Medium:
 Site Conc:

 Receiving Env:
 Land
 Northing:
 4908811

 MOE Response:
 No
 Easting:
 590551

Dt MOE Arvl on Scn:

MOE Reported Dt:

8/20/2019

Site Geo Ref Accu:

Site Map Datum:

Dt Document Closed: 8/24/2019 SAC Action Class: Land Spills

Incident Reason: Material Failure - Poor Design/Substandard Source Type: Truck - Transport/Hauling

Site Name: Spill<UNOFFICIAL>
Site County/District: County of Simcoe

Site Geo Ref Meth:

Incident Summary: City of Barrie hydraulic fluid spill 10 L cleaned.

Contaminant Qty: 10 L

19 1 of 3 W/76.3 233.9 / -0.32 BARRIE, CITY OF ENGINEERING DEPT. BOX 400-57 COLLIER GEN

STREET

BARRIE ON L4M 1G7

PO Box No:

BANGE ON EARLY

Status: Country:

Approval Years:88,89,90Choice of Contact:Contam. Facility:Co Admin:MHSW Facility:Phone No Admin:

SIC Code: 8375

SIC Description: REGION. PLAN./ DEV.

ON0310602

<u>Detail(s)</u>

Generator No:

Waste Class: 122

Waste Class Desc: ALKALINE WASTES - OTHER METALS

| Number Records | | | Site | | DB |
|----------------------|--|---------------------|--|--|--------|
| 2 of 3 | W/76.3 | 233.9/-0.32 | ENGINEERING DEPT. STREET | BOX 400-57 COLLIER | GEN |
| : | ON0310602 | | PO Box No: | | |
| rs: lity: | 92,93,94,95,96,97 | | Choice of Contact: Co Admin: | | |
| y: on: | 8375 REGION. PL | AN./ DEV. | Pnone No Admin: | | |
| | | | | | |
| Desc: | 122 ALKALINE V | VASTES - OTHER META | ALS | | |
| 3 of 3 | W/76.3 | 233.9 / -0.32 | ENGINEERING DÉPA COLLIER STREET | RTMENT BOX 400-57 | GEN |
| : | ON0310602 | | PO Box No: | | |
| rs: lity: | 98 | | Choice of Contact: Co Admin: | | |
| | 8375 | AN / DEV | Fhone No Admin. | | |
| on: | REGION. PL | AN./ DEV. | | | |
| | | | | | |
| Desc: | 122 ALKALINE V | VASTES - OTHER META | ALS | | |
| 1 of 1 | SE/73.6 | 229.6 / -4.54 | 130 Dunlop St. E. Barrie ON L4M 1B1 | | EHS |
| | 20000920003 C Site Report | | Nearest Intersection: Municipality: Client Prov/State: | Dunlop and Mulcaster St. Cty of Simcoe ON_ | |
| d: Name: Size: | 9/21/00 lot 7 north of dunlop | | Search Radius (km): X: Y: | 0.25 -79.685616 44.38945 | |
| | | | | | |
| 1 of 8 | E/73.6 | 234.2 / -0.02 | | | ECA |
| 9: | 3639-5FKSLV 2002-11-05 | | MOE District: City: | Barrie | |
| me: e: | | | Latitude: Geometry X: Geometry Y: | -79.68474599999999 44.389927 | |
| | 2 of 3 : rs: lity: y: on: Desc: 3 of 3 : rs: lity: y: on: 1 of 1 | 2 of 3 | 2 of 3 | 2 of 3 | 2 of 3 |

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Tiffin and Cross Street Address:

Full Address: Full PDF Link:

> 21 2 of 8 E/73.6 234.2 / -0.02 The Corporation of the City of Barrie

> > Rawson Avenue Barrie ON L4M 4Z2

5865-6MWRAY Approval No: **MOE District: Barrie** City:

Approval Date: 2006-03-15

Status: Approved Longitude: -79.68474599999999 44.389927

Record Type: ECA Latitude: Link Source: **IDS** Geometry X: Lakes Simcoe and Couchiching/Black River SWP Area Name: Geometry Y:

ECA-Municipal Drinking Water Systems Approval Type: Project Type: Municipal Drinking Water Systems

Address: Rawson Avenue Full Address:

21 3 of 8 E/73.6 234.2 / -0.02 The Corporation of the City of Barrie

Anne Street South, Essa Road, Burton Avenue,

ECA

ECA

ECA

ECA

Order No: 20200504087

Milburn Street and Lakeshore Dr

Barrie ON L4M 4T5

Approval No: 1245-7S7JEB **MOE District:** Barrie Approval Date:

2009-05-20 City:

-79.68474599999999 Approved Status: Longitude:

ECA Latitude: Record Type: 44.389927 **IDS** Geometry X:

Link Source: SWP Area Name: Lakes Simcoe and Couchiching/Black River Geometry Y: Approval Type: ECA-Municipal Drinking Water Systems

Municipal Drinking Water Systems Project Type:

Anne Street South, Essa Road, Burton Avenue, Milburn Street and Lakeshore Dr Address:

Full Address: **Full PDF Link:**

Full PDF Link:

E/73.6 234.2 / -0.02 21 4 of 8 The Corporation of the City of Barrie

Anne Street, Cundles Road West, Kozlov Street,

Heather Street, Bayfield Rd

Barrie ON L4M 4T5

Approval No: 4748-7WSQ9C **MOE District:** Barrie

2009-10-15 Approval Date: City:

Approved Longitude: -79.68474599999999 Status: Record Type: **ECA** Latitude: 44.389927

Link Source: **IDS** Geometry X: SWP Area Name: Lakes Simcoe and Couchiching/Black River Geometry Y:

ECA-Municipal Drinking Water Systems Approval Type: Municipal Drinking Water Systems Project Type:

Address: Anne Street, Cundles Road West, Kozlov Street, Heather Street, Bayfield Rd

Full Address: Full PDF Link:

> 21 5 of 8 E/73.6 234.2 / -0.02 The Corporation of the City of Barrie

Rawson Avenue Barrie ON L4M 4Z2

Approval No: 3043-6MWRXT **MOE District:** Barrie

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

City:

Approval Date: 2006-03-15

Revoked and/or Replaced Longitude: -79.68474599999999 Status:

Record Type: **ECA** Latitude: 44.389927 IDS Link Source: Geometry X:

SWP Area Name: Lakes Simcoe and Couchiching/Black River Geometry Y: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Approval Type: Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

Rawson Avenue Address:

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/8479-6MQQBN-14.pdf

6 of 8 E/73.6 234.2 / -0.02 21 The Corporation of the City of Barrie

32 Perry Street to 209 Dunlop Street West

ECA

ECA

Order No: 20200504087

Barrie ON L4M 4Z2

Approval No: 9514-5B8JPT **MOE District:** Barrie

2002-06-18 Approval Date: City: Approved Longitude: -79.68474599999999 Status: Record Type: ECA Latitude: 44.389927

Link Source: **IDS** Geometry X: SWP Area Name: Lakes Simcoe and Couchiching/Black River Geometry Y:

ECA-Municipal and Private Water Works Approval Type: Project Type: Municipal and Private Water Works 32 Perry Street to 209 Dunlop Street West Address:

Full Address: Full PDF Link:

> 21 7 of 8 E/73.6 234.2 / -0.02 The Corporation of the City of Barrie

Simcoe Street, Lakeshore Drive, Victoria Street

Barrie ON L4M 4Z2

Approval No: 2871-5DXLSM **MOE District:** Barrie

Approval Date: 2002-09-17 City:

Approved Longitude: -79.68474599999999 Status:

Record Type: **ECA** Latitude: 44.389927

Link Source: **IDS** Geometry X: SWP Area Name: Lakes Simcoe and Couchiching/Black River Geometry Y:

ECA-Municipal and Private Water Works Approval Type: Municipal and Private Water Works Project Type:

Address: Simcoe Street, Lakeshore Drive, Victoria Street

Full Address: Full PDF Link:

> E/73.6 21 8 of 8 234.2 / -0.02 The Corporation of the City of Barrie **ECA**

Letitia St

Barrie ON L4M 4T5

Approval No: 8429-7LYTQM **MOE District:** Barrie

Approval Date: 2008-12-04 City:

Approved -79.68474599999999 Status: Longitude: **ECA** Latitude: 44.389927

Record Type: IDS Link Source: Geometry X:

SWP Area Name: Lakes Simcoe and Couchiching/Black River Geometry Y: **ECA-Municipal Drinking Water Systems** Approval Type:

Project Type: Municipal Drinking Water Systems Address: Letitia St

Full Address: Full PDF Link:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) The Corporation of the City of Barrie 22 1 of 1 SSE/72.1 228.9 / -5.32 SPL Mulcastor & Dunlop Barrie ON Ref No: 5668-9WJGFJ Discharger Report: Site No: NA Material Group: Incident Dt: 5/15/2015 Health/Env Conseq: Year: Client Type: Incident Cause: Leak/Break Sector Type: Incident Event: Agency Involved: Contaminant Code: Nearest Watercourse: MOTOR OIL Mulcastor & Dunlop Contaminant Name: Site Address: Contaminant Limit 1: Site District Office: Contam Limit Freq 1: Site Postal Code: Contaminant UN No 1: Site Region: **Environment Impact:** Site Municipality: Barrie Nature of Impact: Land Site Lot: Receiving Medium: Site Conc: Receiving Env: Northing: MOE Response: Easting: Ν Dt MOE Arvl on Scn: Site Geo Ref Accu: MOE Reported Dt: 5/15/2015 Site Map Datum: Dt Document Closed: 5/20/2015 SAC Action Class: Land Spills Incident Reason: Unknown / N/A Source Type: MVA Site/City of Barrie catch basin<UNOFFICIAL> Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: City of Barrie: motor veh.fluid in catch basin. cleaned Contaminant Qty: 20 L 23 1 of 1 SSE/72.3 228.6 / -5.62 143, 145, 147 Dunlop St. East **EHS** Barrie ON L4M1A7 20111011008 Order No: Nearest Intersection: Status: С Municipality: Standard Select Report ON Client Prov/State: Report Type: Report Date: 10/19/2011 0.25 Search Radius (km): Date Received: 10/11/2011 9:54:51 AM X: -79.685631 Previous Site Name: Y: 44.389261 Lot/Building Size: Additional Info Ordered: 228.6 / -5.62 S/75.6 GAGE MARKING PRODUCTS INC. 24 1 of 2 SCT 143 DUNLOP ST E **BARRIE ON L4M 1A6** Established: 1988 1400 Plant Size (ft2): Employment: 2 --Details--Description: COMMERCIAL PRINTING, LITHOGRAPHIC SIC/NAICS Code:

Order No: 20200504087

Description: COMMERCIAL PRINTING, NOT ELSEWHERE CLASSIFIED

SIC/NAICS Code: 2759

Description: MARKING DEVICES

SIC/NAICS Code: 3953

| Map Key | Number Records | | Elev/Diff) (m) | Site | | DB |
|--|-------------------------|---|-------------------------------|---|--|-----|
| 24 | 2 of 2 | \$/75.6 | 228.6 / -5.62 | GAGE MARKING PRO 143 DUNLOP STREE BARRIE ON L4M 1A6 | T EAST | GEN |
| Generator I | Vo: | ON1715101 | | PO Box No: | | |
| Status: Approval Y Contam. Fa MHSW Faci SIC Code: | cility: | 94,95,96,97,98,99,00,01 | | Country: Choice of Contact: Co Admin: Phone No Admin: | | |
| SIC Descrip | otion: | PLATEMAKING, | ETC. | | | |
| Detail(s) | | | | | | |
| Waste Clas Waste Clas | | 264 PHOTOPROCES | SING WASTES | | | |
| <u>25</u> | 1 of 1 | SSW/71.7 | 227.9 / -6.32 | The Corporation of the No. 9 Simcoe Street, Registered Plan 51R-Barrie ON | 89-141 Dunlop Street East | CA |
| Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: | | 3734-7EUPT3 2008 7/10/2008 Municipal and Pri Revoked and/or F | vate Sewage Works Replaced | | | |
| <u>26</u> | 1 of 1 | E/79.4 | 238.2 / 4.04 | 89 Collier Street Barrie ON L4M 1H2 | | EHS |
| Order No: Status: Report Typ Report Date Date Receiv Previous St Lot/Building Additional I | e: ved: ite Name: | 20070216014 C CAN - Complete Report 2/27/2007 2/16/2007 | | Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y: | Mulcaster Street and Collier Street 0.25 -79.684955 44.390213 | |
| 27 | 1 of 1 | E/79.4 | 238.2 / 4.04 | 89 Collier St Barrie ON L4M1H2 | | EHS |
| Order No: Status: Report Typ Report Date Date Receiv Previous St Lot/Building Additional I | e: ved: ite Name: | 20150921006 C Custom Report 24-SEP-15 21-SEP-15 | | Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y: | ON .25 -79.684673 44.390296 | |

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

1 of 1 SSE/77.1 228.6 / -5.62 28 147 Dunlop Street East. Barrie ON L4M 1A6

SPL

ECA

ECA

Order No: 20200504087

Ref No: 3053-5MSPD2 Discharger Report:

Chemical Site No: Material Group:

Incident Dt: 5/22/2003 Health/Env Conseq: Vear-Client Type:

Incident Cause: Discharge Or Bypass To A Watercourse Sector Type: Other Plant - Sewage Municipal

Incident Event: Agency Involved: Contaminant Code: Nearest Watercourse:

WASHWATER (N.O.S.) Contaminant Name: Site Address:

Contaminant Limit 1: Site District Office: Barrie

Contam Limit Freq 1: Site Postal Code:

Contaminant UN No 1: Site Region: Southwestern **Environment Impact:** Possible Site Municipality: Barrie

Nature of Impact: Surface Water Pollution Site Lot: Receiving Medium: Site Conc: Water

Receiving Env: Northing: MOE Response: Easting: Dt MOE Arvl on Scn:

Site Geo Ref Accu: 5/22/2003 MOE Reported Dt: Site Map Datum:

Dt Document Closed: SAC Action Class: Spill to Land

Incident Reason: Negligence (Apparent) - Caused by lack of Source Type:

diligence Site Name: 147 DUNLOP STREET. (DUNLOP STREET E. & MULLCASTER STREET)<UNOFFICIAL>

Site County/District: Site Geo Ref Meth:

Incident Summary: Spill of stucco wash water to storm C.B. Contaminant Qty:

WNW/80.0 235.6 / 1.46 The Corporation of the City of Barrie 29 1 of 2

11-60 Collier St Barrie ON L4M 4T5

Barrie

8422-759GQ9 **MOE District:** Approval No: Barrie

2007-07-19 Approval Date: City:

Approved Status: Longitude: -79.687096 Latitude: Record Type: ECA 44.390785

Link Source: **IDS** Geometry X: Lakes Simcoe and Couchiching/Black River SWP Area Name: Geometry Y:

Approval Type: **ECA-Municipal Drinking Water Systems** Project Type: Municipal Drinking Water Systems

Address: 11-60 Collier St

Full Address: Full PDF Link:

> 29 2 of 2 WNW/80.0 235.6 / 1.46 The Corporation of the City of Barrie 11-60 Collier St

Barrie ON L4M 4T5

8434-759GQD Approval No: **MOE District:** 2007-07-19 Approval Date: City:

Status: Approved Longitude: -79.687096 44.390785 ECA Latitude: Record Type:

Link Source: Geometry X: Lakes Simcoe and Couchiching/Black River SWP Area Name: Geometry Y: Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

11-60 Collier St Address:

Full Address: https://www.accessenvironment.ene.gov.on.ca/instruments/5473-757N2F-14.pdf Full PDF Link:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

CA

SPL

Order No: 20200504087

1 of 1 WNW/80.0 235.6 / 1.46 The Corporation of the City of Barrie

11-60 Collier St Barrie ON

8434-759GQD

Certificate #: Application Year: 2007 Issue Date: 7/19/2007

Approval Type: Municipal and Private Sewage Works

Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code:

30

Project Description: Contaminants: **Emission Control:**

> 1 of 1 S/81.3 226.1 / -8.07 143-147 Dunlop Street East 31 **EHS**

> > Nearest Intersection:

Municipality:

Barrie ON L4M 1A6

Order No: 20120816001 Status: С

Report Type: Standard Report Report Date: 24-AUG-12

Date Received: Previous Site Name: Lot/Building Size:

ON Client Prov/State: Search Radius (km): .25 16-AUG-12 -79.685781 Y: 44.389162

Additional Info Ordered:

32 1 of 1 W/87.6 232.8 / -1.40 The Corporation of the City of Barrie

53 Collier St Barrie ON L4M 1G7

5000-5SSRBU Ref No: Discharger Report: Waste

Site No: Material Group:

Incident Dt: 10/29/2003 Health/Env Conseq:

Year: Client Type: Incident Cause: Other Discharges Sector Type:

Other Plant - Sewage Municipal Incident Event: Agency Involved:

Contaminant Code: Nearest Watercourse: Contaminant Name: SEWAGE, RAW UNCHLORINATED Site Address:

Contaminant Limit 1: Site District Office: Barrie

Contam Limit Freq 1: Site Postal Code: Contaminant UN No 1: Site Region: Southwestern

Environment Impact: Possible Site Municipality: Barrie Nature of Impact: Other Impact(s) Site Lot:

Receiving Medium: Land Site Conc: Receiving Env: Northing: MOE Response: Easting: Dt MOE Arvl on Scn: Site Geo Ref Accu:

MOE Reported Dt: 10/29/2003 Site Map Datum:

Dt Document Closed: SAC Action Class: Spill to Land Incident Reason: Other - Reason not otherwise defined Source Type:

Site Name: JOE CHOW LTD.<UNOFFICIAL> Site County/District:

Site Geo Ref Meth: Barrie - 100L sewage spill, cleaned up Incident Summary:

100 L

Contaminant Qty:

| Map Key | Numbe Record | | Elev/Diff n) (m) | Site | | DB |
|--|-----------------|---------------------------|----------------------|--|----------------------|------|
| 33 | 1 of 2 | SSW/78.4 | 227.9 / -6.32 | Rainbow Makers Sta 123 Dunlop St E Barrie ON L4M 1A6 | ained Glass | SCT |
| Established Plant Size (f Employmen | t²): | 01-SEP-79 | | | | |
| Details Description: SIC/NAICS (| | Glass Product M 327215 | anufacturing from Pเ | ırchased Glass | | |
| 33 | 2 of 2 | SSW/78.4 | 227.9 / -6.32 | Rainbow Makers Sta 123 Dunlop St E Barrie ON L4M 1A6 | ained Glass I | SCT |
| Established Plant Size (f Employmen | t²): | 9/1/1979 | | | | |
| Details Description: SIC/NAICS (| | Glass Product M 327215 | anufacturing from Pเ | urchased Glass | | |
| <u>34</u> | 1 of 1 | W/92.8 | 231.0/-3.21 | BARRIE ON | | wwis |
| Well ID: | | 7264495 | | Data Entry Status: | | |
| Construction | | | | Data Src: | | |
| Primary Wat | | Monitoring | | Date Received: | 6/9/2016 Yes | |
| Sec. Water U | | Observation Wells | | Selected Flag: Abandonment Rec: | res | |
| Water Type: | | | | Contractor: | 7190 | |
| Casing Mate | erial: | 7000540 | | Form Version: | 7 | |
| Audit No: Tag: | | Z228510 A156769 | | Owner: Street Name: | 9-23 OWEN STREET | |
| Construction | n Method: | | | County: | SIMCOE | |
| Elevation (m | | | | Municipality: | BARRIE CITY (VESPRA) | |
| Elevation Re Depth to Be | | | | Site Info: Lot: | | |
| Well Depth: | | | | Concession: | | |
| Overburden Pump Rate: Static Water Flowing (Y/N | Level: | | | Concession Name: Easting NAD83: Northing NAD83: Zone: | | |
| Flow Rate: Clear/Cloud | y: | | | UTM Reliability: | | |
| Bore Hole In | nformation | | | | | |
| Bore Hole IL | D: | 1006042413 | | Elevation: | 229.198699 | |
| DP2BR: | | | | Elevrc: | | |

DP2BR: Spatial Status: Elevrc:

17 604551 4916028 Zone: Code OB Desc: East83: North83: Org CS: UTMRC: Open Hole: UTM83 Cluster Kind:

Location Method:

Date Completed: 5/11/2016 UTMRC Desc: margin of error: 30 m - 100 m

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock Materials Interval

1006095301 Formation ID:

Layer: Color: **BROWN** General Color: 28 Mat1:

Most Common Material: SAND

Mat2:

Other Materials:

77 Mat3: Other Materials: LOOSE Formation Top Depth: 10 Formation End Depth: 35 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1006095300

Layer: Color: 6 **BROWN** General Color: Mat1: 01 Most Common Material: **FILL**

Mat2:

Other Materials:

Mat3: 77 Other Materials: LOOSE Formation Top Depth: 0 Formation End Depth: 10 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006095308

Layer: Plug From: 35

10 Plug To: Plug Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006095310

Layer: 3 Plug From: 1 Plug To: 0 Plug Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1006095309

 Layer:
 2

 Plug From:
 10

 Plug To:
 1

 Plug Depth UOM:
 ft

Method of Construction & Well

Use

Method Construction ID: Method Construction Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1006095299

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006095304

 Layer:
 1

 Material:
 5

 Open Hole or Material:
 PLASTIC

 Depth From:
 25

 Depth To:
 0

Casing Diameter: 0.75
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1006095305

Layer: 1

Slot:

 Screen Top Depth:
 35

 Screen End Depth:
 25

 Screen Material:
 5

 Screen Depth UOM:
 ft

 Screen Diameter UOM:
 inch

 Screen Diameter:
 0.75

Water Details

Water ID: 1006095303

Layer: 1 Kind Code: 8

Kind: Untested Water Found Depth: 20 Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1006095302

Diameter: 8.5 **Depth From:** 0

Direction/ Elev/Diff Site DΒ Map Key Number of Records Distance (m) (m) 35 Depth To: Hole Depth UOM: ft Hole Diameter UOM: inch **35** 1 of 1 SE/87.8 229.6 / -4.54 149 Dunlop St E **EHS** Barrie ON L4M1B2 20171030245 Order No: Nearest Intersection: Status: С Municipality: Report Type: Standard Express Report Client Prov/State: ON Report Date: 30-OCT-17 Search Radius (km): .25 Date Received: 30-OCT-17 -79.685225 X: Previous Site Name: Y: 44.389242 Lot/Building Size: Additional Info Ordered: **36** 1 of 1 SE/88.4 229.6 / -4.54 149-153 DUNLOP ST E **EHS BARRIE ON L4M 1B2** Order No: 20090330023 Nearest Intersection: **DUNLOP AND MULCASTER** Status: Municipality: SIMCOE Report Type: Standard Report Client Prov/State: ON Report Date: 4/8/2009 Search Radius (km): 0.25 3/30/2009 -79.685167 Date Received: X: Previous Site Name: Y: 44.389266 Lot/Building Size: Additional Info Ordered: **37** 1 of 2 ENE/86.0 239.6 / 5.41 Mady Development Corporation SPL 90 Collier St. Barrie ON 4116-97X5BT Ref No: Discharger Report: Site No: Material Group: Incident Dt: 21-MAY-13 Health/Env Conseq: Year: Client Type: Incident Cause: Other Sector Type: Tank - Above Ground Incident Event: Agency Involved: Contaminant Code: Nearest Watercourse: OIL (PETROLEUM BASED, NOT SPECIFIED) 90 Collier St. Contaminant Name: Site Address: Contaminant Limit 1: Site District Office: Contam Limit Freq 1: Site Postal Code: Contaminant UN No 1: Site Region: Environment Impact: Confirmed Site Municipality: Barrie Nature of Impact: Soil Contamination Site Lot: Receiving Medium: Site Conc: Receiving Env: Northing: MOE Response: Easting: Dt MOE Arvl on Scn: Site Geo Ref Accu: 21-MAY-13 MOE Reported Dt: Site Map Datum: Dt Document Closed: SAC Action Class: Land Spills Incident Reason: Other Source Type: Mady Construction Site<UNOFFICIAL> Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: 90 L of Form Oil spill @ Construction site. Clnd. Contaminant Qty: ENE/86.0 239.6 / 5.41 Mady Collier Centre Ltd. **37** 2 of 2

RSC

Order No: 20200504087

90 COLLIER STREET, BARRIE, ONTARIO L4M

Elev/Diff Site DΒ Map Key Number of Direction/ (m)

Records Distance (m)

> 453 Barrie ON

RSC ID: 204569 Cert Date:

RA No: Cert Prop Use No:

RSC Type: Phase 1 and 2 RSC Intended Prop Use: Residential Commercial Qual Person Name: Viktor Kopetskyy **Curr Property Use: Barrie District Office** Ministry District: Stratified (Y/N):

2012/09/26 Filing Date: Audit (Y/N):

Entire Leg Prop. (Y/N): Date Ack: Date Returned: Accuracy Estimate:

Restoration Type: Telephone: Soil Type: Fax: Criteria: Email:

CPU Issued Sect

1686:

Asmt Roll No: 434202200306900, 434202200307000 Prop ID No (PIN): 58818-0007 (LT)

55 MULCASTER STREET, BARRIE, ONTARIO L4M 4S3, 90 COLLIER STREET, BARRIE, ONTARIO L4M 4S3 Property Municipal Address:

Mailing Address: Latitude & Latitude: **UTM Coordinates:** Consultant: Legal Desc:

Measurement Method: Applicable Standards:

RSC PDF: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?

attachmentId=9981&fileName=BROWNFIELDS-E.pdf

Document(s) Detail

Document Heading: Supporting Documents **Document Name:** Transfer Document.pdf

Copy of any deed(s), transfer(s) or other document(s) Document Type:

https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action? Document Link:

attachmentId=9985&fileName=Transfer+Document.pdf

Supporting Documents Document Heading: Document Name: Phase II CSM.pdf

Phase 2 Conceptual Site Model Document Type:

https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action? Document Link:

attachmentId=9984&fileName=Phase+II+CSM.pdf

Document Heading: Supporting Documents

Cert of Status - Mady Collier - Aug 16 12.pdf Document Name:

Document Type: Certificate of Status

https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action? Document Link:

attachmentId=9986&fileName=Cert+of+Status+-+Mady+Collier+-+Aug+16+12.pdf

Order No: 20200504087

Document Heading: Supporting Documents Document Name: Lawyers Letter - Aug 16 12.pdf

Lawyer's letter consisting of a legal description of the property Document Type:

Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?

attachmentId=9987&fileName=Lawyers+Letter+-+Aug+16+12.pdf

Supporting Documents Document Heading: Labelled Survey Plan.pdf **Document Name:** Document Type: A Current plan of Survey

https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action? Document Link:

attachmentId=9982&fileName=Labelled+Survey+Plan.pdf

Document Heading: Supporting Documents Document Name: APEC Table.pdf

Document Type: Area(s) of Potential Environmental Concern

Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?

attachmentId=9989&fileName=APEC+Table.pdf

Document Heading:Supporting DocumentsDocument Name:Current and Past Uses.pdf

Document Type: Table of Current and Past Property Use

Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?

attachmentId=9983&fileName=Current+and+Past+Uses.pdf

38 1 of 1 ESE/90.4 230.9 / -3.30 140 Dunlop Street East Barrie ON L4M 6H1

Order No: 20190221102

Status: C

Report Type: Standard Report Report Date: 27-FEB-19
Date Received: 21-FEB-19

Previous Site Name: Lot/Building Size:

Additional Info Ordered: Fire Insur. Maps and/or Site Plans

39 1 of 10 SW/85.9 227.9 / -6.32 Flying Monkeys Craft Brewery

107 Dunlop St E Barrie ON L4M 1A6

Nearest Intersection: Municipality:

Search Radius (km):

ON

.25

-79.684654

44.389646

Client Prov/State:

Χ: Υ:

Established: 01-AUG-04

Plant Size (ft²): Employment:

--Details--

Description: Breweries **SIC/NAICS Code:** 312120

39 2 of 10 SW/85.9 227.9 / -6.32 The Robert Simpson Brewing Company Limited

operating as Flying Monkeys Craft

EHS

SCT

EBR

Order No: 20200504087

Brewery ON

EBR Registry No:011-7984Decision Posted:Ministry Ref No:4000-934QUTException Posted:

Notice Type:Instrument DecisionSection:Notice Stage:804328662Act 1:Notice Date:September 17, 2014Act 2:

Proposal Date: January 16, 2013 Site Location Map:

Year: 2013

Instrument Type: (EPA Part II.1-air) - Environmental Compliance Approval (project type: air)

Off Instrument Name:

Posted By:

Company Name: The Robert Simpson Brewing Company Limited operating as Flying Monkeys Craft Brewery

Site Address: Location Other: Proponent Name:

Proponent Address: 107 Dunlop Street East, Postal Station Postal Station, Barrie Ontario, Canada L4M 1A6

Comment Period:

URL:

Site Location Details:

107 Dunlop Street East Barrie County of Simcoe L4M 1A6 CITY OF BARRIE

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) 3 of 10 SW/85.9 227.9 / -6.32 The Robert Simpson Brewing Company Limited 39 **ECA** operating as Flying Monkeys Craft Brewery 107 **Dunlop Street East** Barrie ON Approval No: 7007-9GGUNF MOE District: Barrie Approval Date: 8/11/14 City: Approved Status: Longitude: Record Type: Latitude: Link Source: Geometry X: SWP Area Name: Geometry Y: Approval Type: Project Type: Air/Noise Address: Full Address: 107 Dunlop Street East Barrie, Ontario Full PDF Link: 4 of 10 SW/85.9 The Robert Simpson Brewing Company Limited 39 227.9 / -6.32 SPL operating as Flying Monkeys Craft **Brewery 107 Dunlop Street East** Barrie ON 2102-AFJQQ5 Ref No: Discharger Report: Site No: Material Group: NA 2016/11/09 Incident Dt: Health/Env Conseg: Client Type: Year: Incident Cause: Sector Type: Unknown / N/A Leak/Break Incident Event: Agency Involved: Contaminant Code: Nearest Watercourse: **BEER** Contaminant Name: Site Address: 107 Dunlop Street East Contaminant Limit 1: Site District Office: Contam Limit Freq 1: Site Postal Code: Contaminant UN No 1: Site Region: **Environment Impact:** Site Municipality: Barrie Nature of Impact: Site Lot: Receiving Medium: Site Conc: Receiving Env: Land; Surface Water Northing: MOE Response: No Easting: Dt MOE Arvl on Scn: Site Geo Ref Accu: MOE Reported Dt: 2016/11/09 Site Map Datum: 2016/11/23 **Dt Document Closed:** SAC Action Class: Watercourse Spills Incident Reason: Operator/Human Error Source Type: Brewery<UNOFFICIAL> Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Spill of diluted beer (50L) to cb Contaminant Qty: 50 L **39** 5 of 10 SW/85.9 227.9 / -6.32 The Robert Simpson Brewing Company Limited **ECA** operating as Flying Monkeys Craft

Brewery 107 Dunlop St E

Barrie ON L4M 1A6

7007-9GGUNF Approval No: Approval Date: 2014-08-11 Status: Approved Record Type: **ECA** Link Source: **IDS**

SWP Area Name: Approval Type: **ECA-AIR** **MOE District:** City: Longitude: Latitude: Geometry X: Geometry Y:

Elev/Diff Site DΒ Map Key Number of Direction/ Records Distance (m) (m) AIR Project Type: Address: 107 Dunlop St E Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/4000-934QUT-14.pdf 6 of 10 **39** SW/85.9 227.9 / -6.32 The Robert Simpson Brewing Company Limited SPL operating as Flying Monkeys Craft Brewery 107 Dunlop St E Barrie ON L4M 1A6 Ref No: 8042-AP6K5H Discharger Report: 3219-934QYG Site No: Material Group: Incident Dt: 7/11/2017 Health/Env Conseq: 2 - Minor Environment Year: Client Type: Corporation Incident Cause: Sector Type: Miscellaneous Industrial Incident Event: Leak/Break Agency Involved: Nearest Watercourse: Contaminant Code: 96 **BEER** 107 Dunlop St E Contaminant Name: Site Address: Contaminant Limit 1: Site District Office: Barrie Contam Limit Freq 1: Site Postal Code: L4M 1A6 Contaminant UN No 1: Site Region: Central n/a **Environment Impact:** Site Municipality: Barrie Nature of Impact: Site Lot: Receiving Medium: Site Conc: NA Land; Source Water Zone NA Receiving Env: Northing: MOE Response: Easting: NA Dt MOE Arvl on Scn: Site Geo Ref Accu: NA 7/11/2017 MOE Reported Dt: Site Map Datum: NA Land Spills **Dt Document Closed:** SAC Action Class: **Equipment Failure** Container/Drum/Tote Incident Reason: Source Type: Site Name: 107 Dunlop Street East Site County/District: County of Simcoe Site Geo Ref Meth: Incident Summary: Flying Monkey's Craft Brewery: 30L beer to asphalt, cntd, cleaning Contaminant Qty: 30 L SW/85.9 227.9 / -6.32 7 of 10 The Robert Simpson Brewing Company Limited 39 SPL operating as Flying Monkeys Craft Brewery 107 Dunlop St E Barrie ON L4M 1A6 Ref No: 5121-AT7SQH Discharger Report: 3219-934QYG Site No: Material Group: Health/Env Conseq: Incident Dt: 2017/11/17 2 - Minor Environment Year: Client Type: Corporation Incident Cause: Sector Type: Miscellaneous Industrial Incident Event: Leak/Break Agency Involved: Contaminant Code: Nearest Watercourse: PROCESS WATER (NOT OTHERWISE Contaminant Name: Site Address: 107 Dunlop St E SPECIFIED) Contaminant Limit 1: Site District Office: Barrie Contam Limit Freq 1: Site Postal Code: L4M 1A6 Site Region: Contaminant UN No 1: n/a Central **Environment Impact:** Site Municipality: Barrie Site Lot: Nature of Impact: Receiving Medium: Site Conc: NA Land Northing: NA

 Receiving Env:
 Land
 Northing:

 MOE Response:
 No
 Easting:

 Dt MOE Arvl on Scn:
 Site Geo Ref Accu:

 MOE Reported Dt:
 2017/11/17
 Site Map Datum:

 Dt Document Closed:
 SAC Action Class:

 Incident Reason:
 Operator/Human Error
 Source Type:

Site Map Datum:
SAC Action Class:
Source Type:

NA
Land Spills
Container/Drum/Tote

NA

NA

Site Name: 107 Dunlop Street East Site County/District: County of Simcoe

Site Geo Ref Meth: NA

Incident Summary: Flying Monkeys 200 L process waste water to ground

Contaminant Qty: 200 L

39 8 of 10 SW/85.9 227.9 / -6.32 107 Dunlop St East Barrie ON

Ref No:5540-ATTEV8Discharger Report:Site No:NAMaterial Group:

Incident Dt: 2017/12/07 Health/Env Conseq: 2 - Minor Environment

Year: Client Type:

Incident Cause: Sector Type: Miscellaneous Industrial

 Incident Event:
 Leak/Break
 Agency Involved:

 Contaminant Code:
 96
 Nearest Watercourse:

Contaminant Name:BREWERS YEASTSite Address:107 Dunlop St EastContaminant Limit 1:Site District Office:Barrie

Contam Limit Freq 1:Site Postal Code:Contaminant UN No 1:n/aSite Region:Central

Contaminant UN No 1:n/aSite Region:CentralEnvironment Impact:Site Municipality:BarrieNature of Impact:Site Lot:

Receiving Medium:

Receiving Env:

Land; Surface Water; Source Water Zone

Northing:

MOE Response:

No.

Fasting:

MOE Response: No Easting:
Dt MOE Arvl on Scn: Site Geo Ref Accu:

 MOE Reported Dt:
 2017/12/07
 Site Map Datum:

 Dt Document Closed:
 SAC Action Class:
 Watercourse Spills

 Incident Reason:
 Operator/Human Error
 Source Type:
 Unknown / N/A

Incident Reason: Operator/Human Error Source Type:
Site Name: Flying Monkeys Craft Brewery<UNOFFICIAL>

Site Name: Flying Monkeys Craft Brewery CONOFFICIAL

Site County/District: County of Simcoe Site Geo Ref Meth:

Incident Summary: Flying Monkeys: Brewers Yeast to Grnd/CB- Clng

Contaminant Qty: 0 other - see incident description

39 9 of 10 SW/85.9 227.9 / -6.32 The Robert Simpson Brewing Company Limited

Client Type:

Sector Type:

Agency Involved: Nearest Watercourse: **SPL**

Order No: 20200504087

0 - No Impact

107 Dunlop St E

Corporation

Other

NA

operating as Flying Monkeys Craft
Brewery 107 Dunlop St E

Barrie ON L4M 1A6

 Ref No:
 5636-B4RNJ3
 Discharger Report:

 Site No:
 3219-934QYG
 Material Group:

 Incident Dt:
 2018/09/19
 Health/Env Conseq:

Incident Dt: 2018/09/19
Year:

Incident Cause:

Incident Event: Process Upset/Malfunction

Contaminant Code: 27

Contaminant Name: YEAST/WATER MIXTURE Site Address:

Contaminant Limit 1:Site District Office:BarrieContam Limit Freq 1:Site Postal Code:L4M 1A6Contaminant UN No 1:n/aSite Region:CentralEnvironment Impact:Site Municipality:Barrie

Nature of Impact: Site Lot:
Receiving Medium: Site Conc:

Receiving Env:LandNorthing:NAMOE Response:NoEasting:NADt MOE Arvl on Scn:Site Geo Ref Accu:NA

 MOE Reported Dt:
 2018/09/19
 Site Map Datum:
 NA

 Dt Document Closed:
 2018/09/22
 SAC Action Class:
 Land Spills

 Incident Reason:
 Unknown / N/A
 Source Type:
 Unknown / N/A

Site Name: 107 Dunlop Street East
Site County/District: County of Simcoe

Site Geo Ref Meth: NA

Incident Summary: Flying Monkeys Brewery: yeast by-product on asphalt

Contaminant Qty: 30 L

39 10 of 10 SW/85.9 227.9 / -6.32 The Robert Simpson Brewing Company Limited

operating as Flying Monkeys Craft

2 - Minor Environment

Miscellaneous Communal

Corporation

Barrie

L4M 1A6

Central

Barrie

NA

NA

NA

NA

NA

Land Spills

Discharge Point (Stack/Pipe) - Manufacturing

107 Dunlop St E

SPL

GEN

Order No: 20200504087

Brewery 107 Dunlop St E Barrie ON L4M 1A6

Discharger Report:

Health/Env Conseq:

Nearest Watercourse:

Site District Office:

Site Postal Code:

Site Municipality:

Site Geo Ref Accu:

SAC Action Class:

Site Map Datum:

Source Type:

Material Group:

Client Type:

Sector Type: Agency Involved:

Site Address:

Site Region:

Site Lot:

Site Conc:

Northing:

Easting:

 Ref No:
 2543-B6RTW3

 Site No:
 3219-934QYG

Incident Dt: 2018/11/22

Year:

Incident Cause:
Incident Event: Overflow/S

Incident Event: Overflow/Surcharge
Contaminant Code: 96
Contaminant Name: BREWERS YEAST

Contaminant Name: BR
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1: n/a

Contaminant UN No 1: n/a Environment Impact: Nature of Impact:

Receiving Medium:
Receiving Env:
MOE Response:
No

 Dt MOE Arvi on Scn:

 MOE Reported Dt:
 2018/11/22

 Dt Document Closed:
 2019/01/04

Incident Reason: 2019/01/04 Unknown / N/A

Site Name: 107 Dunlop Street East Site County/District: County of Simcoe

Site Geo Ref Meth: NA

Incident Summary: City of Barrie: 2L Beer Waste from Flying Monkey to Ground

Contaminant Qty: 2 L

1 of 1 WSW/88.6 227.9 / -6.32 GAGE (OUT OF BUS) 16-329 84 DUNLOP ST.E.

BARRIE ON L4M 1A4

Generator No: ON1715100 PO Box No: Status: Country:

Approval Years:93,94,95,96,97,98Choice of Contact:Contam. Facility:Co Admin:MHSW Facility:Phone No Admin:

SIC Code: 2821

SIC Description: PLATEMAKING, ETC.

Detail(s)

40

Waste Class: 264

Waste Class Desc: PHOTOPROCESSING WASTES

41 1 of 1 W/101.6 232.8 / -1.40 47, 49, 51, 53 Collier St & 9, 21, 23, 25 Owen Street

Barrie ON L4M 1G7

Builte Oil E-III 10

Order No:20200121049Nearest Intersection:Status:CMunicipality:

 Report Type:
 Custom Report
 Client Prov/State:
 ON

 Report Date:
 31-JAN-20
 Search Radius (km):
 .005

Date Received: 21-JAN-20 **X:** -79.68743639

Elev/Diff Site DΒ Map Key Number of Direction/

Records Distance (m) (m)

Previous Site Name: Y: 44.39002785

Lot/Building Size:

Additional Info Ordered: Fire Insur. Maps and/or Site Plans; City Directory

42 1 of 1 W/102.6 231.0 / -3.21 49 Collier Street **EHS** Barrie ON L4M 1G7

Order No: 20180712070

Status:

Report Type: RSC Report (Urban) Report Date: 19-JUL-18 12-JUL-18 Date Received:

Previous Site Name:

Lot/Building Size:

Additional Info Ordered: City Directory Nearest Intersection:

Municipality:

Client Prov/State:

Client Type:

Sector Type:

Site Address:

Site Lot:

Site Conc:

Northing:

Easting:

Agency Involved:

Site District Office:

Site Postal Code: Site Region:

Site Municipality:

Site Geo Ref Accu:

SAC Action Class:

Site Map Datum:

Source Type:

Nearest Watercourse:

Search Radius (km):

Client Prov/State: ON Search Radius (km): .3

-79.687448 X: Y: 44.389998

ON

.25

-79.68719

44.389469

Container/Drum/Tote

Barrie

Land Spills

82 Dunlop St East (Alley behind the pub)

Order No: 20200504087

WSW/94.6 43 1 of 1 229.2 / -4.99 80 Dunlop St E **EHS** Barrie ON L4M1A4

X:

Y:

Order No: 20161221084 Nearest Intersection: Municipality:

Status:

Report Type: Standard Report 03-JAN-17 Report Date: 21-DEC-16 Date Received:

Previous Site Name: Lot/Building Size:

Additional Info Ordered: Fire Insur. Maps and/or Site Plans; City Directory

44 1 of 1 WSW/95.8 227.9 / -6.32 82 Dunlop St East (Alley behind the pub) SPL

Barrie ON

Ref No: 6148-9J2JXR Discharger Report: Site No: NA Material Group: 2014/04/10 Incident Dt: Health/Env Conseq:

Year:

Incident Cause:

Leak/Break

Incident Event:

Contaminant Code:

COOKING OIL Contaminant Name:

Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1:

Environment Impact: Not Anticipated

Nature of Impact: Receiving Medium:

Receiving Env:

Planned Field Response MOE Response:

Dt MOE Arvl on Scn:

2014/04/10 MOE Reported Dt:

Dt Document Closed: 2014/04/29

Incident Reason: Material Failure - Poor Design/Substandard Material

Other Impact(s)

Site Name:

McRileys Pub<UNOFFICIAL> Site County/District:

Site Geo Ref Meth: Incident Summary:

McRileys Pub: 30L Cooking oil to Grnd/ Cont.

Contaminant Qty: 30 L

45 1 of 1 ESE/102.5 230.9 / -3.30 140 Dunlop Street East **EHS**

Order No: 20080402008

Status:

Report Type: Complete Report Report Date: 4/10/2008 Date Received: 4/2/2008

Previous Site Name: Lot/Building Size: Additional Info Ordered: Barrie ON L4M 6H9

Nearest Intersection: Dunlop St E. and Mulcaster St/ Municipality: City of Barrie, County of Simcoe

Client Prov/State: ON Search Radius (km): 0.25

-79.684588 X: Y: 44.389512

1 of 1 NE/98.5 46 239.6 / 5.38 **WWIS BARRIE ON**

Well ID: 7185113

Construction Date:

Primary Water Use: Monitoring

Sec. Water Use:

Final Well Status: **Observation Wells**

Water Type: Casing Material:

Audit No: Z131705 A106882 Tag:

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock:

Pump Rate: Static Water Level: Flowing (Y/N):

Flow Rate: Clear/Cloudy: Data Entry Status:

Data Src: 8/9/2012 Date Received: Selected Flag: Yes

Abandonment Rec:

Contractor: 6032 Form Version:

Owner:

55 MULCASTER ST Street Name: County:

SIMCOE

Municipality: BARRIE CITY (VESPRA)

Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 1004102027

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 4/20/2012

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method:

Supplier Comment:

Source Revision Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1004395563

Layer: Color: **BROWN** General Color: Mat1: 28

Elevation: 238.010406

Elevrc:

17 Zone: East83: 604753 North83: 4916134 Org CS: UTM83 UTMRC:

UTMRC Desc: margin of error: 30 m - 100 m

Order No: 20200504087

Location Method: wwr

Most Common Material:

Mat2:

Other Materials:

GRAVEL

Mat3:

66

Other Materials:

DENSE

Formation Top Depth:

Formation End Depth UOM:

ft

<u>Overburden and Bedrock</u> <u>Materials Interval</u>

Formation ID: 1004395566

 Layer:
 4

 Color:
 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 11

 Other Materials:
 GRAVEL

 Mat3:
 91

Other Materials: WATER-BEARING

Formation Top Depth: 34
Formation End Depth: 40
Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 1004395564

Layer: 2 Color: 6 **BROWN** General Color: Mat1: 28 Most Common Material: SAND Mat2: 12 **STONES** Other Materials: Mat3: 66 DENSE Other Materials: Formation Top Depth: Formation End Depth: 22 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1004395565

 Layer:
 3

 Color:
 6

BROWN General Color: Mat1: 28 SAND Most Common Material: Mat2: GRAVEL Other Materials: Mat3: 68 DRY Other Materials: 22 Formation Top Depth: Formation End Depth: 34 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004395574

 Layer:
 2

 Plug From:
 1

 Plug To:
 29

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004395575

Layer: 3

Plug From: Plug To:

Plug Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004395573

 Layer:
 1

 Plug From:
 0

 Plug To:
 1

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:
Method Construction Code:
Method Construction:

Boring

Other Method Construction:

Pipe Information

Pipe ID: 1004395562

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1004395569

Layer: 1 Material: 5

Open Hole or Material:PLASTICDepth From:0Depth To:30Casing Diameter:0

Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1004395570

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 30

 Screen End Depth:
 40

 Screen Material:
 5

 Screen Depth UOM:
 ft

| Map Key | Number Record | | Elev/Diff (m) | Site | | DB |
|--|---|--|------------------|---|--|-----|
| | Screen Diameter UOM: inch Screen Diameter: 2 | | | | | |
| Hole Diamete | <u>er</u> | | | | | |
| Hole ID: Diameter: Depth From: Depth To: Hole Depth U | ЈОМ: | 1004395567 8 0 40 ft inch | | | | |
| <u>47</u> | 1 of 1 | W/108.3 | 230.4 / -3.79 | 9-17 And 21 Owen St Barrie ON | reet | EHS |
| Order No: Status: Report Type. Report Date: Date Receive Previous Site Lot/Building Additional In | ed: e Name: Size: | 20140729059 C Standard Report 06-AUG-14 29-JUL-14 0.1ha | | Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y: | Barrie ON .25 -79.687514 44.389859 | |
| <u>48</u> | 1 of 1 | W/110.3 | 232.9/-1.23 | 47 Collier St Barrie ON L4M1G7 | | EHS |
| Order No: Status: Report Type. Report Date: Date Receive Previous Site Lot/Building Additional In | ed: e Name: Size: | 20160708007 C Standard Report 14-JUL-16 08-JUL-16 | | Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y: | Barrie ON .25 -79.687554 44.390231 | |
| <u>49</u> | 1 of 1 | WSW/105.8 | 229.2 / -4.96 | 70 & 74 Dunlop Stree Barrie ON | t East | EHS |
| Order No: Status: Report Type: Report Date: Date Receive Previous Site Lot/Building Additional In | ed: e Name: Size: | 20140428062 C Standard Report 07-MAY-14 28-APR-14 < 1 acres | | Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y: | Barrie ON .25 -79.687381 44.389521 | |
| 50 | 1 of 3 | SE/108.5 | 227.3 / -6.92 | Hooters 5 Mulcaster St Barrie ON | | SPL |
| Ref No: Site No: Incident Dt: Year: Incident Cau Incident Eve Contaminant | nt: | 0610-9AHR39 2013/08/12 Operator/Human error 46 | | Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: | Non-Point Source (i.e. run-off) | |

Contaminant Name: COOKING GREASE Site Address: 5 Mulcaster St

Contaminant Limit 1: Site District Office:
Contam Limit Freq 1: Site Postal Code:
Contaminant UN No 1: Site Region:

Environment Impact: Not Anticipated Site Municipality: Barrie

 Nature of Impact:
 Other Impact(s)
 Site Lot:

 Receiving Medium:
 Site Conc:

Receiving Env:

MOE Response:

No Field Response

Dt MOE Arvl on Scn:Site Geo Ref Accu:MOE Reported Dt:2013/08/12Site Map Datum:

Dt Document Closed:2013/10/11SAC Action Class:Land SpillsIncident Reason:Operator/Human ErrorSource Type:

Site Name: 5 Mulcaster St

Site County/District: Site Geo Ref Meth:

Incident Summary: Hooter's- Fume hood wash water

Contaminant Qty: 0 L

50 2 of 3 SE/108.5 227.3 / -6.92 The Corporation of the City of Barrie 5 Mulcaster St

Barrie ON L4M 3L9

 Ref No:
 2137-AE9S3W
 Discharger Report:

 Site No:
 9218-9C6L7A
 Material Group:

 Incident Dt:
 9/29/2016
 Health/Env Conseq:

 Incident Dt:
 9/29/2016

 Year:
 Client Type:

 Incident Cause:
 Sector Type:

 Incident Cause:
 Sector Type:
 Miscellaneous Industrial

 Incident Event:
 Bypass
 Agency Involved:

Contaminant Code: 43 Nearest Watercourse: Lake Simcoe
Contaminant Name: SEDIMENT(SUSPENDED SOLIDS/ SAND/ Site Address: 5 Mulcaster St

SILT)

Contaminant Limit 1: Site District Office:

Contam Limit Freq 1: Site Postal Code: L4M 3L9
Contaminant UN No 1: Site Region:

Environment Impact: Site Municipality: Barrie
Nature of Impact: Site Lot:

 Receiving Medium:
 Site Conc:

 Receiving Env:
 Surface Water; Source Water Zone
 Northing:
 NA

 MOE Response:
 Easting:
 NA

Dt MOE ArvI on Scn:

MOE Reported Dt:

9/29/2016

Site Map Datum:

NA

NA

Dt Document Closed:SAC Action Class:Watercourse SpillsIncident Reason:Berm/Dyke FailureSource Type:

Incident Reason: Berm/Dyke Failure Source Type:
Site Name: 5 Mulcaster St

Site Geo Ref Meth: NA

Incident Summary: Sediment to Kempenfelt Bay, Lake Simcoe

Contaminant Qty: 1 other - see incident description

50 3 of 3 SE/108.5 227.3 / -6.92 5 Mulcaster Street

Barrie ON

SPL

Order No: 20200504087

Ref No: 3017-AEPS2A Discharger Report:

Site No: NA Material Group:
Incident Dt: 10/13/2016 Health/Env Conseq:
Vaer: Client Type:

Year: Client Type:
Incident Cause: Sector Type: Unknown / N/A
Incident Event: Bypass Agency Involved:

 Incident Event:
 Bypass
 Agency Involved:

 Contaminant Code:
 99
 Nearest Watercourse:
 Lake Simcoe

 Contaminant Name:
 SILT
 Site Address:
 5 Mulcaster Street

Contaminant Limit 1: Site District Office:

Site County/District:

Elev/Diff DΒ Map Key Number of Direction/ Site

Contam Limit Freq 1: Site Postal Code:

Distance (m)

Contaminant UN No 1: Site Region: **Environment Impact:** Site Municipality: Barrie

Nature of Impact: Site Lot: Receiving Medium: Site Conc:

Surface Water; Source Water Zone 4915924 Receiving Env: Northing: MOE Response: Easting: 604721

(m)

Dt MOE Arvl on Scn: Site Geo Ref Accu: MOE Reported Dt: 10/13/2016 Site Map Datum:

Dt Document Closed: 10/20/2016 SAC Action Class: Watercourse Spills

Incident Reason: Intentional Discharge Source Type: Site Name: Construction Site<UNOFFICIAL>

Site County/District:

Site Geo Ref Meth: 10 -100 metres eg. Topographic Map

Incident Summary: City of Barrie: silt from construction site to Kempenfelt Bay

Contaminant Qty: 0 other - see incident description

51 1 of 1 W/117.1 232.9 / -1.23 47 Collier St Barrie/ **HINC BARRIE ON L4M 1G7**

External File Num: FS INC 0705-02165 Vapour Release Fuel Occurrence Type: Date of Occurrence: 4/25/2007 Fuel Type Involved: Natural Gas

Completed - Causal Analysis(End) Status Desc: Job Type Desc: Incident/Near-Miss Occurrence (FS) Oper. Type Involved: Construction Site (pipeline strike)

Service Interruptions: Yes Property Damage: No

Records

Fuel Life Cycle Stage: Transmission, Distribution and Transportation

Root Cause: Root Cause: Equipment/Material/Component:No Procedures:No Maintenance:No Design:No Training:No

Management:No Human Factors:Yes

Reported Details: Fuel Category: Gaseous Fuel Occurrence Type: Incident

Affiliation: Industry Stakeholder (Licensee/Registration/Certificate Holder, Facility Owner, etc.)

Simcoe County Name:

Approx. Quant. Rel: Nearby body of water: Enter Drainage Syst.: Approx. Quant. Unit: **Environmental Impact:**

> W/117.1 232.9 / -1.23 52 1 of 1 47 Collier Street SPL Barrie ON

> > Barrie

Order No: 20200504087

Ref No: 6560-AX8MDZ Discharger Report: Site No: NA Material Group:

2018/03/24 2 - Minor Environment Incident Dt: Health/Env Conseg: Year: Client Type:

Incident Cause: Sector Type: Miscellaneous Industrial Incident Event: Collision/Accident Agency Involved:

Contaminant Code: Nearest Watercourse:

47 Collier Street Contaminant Name: OIL (PETROLEUM BASED, NOT SPECIFIED) Site Address:

Contaminant Limit 1: Site District Office: Contam Limit Freg 1: Site Postal Code: none Contaminant UN No 1: n/a Site Region:

Central Environment Impact: Site Municipality: Barrie Nature of Impact: Site Lot: Receiving Medium: Site Conc:

Land; Surface Water; Source Water Zone Receiving Env: Northing: 4916069.88

MOE Response: 604514.32 Easting:

Dt MOE Arvl on Scn:Site Geo Ref Accu:MOE Reported Dt:2018/03/26Site Map Datum:

 Dt Document Closed:
 2018/05/02
 SAC Action Class:
 Watercourse Spills

 Incident Reason:
 Operator/Human Error
 Source Type:
 Motor Vehicle

Site Name: municipal allowance<UNOFFICIAL>

Site County/District: County of Simcoe

Site Geo Ref Meth:

PDF Link:

Lot:

113

Detail Licence No:

Incident Summary: CofBarrie: MVC; oil to gutter & catch basin; cntnd & clng

Contaminant Qty: 0 other - see incident description

53 1 of 4 NNE/109.2 240.7 / 6.47 IGA STORE #7359 - BARRIE

55 MULCASTER ST

PES

PES

PES

BARRIE ON L4M 4S3

Detail Licence No:Operator Box:Licence No:Operator Class:Status:Operator No:Approval Date:Operator Type:Report Source:Oper Area Code:

Licence Type: Limited Vendor Oper Phone No: Licence Type Code: 23 Operator Ext: Licence Class: Operator Lot: Licence Control: Oper Concession: Latitude: Operator Region: Operator District: Longitude: Lot: **Operator County:** Concession: Op Municipality: Post Office Box: Region:

Trade Name:

Trade Name:

Trade Name:

53 2 of 4 NNE/109.2 240.7 / 6.47 FOOD LAND #6288 - BARRIE 55 MULCASTER ST

BARRIE ON L4M 4S3

Licence No: Operator Class:
Status: Operator No:
Approval Date: Operator Type:
Report Source: Oper Area Code:

Licence Type:VendorOper Phone No:Licence Type Code:Operator Ext:Licence Class:Operator Lot:Licence Control:Oper Concession:Latitude:Operator Region:Longitude:Operator District:

Concession: Op Municipality:
Region: Post Office Box:
District: MOE District:
County: SWP Area Name:

Trade Name: PDF Link:

53 3 of 4 NNE/109.2 240.7 / 6.47 FOOD LAND #6288 - BARRIE

55 MULCASTER ST BARRIE ON L4M 4S3

Operator Box:

Operator County:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) Detail Licence No: 23-01-13163-0 Operator Box: Licence No: Operator Class: Status: Operator No: Approval Date: Operator Type: Report Source: Oper Area Code: LIMITED Oper Phone No: Licence Type: Licence Type Code: Operator Ext: Licence Class: Operator Lot: Licence Control: Oper Concession: Latitude: Operator Region: Longitude: Operator District: Lot: **Operator County:** Concession: Op Municipality: Region: Post Office Box: District: **MOE District:** County: SWP Area Name: Trade Name: PDF Link: **53** 4 of 4 NNE/109.2 240.7 / 6.47 FOOD LAND #6288 - BARRIE **PES** 55 MULCASTER ST **BARRIE ON L4M4S3** Detail Licence No: Operator Box: 13163 Operator Class: Licence No: Status: Operator No: Approval Date: Operator Type: Oper Area Code: Legacy Licenses (Excluding TS) 705 Report Source: Oper Phone No: Licence Type: Limited Vendor 7289696 Licence Type Code: Operator Ext: 23 Licence Class: 01 Operator Lot: Oper Concession: Licence Control: Latitude: Operator Region: Longitude: Operator District: **Operator County:** Lot: Concession: Op Municipality: Post Office Box: Region: District: MOE District: County: SWP Area Name: Trade Name: PDF Link: 54 1 of 1 W/120.4 232.9 / -1.23 23 Owen St **EHS** Barrie ON L4M3G8 Order No: 20160426126 Nearest Intersection: Municipality: **BARRIE** Status: Standard Report ON Report Type: Client Prov/State: 03-MAY-16 Search Radius (km): Report Date: .25 Date Received: 26-APR-16 X: -79.687675 Y: 44.390112 Previous Site Name: Lot/Building Size: 0.4 ACRES Additional Info Ordered: **55** 1 of 1 SE/117.6 228.9 / -5.27 CITY OF BARRIE **GEN** 155 DUNLOP STREET WEST **BARRIE ON L4M 4T5** ON3534048

PO Box No:

Order No: 20200504087

Country:

Status:

Generator No:

Approval Years: 04,05,06,07,08 Choice of Contact:

Contam. Facility: Co Admin: MHSW Facility: Phone No Admin:

SIC Code: 913910

SIC Description: Other Local Municipal and Regional Public Administration

Detail(s)

Waste Class: 148

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 33°

Waste Class Desc: WASTE COMPRESSED GASES

Waste Class: 331

Waste Class Desc: WASTE COMPRESSED GASES

Waste Class: 262

Waste Class Desc: DETERGENTS/SOAPS

Waste Class: 133

Waste Class Desc: BRINES, CHLOR-ALKALI WASTES

Waste Class: 145

Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

56 1 of 12 W/129.1 230.4 / -3.79 Ontario Addiction Treatment Centres

20 Owen Street Barrie ON L4M 3G7

Order No: 20200504087

Generator No: ON8232078 PO Box No: Status: Country:

Status:
Approval Years: 2010

Approval Years: 2010 Choice of Contact:
Contam. Facility: Co Admin:
MHSW Facility: Phone No Admin:

SIC Code: 621110

SIC Description: Offices of Physicians

Detail(s)

Waste Class: 312

Waste Class Desc: PATHOLOGICAL WASTES

56 2 of 12 W/129.1 230.4 / -3.79 Ontario Addiction Treatment Centres 20 Owen Street

Barrie ON L4M 3G7

 Generator No:
 ON8232078
 PO Box No:

 Status:
 Country:

Approval Years: 2011 Choice of Contact:
Contam. Facility: Co Admin:
MHSW Facility: Phone No Admin:

SIC Code: 621110

SIC Description: Offices of Physicians

Detail(s)

Waste Class: 312

Waste Class Desc: PATHOLOGICAL WASTES

| Map Key | Numbe Record | | Direction/ Distance (m | Elev/Diff n) (m) | Site | | DB |
|---|-----------------|------------------|---------------------------|---------------------|---|---|-----|
| <u>56</u> | 3 of 12 | | W/129.1 | 230.4 / -3.79 | Ontario Addiction Tr 20 Owen Street Barrie ON L4M 3G7 | eatment Centres | GEN |
| Generator N Status: Approval Ye | | ON8232 | 078 | | PO Box No: Country: Choice of Contact: | | |
| Contam. Fa | cility: | 2012 | | | Co Admin: Phone No Admin: | | |
| SIC Code: SIC Descrip | • | 621110 | Offices of Physic | ians | . none ne namm | | |
| Detail(s) | | | | | | | |
| Waste Class Waste Class | | | 312 PATHOLOGICAI | _ WASTES | | | |
| <u>56</u> | 4 of 12 | | W/129.1 | 230.4 / -3.79 | Ontario Addiction Tr 20 Owen Street Barrie ON | eatment Centres | GEN |
| Generator N Status: | lo: | ON8232 | 078 | | PO Box No: Country: | | |
| Approval Ye | | 2013 | | | Choice of Contact: Co Admin: | | |
| MHSW Facil SIC Code: SIC Descrip | • | 621110 | OFFICES OF PH | IYSICIANS | Phone No Admin: | | |
| Detail(s) | | | | | | | |
| Waste Class Waste Class | | | 312 PATHOLOGICAI | _ WASTES | | | |
| <u>56</u> | 5 of 12 | | W/129.1 | 230.4 / -3.79 | Ontario Addiction Tr 20 Owen Street Barrie ON L4M3G7 | eatment Centres | GEN |
| Generator N Status: | lo: | ON8232 | 078 | | PO Box No: Country: | Canada | |
| Approval Ye Contam. Fac MHSW Facil | cility: | 2016 No No | | | Choice of Contact: Co Admin: Phone No Admin: | CO_OFFICIAL Sonya Lockyer 647-999-2906 Ext. | |
| SIC Code: SIC Descrip | • | 621110 | OFFICES OF PH | IYSICIANS | | | |
| <u>Detail(s)</u> | | | | | | | |
| Waste Class: Waste Class Desc: | | | 312 PATHOLOGICAI | _ WASTES | | | |
| <u>56</u> | 6 of 12 | | W/129.1 | 230.4 / -3.79 | Rexall Pharmacy Gro 20 Owen Street Barrie ON L4M 3G7 | oup Ltd. | GEN |
| Generator N | lo: | ON9966 | 429 | | PO Box No: Country: | Canada | |
| Status: Approval Years: Contam. Facility: | | 2016 No | | | Choice of Contact: Co Admin: | CO_ADMIN Erik Botines | |

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

MHSW Facility: No 9055017800 Ext. Phone No Admin:

SIC Description: 446110

Detail(s)

SIC Code:

Waste Class:

PHARMACEUTICALS Waste Class Desc:

446110

Waste Class:

PATHOLOGICAL WASTES Waste Class Desc:

56 7 of 12 W/129.1 230.4 / -3.79 Pharmaservice Inc. **GEN** 20 Owen Street

Barrie ON L4M 3G7

Choice of Contact:

Phone No Admin:

Canada

Canada

Canada

CO_OFFICIAL

Rhonda Daiter

4168166110 Ext.

Order No: 20200504087

CO OFFICIAL Rhonda Daiter

4168166110 Ext.

CO ADMIN Erik Botines

9055017800 Ext.

PO Box No: Country:

Co Admin:

ON9966429 Generator No:

Status: Approval Years: 2015 Contam. Facility: No

MHSW Facility: Nο SIC Code: 446110

446110 SIC Description:

Detail(s)

Waste Class:

Waste Class Desc: PATHOLOGICAL WASTES

56 8 of 12 W/129.1 230.4 / -3.79 **Ontario Addiction Treatment Centres GEN** 20 Owen Street

Barrie ON L4M3G7

Choice of Contact:

Phone No Admin:

PO Box No: Country:

Co Admin:

Generator No: ON8232078

Status: Approval Years: 2015

Contam. Facility: No MHSW Facility: No SIC Code: 621110

SIC Description: OFFICES OF PHYSICIANS

Detail(s)

Waste Class: 312

Waste Class Desc: PATHOLOGICAL WASTES

56 9 of 12 W/129.1 230.4 / -3.79 **Ontario Addiction Treatment Centres** GEN

20 Owen Street Barrie ON L4M3G7

Choice of Contact:

Phone No Admin:

Co Admin:

Generator No: ON8232078 PO Box No: Status: Country:

2014 Approval Years: Contam. Facility: No Nο MHSW Facility: SIC Code: 621110

OFFICES OF PHYSICIANS SIC Description:

Detail(s)

| Map Key | Numbe Record | | Direction/ Distance (m) | Elev/Diff (m) | Site | | DB |
|---|--------------------------|---|----------------------------|------------------|--|--|------|
| Waste Class Waste Class | | 31 P/ | 12 ATHOLOGICAL W | /ASTES | | | |
| <u>56</u> | 10 of 12 | 1 | W/129.1 | 230.4 / -3.79 | Pharmaservice Inc. 20 Owen Street Barrie ON L4M 3G7 | | GEN |
| Generator N Status: Approval Ye Contam. Facil SIC Code: SIC Descript | ears: cility: ity: | ON9966429 2014 No No 446110 | 46110 | | PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin: | Canada CO_ADMIN Aaron Schrama 905-502-5965 Ext. | |
| <u>Detail(s)</u> | | | | | | | |
| Waste Class Waste Class | | 31 P/ | 12 ATHOLOGICAL W | /ASTES | | | |
| <u>56</u> | 11 of 12 | 1 | W/129.1 | 230.4/-3.79 | Rexall Pharmacy Gro 20 Owen Street Barrie ON L4M 3G7 | up Ltd. | GEN |
| Status: Reg | | ON9966429 Registered As of Dec 20 | | | PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin: | Canada | |
| Detail(s) | | | | | | | |
| Waste Class Waste Class | | | 61 A narmaceuticals | | | | |
| Waste Class Waste Class | | | I2 P athological wastes | | | | |
| <u>56</u> | 12 of 12 | ı | W/129.1 | 230.4 / -3.79 | Canadian Addiction 1 20 Owen Street Barrie ON L4M3G7 | reatment Clinics LP | GEN |
| Generator N Status: Approval Ye Contam. Facil MHSW Facil SIC Code: SIC Descript | ars: cility: ity: | ON8232078 Registered As of Dec 20 | | | PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin: | Canada | |
| Detail(s) | | | | | | | |
| Waste Class Waste Class | | | 12 P athological wastes | | | | |
| <u>57</u> | 1 of 1 | : | SE/127.0 | 226.5 / -7.71 | ON | | wwis |

Well ID: 5700288

Construction Date: Primary Water Use: Not Used Sec. Water Use:

Final Well Status: Test Hole

Water Type: Casing Material:

Audit No: Tag:

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

Data Entry Status:

Data Src:

5/24/1967 Date Received: Selected Flag: Yes

Abandonment Rec:

2801 Contractor: Form Version: 1

Owner: Street Name: County:

SIMCOE Municipality: **BARRIE CITY** Site Info:

Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone: UTM Reliability:

Bore Hole Information

10378181 Bore Hole ID: DP2BR: 319

Spatial Status:

Code OB:

Code OB Desc: Mixed in a Layer

Open Hole:

Cluster Kind:

Date Completed: 6/24/1966

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 932256229

Layer:

Color: General Color:

Mat1: 11

Most Common Material: **GRAVEL** Mat2: 28 SAND Other Materials: Mat3: 13

Other Materials: **BOULDERS**

Formation Top Depth: Formation End Depth: 25 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932256232

Layer:

Color: General Color:

223.459869 Elevation:

Elevrc:

17 Zone:

East83: 604756.4 North83: 4915927

Org CS:

UTMRC:

UTMRC Desc: margin of error: 100 m - 300 m

Order No: 20200504087

Location Method:

Mat1: 11 Most Common Material: **GRAVEL** Mat2: 28 SAND Other Materials: Mat3: 05 Other Materials: CLAY Formation Top Depth: 67 84 Formation End Depth: Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932256233

 Layer:
 6

 Color:
 6

 General Color:
 BROWN

 Mat1:
 05

Most Common Material: CLAY
Mat2: 11
Other Materials: GRAVEL

Mat3:

Other Materials:

Formation Top Depth: 84
Formation End Depth: 86
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932256236

 Layer:
 9

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

Mat2:

Other Materials:

Mat3:

Other Materials:

Formation Top Depth: 112
Formation End Depth: 137
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932256240

 Layer:
 13

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 28

 Other Materials:
 SAND

Mat3:

Other Materials:

Formation Top Depth: 244
Formation End Depth: 255
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932256235

Layer: Color: **GREY** General Color: Mat1: 05 Most Common Material: CLAY Mat2: 11 Other Materials: **GRAVEL** Mat3: 28 SAND Other Materials: 101 Formation Top Depth: Formation End Depth: 112 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932256237

Layer: 10

Color:

General Color:

Mat1: 06
Most Common Material: SILT

Mat2:

Other Materials:

Mat3:

Other Materials:

Formation Top Depth: 137
Formation End Depth: 153
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932256242

Layer: 15

Color:

General Color:

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 28

 Other Materials:
 SAND

Mat3:

Other Materials:

Formation Top Depth: 267
Formation End Depth: 272
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932256241

Layer: 14

Color:

General Color:

Mat1: 11

Most Common Material:GRAVELMat2:28Other Materials:SANDMat3:13

Other Materials: BOULDERS

Formation Top Depth: 255
Formation End Depth: 267
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932256228

Layer: Color:

General Color:

Mat1: 01

Most Common Material: FILL

Mat2:

Other Materials: Mat3:

Other Materials:

Formation Top Depth: 0
Formation End Depth: 7
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932256230

Layer: 3 **Color:** 6

BROWN General Color: Mat1: 05 Most Common Material: CLAY 28 Mat2: SAND Other Materials: Mat3: 06 Other Materials: SILT Formation Top Depth: 25 Formation End Depth: 44 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932256234

Layer: 7

Color:

General Color:

Mat1: 1

Most Common Material: **GRAVEL** Mat2: 28 SAND Other Materials: Mat3: 05 Other Materials: CLAY Formation Top Depth: 86 Formation End Depth: 101 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932256243

Layer: 16

Color: General Color:

Mat1:28Most Common Material:SANDMat2:11Other Materials:GRAVEL

Mat3:

Other Materials:

Formation Top Depth: 272
Formation End Depth: 275
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932256245

Layer: 18

Color:

General Color:

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 11

 Other Materials:
 GRAVEL

 Mat3:
 26

 Other Materials:
 ROCK

 Formation Top Depth:
 319

 Formation End Depth:
 322

Overburden and Bedrock

Formation End Depth UOM:

Materials Interval

Formation ID: 932256238

ft

 Layer:
 11

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 28

 Other Materials:
 SAND

Mat3:

Other Materials:

Formation Top Depth: 153
Formation End Depth: 243
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932256239

Layer: 12

Color:

General Color:

Mat1:28Most Common Material:SANDMat2:11Other Materials:GRAVEL

Mat3:

Other Materials:

Formation Top Depth: 243
Formation End Depth: 244
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

932256231 Formation ID:

Layer: Color: **GREY** General Color: Mat1: 05 Most Common Material: CLAY Mat2: 28 Other Materials: SAND Mat3: 11 Other Materials: **GRAVEL** Formation Top Depth: 44 67 Formation End Depth: Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932256244

Layer: 17 Color: 2 **GREY** General Color: 05 Mat1: Most Common Material: CLAY

Mat2:

Other Materials:

Mat3:

Other Materials:

Formation Top Depth: 275 Formation End Depth: 319 Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:

Method Construction Code:

Rotary (Convent.) Method Construction:

Other Method Construction:

Pipe Information

Pipe ID: 10926751

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930625787

Layer: 1 Material: STEEL

Open Hole or Material:

Depth From:

Depth To: 68 2 Casing Diameter: Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

| Мар Кеу | Number Records | | Elev/Diff (m) | Site | | DB |
|--|--|---|------------------|---|--|-----|
| Screen ID: Layer: Slot: Screen Top I Screen End I Screen Matel Screen Depti Screen Diam Screen Diam | Depth: rial: h UOM: neter UOM: | 933362823 1 68 90 ft inch 2 | | | | |
| Water Details | <u>s</u> | | | | | |
| Water ID: Layer: Kind Code: Kind: Water Found Water Found | • | 933859704 1 1 FRESH 67 ft | | | | |
| <u>58</u> | 1 of 2 | ESE/127.0 | 234.2 / 0.05 | MURRAY MECHANICA 150 DUNLOP ST. EAS BARRIE ON L4M 6H1 | | GEN |
| Generator No Status: Approval Yea Contam. Fac. MHSW Facili SIC Code: SIC Descripti | ars: illity: ity: ion: | ON6892846 03,04,06 | | PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin: | | |
| Waste Class: Waste Class | | 212 ALIPHATIC SOLVE | ENTS | | | |
| <u>58</u> | 2 of 2 | ESE/127.0 | 234.2 / 0.05 | 150 Dunlop Street Eas Barrie ON | st | SPL |
| Ref No: Site No: Incident Dt: Year: Incident Cau. Incident Ever Contaminant Contaminant Contaminant Contaminant Contaminant Environment Nature of Imp Receiving Me Receiving En MOE Respon Dt MOE Reporte Dt Document Incident Reas Site Name: | nt: t Code: t Name: t Limit 1: it Freq 1: t UN No 1: t Impact: pact: edium: nv: on Scn: ed Dt: t Closed: | 0532-AFZR7G NA 2016/11/24 Collision/Accident 13 HYDROCARBON LIGHT Surface Water No 2016/11/24 2016/11/26 Unknown / N/A Roadway <unoffi< td=""><td>CIAL></td><td>Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:</td><td>Miscellaneous Industrial 150 Dunlop Street East Barrie Watercourse Spills</td><td></td></unoffi<> | CIAL> | Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type: | Miscellaneous Industrial 150 Dunlop Street East Barrie Watercourse Spills | |

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Contaminant Qty:

Year:

Incident Cause:

Contaminant Name:

59 1 of 1 W/133.7 233.2 / -0.93 Spaghetti Western<UNOFFICIAL>

SE corner of Owen Street and Collier Street

Other

SE corner of Owen Street and Collier Street

Primary Assessment of Spills

SPL

WWIS

Order No: 20200504087

Barrie ON

7062-8U5MFV Ref No: Discharger Report:

5 L

Site No: Material Group: Incident Dt: 09-MAY-12 Health/Env Conseq:

Client Type:

Other Discharges Sector Type:

Agency Involved:

Site Geo Ref Accu:

Incident Event: Contaminant Code: Nearest Watercourse:

GREASE (N.O.S.) Site Address:

Contaminant Limit 1: Site District Office: Contam Limit Freq 1: Site Postal Code: Contaminant UN No 1: Site Region:

Environment Impact: Site Municipality: Not Anticipated Barrie

Nature of Impact: Other Impact(s) Site Lot: Sewage - Municipal/Private and Commercial Receiving Medium: Site Conc:

Receiving Env: Northing: Easting:

MOE Response: No Field Response Dt MOE Arvl on Scn:

09-MAY-12 MOE Reported Dt: Site Map Datum: Dt Document Closed: 12-MAY-12 SAC Action Class:

Incident Reason: Other - Reason not otherwise defined Source Type:

grease spill<UNOFFICIAL> Site Name: Site County/District:

Site Geo Ref Meth: Incident Summary: Spaghetti Western: grease dumping to cb

Contaminant Qty:

60 1 of 1 SE/134.3 226.5 / -7.71 Barrie ON

Well ID: 7124832 Data Entry Status:

Construction Date: Data Src: 7/2/2009 Monitoring Primary Water Use: Date Received:

Sec. Water Use: Selected Flag: Yes

Final Well Status: Observation Wells Abandonment Rec: 7190 Water Type: Contractor:

Casing Material: Form Version: Z91182 Audit No: Owner:

A080167 143 DUNLOP ST. E Tag: Street Name:

Construction Method: County: SIMCOE Elevation (m): Municipality: **BARRIE CITY** Elevation Reliability: Site Info: PIN 58795-0106(LT) Depth to Bedrock: Lot:

Well Depth: Concession: Overburden/Bedrock: Concession Name: Easting NAD83: Pump Rate: Static Water Level: Northing NAD83:

Flowing (Y/N): Zone:

UTM Reliability: Flow Rate: Clear/Cloudy:

Bore Hole Information

Bore Hole ID: 1002504272 222.357711 Flevation: DP2BR: Elevrc:

17

Spatial Status: Zone:

Location Method:

Order No: 20200504087

 Code OB:
 East83:
 604754

 Code OB Desc:
 North83:
 4915915

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

 Date Completed:
 4/21/2009
 UTMRC Desc:
 margin of error: 30 m - 100 m

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1002564247

Layer: 1 Color: 6

General Color: BROWN
Mat1: 28
Most Common Material: SAND
Mat2: 11
Other Materials: GRAVEL

Mat3:

Other Materials:

Formation Top Depth: 0
Formation End Depth: 4
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1002564248

Laver: 2 Color: 2 **GREY** General Color: Mat1: 28 Most Common Material: SAND Mat2: 06 SILT Other Materials: Mat3: 11 **GRAVEL** Other Materials: Formation Top Depth: Formation End Depth: 10 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1002564249

 Layer:
 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 11

 Other Materials:
 GRAVEL

Mat3: GRAVEL

Other Materials: WATER-BEARING

Formation Top Depth: 10
Formation End Depth: 20
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1002564251

Layer:

Plug From: 8.0 2.5 Plug To: Plug Depth UOM: ft

Annular Space/Abandonment

Sealing Record

1002564252 Plug ID:

Layer: 2 2.5 Plug From: 13 Plug To: Plug Depth UOM: ft

Method of Construction & Well

Method Construction ID: Method Construction Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1002564246

Casing No:

Comment: Alt Name:

Construction Record - Casing

1002564254 Casing ID:

Layer: Material:

Open Hole or Material: STEEL Depth From: Depth To: 0.8 Casing Diameter: 6.5 Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Casing

1002564255 Casing ID:

Layer: 2

Material:

PLASTIC Open Hole or Material: Depth From: 0.2 Depth To: Casing Diameter: 2.1 Casing Diameter UOM: inch ft Casing Depth UOM:

Construction Record - Screen

| Мар Кеу | Number Records | | Elev/Diff (m) | Site | | DB |
|---|--|---|------------------|---|--|-----|
| Screen ID: Layer: Slot: Screen Top I Screen End I Screen Mate. Screen Depti Screen Diam | Depth: rial: h UOM: eter UOM: | 1002564256 1 010 3 13 5 ft inch 2.2 | | | | |
| Water Details | <u>s</u> | | | | | |
| Water ID: Layer: Kind Code: Kind: Water Found Water Found | l Depth: I Depth UOI | 1002564253 1 5 Not stated 7 ft | | | | |
| Hole Diamete | <u>er</u> | | | | | |
| Hole ID: Diameter: Depth From: Depth To: Hole Depth U | ЈОМ: | 1002564250 ft inch | | | | |
| <u>61</u> | 1 of 1 | SSE/137.7 | 224.5/-9.65 | P.U.C. BARRIE LAKESHORE DR./MU BARRIE CITY ON | LCASTER ST. | CA |
| Certificate #: Application V Issue Date: Approval Typ Status: Application T Client Name: Client Addre Client City: Client Postal Project Desc Contaminant Emission Co | Year: Type: ss: Code: cription: | 7-0338-95- 95 5/12/1995 Municipal water Approved | | | | |
| 62 | 1 of 1 | ESE/141.5 | 227.9 / -6.32 | 149, 155, 157, 185, and and 9 Lakeshore Driv Barrie ON | d 205 Dunlop Street East e | EHS |
| Order No: Status: Report Type. Report Date: Date Receive Previous Site Lot/Building Additional In | ed: e Name: Size: | 20111014010 C Custom Report 10/24/2011 10/14/2011 11:30:12 AM | | Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y: | Mulcaster and Dunlop Street East Barrie ON 0.25 -79.68408 44.389357 | |

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) 63 1 of 2 NNE/141.9 241.4 / 7.27 BARRIE CITY - POYNTZ ST. CA WORSLEY ST./MULCASTER ST./OWEN **BARRIE CITY ON** Certificate #: 3-0129-92-Application Year: 92 2/14/1992 Issue Date: Municipal sewage Approval Type: Approved Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: **Emission Control:** 63 2 of 2 NNE/141.9 241.4 / 7.27 City of Barrie<UNOFFICIAL> **SPL** Worsley Street and Muleaster Street Barrie ON 8463-ASQNPV Discharger Report: Ref No: Site No: NA Material Group: 2 - Minor Environment

Incident Dt: 2017/11/02 Health/Env Conseq:

Year-Client Type:

Incident Cause: Sector Type: Unknown / N/A

Collision/Accident Agency Involved: Incident Event:

Nearest Watercourse: Contaminant Code:

Contaminant Name: MOTOR OIL Site Address: Worsley Street and Muleaster Street

Contaminant Limit 1: Site District Office: Barrie

Contam Limit Freq 1: Site Postal Code:

Contaminant UN No 1: 1993 Site Region: Central Environment Impact: Site Municipality: Barrie

Nature of Impact: Site Lot: Receiving Medium: Site Conc:

Receiving Env: Land Northing: 4916207.67 MOE Response: No Easting: 604690.5

Dt MOE Arvl on Scn: Site Geo Ref Accu: MOE Reported Dt: 2017/11/02 Site Map Datum:

Land Spills Dt Document Closed: 2017/11/11 SAC Action Class: Incident Reason: Unknown / N/A Source Type: Motor Vehicle

Intersection<UNOFFICIAL> Site Name: Site County/District: County of Simcoe

Site Geo Ref Meth:

CofBarrie: ~ 10 L motor fluids to asphalt, clned. Incident Summary:

Contaminant Qty:

1 of 2 NNE/141.9 241.4 / 7.27 P.U.C. BARRIE - MCDONALD ST./CODRINGTON 64 CA MULCASTER ST./WORSLEY ST.

BARRIE CITY ON

Order No: 20200504087

Certificate #: 7-1126-91-Application Year: 91

Issue Date: 9/18/1991 Approval Type: Municipal water Approved Status:

Application Type: Client Name: Client Address: Client City: Client Postal Code:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Project Description: Contaminants: **Emission Control:**

> 64 2 of 2 NNE/141.9 241.4 / 7.27 Mulcaster Street & Worsley Street 90 Collier

Street & 55 Mulcaster Street

Barrie

ON

0.25

-79.684684

44.388602

EHS

Barrie ON

Client Prov/State:

Search Radius (km):

Order No: 20120302004 Nearest Intersection: Municipality:

Status:

Report Type: **Custom Report** 3/12/2012 Report Date:

Date Received: 3/2/2012 9:32:14 AM

Previous Site Name: Lot/Building Size:

Additional Info Ordered: Fire Insur. Maps and/or Site Plans; Topographic Maps

1 of 1 SSW/146.6 222.9 / -11.32 65 **WWIS** ON

X: Y:

5719264 Well ID:

Construction Date: Public Primary Water Use:

Sec. Water Use: Final Well Status: Water Supply

Water Type: Casing Material: Audit No: Tag:

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock:

Pump Rate: Static Water Level:

Flowing (Y/N): Flow Rate: Clear/Cloudy:

Data Entry Status:

Data Src: 8/2/1984 Date Received: Selected Flag: Yes Abandonment Rec: 2801 Contractor: Form Version:

Owner: Street Name:

SIMCOE County: Municipality: **BARRIE CITY**

Site Info: Lot:

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 10396941 Elevation:

DP2BR: Spatial Status:

Code OB:

Code OB Desc: Overburden

Open Hole:

Cluster Kind:

Date Completed: 6/14/1984

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock Materials Interval

222.181594

Elevrc: 17 Zone:

604614.4 East83: 4915874 North83:

Org CS:

UTMRC: 5

margin of error: 100 m - 300 m UTMRC Desc:

Order No: 20200504087

Location Method:

Formation ID: 932337213

Layer: 9

Color: General Color:

Mat1: 11

Most Common Material:GRAVELMat2:28Other Materials:SANDMat3:13

Other Materials:BOULDERSFormation Top Depth:145Formation End Depth:202Formation End Depth UOM:ft

Overburden and Bedrock

Materials Interval

Formation ID: 932337212

Layer:

Color: General Color:

Mat1: 28

Most Common Material:SANDMat2:11Other Materials:GRAVELMat3:05Other Materials:CLAYFormation Top Depth:121Formation End Depth:145Formation End Depth UOM:ft

Overburden and Bedrock

Materials Interval

Formation ID: 932337207

Layer: 3

Color:

General Color:

Mat1: 28 SAND Most Common Material: Mat2: 05 Other Materials: CLAY Mat3: 74 Other Materials: LAYERED 30 Formation Top Depth: Formation End Depth: 47 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 932337211

Layer: 7

Color:

General Color:

Mat1: 1

Most Common Material:GRAVELMat2:13Other Materials:BOULDERS

Mat3:73Other Materials:HARDFormation Top Depth:106

Formation End Depth: 121 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932337210

Layer: Color:

General Color:

Mat1:

28 Most Common Material: SAND Mat2: 11 **GRAVEL** Other Materials: Mat3: 13

Other Materials: **BOULDERS**

Formation Top Depth: 101 106 Formation End Depth: Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

932337208 Formation ID:

Layer:

Color:

General Color:

Mat1: 05 Most Common Material: CLAY Mat2: 12 **STONES** Other Materials: Mat3: 84 Other Materials: SILTY Formation Top Depth: 47

Formation End Depth: 84 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932337205

Layer:

Color:

General Color:

01 Mat1: Most Common Material: **FILL**

Mat2:

Other Materials:

Mat3:

Other Materials: Formation Top Depth:

0 22 Formation End Depth: Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 932337206

Layer: 2 Color:

General Color:

05 Mat1:

Most Common Material: CLAY
Mat2: 28

Other Materials: SAND Mat3: 35

Other Materials: WOOD FRAGMENTS

Formation Top Depth: 22
Formation End Depth: 30
Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 932337209

Layer:

Color:

General Color:

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 12

 Other Materials:
 STONES

Mat3:

Other Materials:

Formation Top Depth: 84
Formation End Depth: 101
Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: Method Construction Code:

Method Construction: Rotary (Reverse)

Other Method Construction:

Pipe Information

Pipe ID: 10945511

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930648287

Layer: 1
Material: 1

Open Hole or Material: STEEL

Depth From:

Depth To:107Casing Diameter:24Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Casing

Casing ID: 930648288

Layer: 2
Material: 1
Open Hole or Material: STEEL

Depth From:

Depth To: 154 **Casing Diameter:** 16

Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

 Screen ID:
 933371575

 Layer:
 1

 Slot:
 050

 Screen Top Depth:
 155

 Screen End Depth:
 201

 Screen Material:
 Screen Depth UOM:
 ft

Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 1.2

Results of Well Yield Testing

Pump Test ID: 995719264

Pump Set At:

Static Level: -2 Final Level After Pumping: 85

Recommended Pump Depth: Pumping Rate:

Pumping Rate: 1204
Flowing Rate: 1
Recommended Pump Rate:
Levels UOM: ft

Rate UOM:

Water State After Test Code:

Water State After Test:

Pumping Test Method:

Pumping Duration HR:

Pumping Duration MIN:

O
Flowing:

GPM

1

7

CLEAR

7

CLEAR

0

Y

Draw Down & Recovery

Pump Test Detail ID:934569058Test Type:Draw DownTest Duration:30Test Lawring72

Test Level: 73
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID:934303377Test Type:Draw Down

 Test Duration:
 15

 Test Level:
 72

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID: 935094021
Test Type: Draw Down
Test Duration: 60

 Test Duration:
 60

 Test Level:
 73

 Test Level UOM:
 ft

Draw Down & Recovery

Pump Test Detail ID: 934828284

| | | Elev/Diff (m) | Site | | DB |
|-------------------------------------|--|---|---|--|------------------|
| n: OM: | Draw Down 45 73 ft | | | | |
| 1 of 1 | W/157.3 | 231.9 / -2.32 | Pharmaright Pharmacy 43 Collier Street Barrie ON L4M1G5 | y Inc. | GEN |
| o: ars: ility: ty: on: | ON9843111 Registered As of Oct 2019 | | PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin: | Canada | |
| | | | | | |
| Desc: | 261 A Pharmaceuticals | | | | |
| Desc: | 312 P Pathological waste | es | | | |
| 1 of 1 | E/154.3 | 238.3 / 4.12 | 111 Collier Street Barrie ON L4M 1H2 | | EHS |
| d: Name: Size: fo Ordered: | 20030211032 C Site Report 2/12/03 2/11/03 | | Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y: | Poyntz Street City of Barrie ON 0.25 -79.683862 44.390387 | |
| 1 of 1 | WNW/158.5 | 233.6 / -0.61 | STREET | | NPCE |
| de: | O4761 Canada Post Corp | | | | |
| Date: ate: | 11/30/1994 | | | | |
| ode: :: | | | | | |
| | Records Rec | ## Distance (m) Draw Down 45 73 Draw Down | Distance (m) (m) | Distance (m) (m) | Distance (m) (m) |

Map Key Number of Direction/ Elev/Diff Site DΒ Records Distance (m) (m) WNW/158.5 233.6 / -0.61 CANADA POST 69 1 of 2 **NPCB** 44 COOLIER ST BARRIE CANADA POST **BUILDING BARRIE ON L4M 1G6** Company Code: O4761 Industry: CANADA POST CORP Site Status: FEDERAL FACILITIES (IN USE) Transaction Date: 11/30/1994 Inspection Date: --Details--Label: DO03655 Serial No.: PCB Type/Code: ASKAREL/ASKAREL Location: Item/State: LIGHT BALLAST/FULL No. of Items: 368

69 2 of 2 WNW/158.5 233.6 / -0.61 44 Collier Street

Barrie ON L4M 1G6 20070622012 Order No: Nearest Intersection:

Status: Municipality:

Report Type: CAN - Custom Report Client Prov/State:

IN-USE

736 KG

Report Date: 7/4/2007 Search Radius (km): 0.25 -79.688074 Date Received: 6/22/2007 X:

Y: 44.390615 Previous Site Name: Lot/Building Size: Additional Info Ordered:

70 1 of 10 ESE/164.0 227.9 / -6.32 157 Dunlop St. & Part of Water Lot 16 in Front of CA Lot No. 16, Located on Lakeshore Drive Barrie ON

Certificate #: 2181-4UFT74 Application Year: 01 Issue Date: 4/17/01 Industrial air Approval Type:

Status: Approved Application Type: New Certificate of Approval Client Name: Corporation of the City of Barrie 70 Collier St., P.O. Box 400 Client Address:

Barrie Client City: Client Postal Code: L4M 4T5

2 of 10

Project Description: Installation of an emergency power generation system (175 Kw) at the Bayview Park Pump Station. Installation of

an emergency power generation system (325 Kw) at the Heritage Park Pump Station

Contaminants: **Emission Control:**

Manufacturer:

Status: Contents:

227.9 / -6.32

The City of Barrie 157 Dunlop Street East Barrie ON L4M 1B2

EHS

GEN

Order No: 20200504087

ON7741898 Generator No: PO Box No: Status: Country:

ESE/164.0

2011 Approval Years: Choice of Contact:

70

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: 913150 SIC Code: SIC Description: 3 of 10 THE CORPORATION OF THE CITY OF BARRIE **70** ESE/164.0 227.9 / -6.32 **GEN** 157 Dunlop Street East Barrie ON L4M 1B2 ON7741898 Generator No: PO Box No: Status: Country: Approval Years: 2012 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: 913150 SIC Code: SIC Description: Municipal Regulatory Services THE CORPORATION OF THE CITY OF BARRIE **70** 4 of 10 ESE/164.0 227.9 / -6.32 **GEN** 157 Dunlop Street East Barrie ON Generator No: ON7741898 PO Box No: Country: Status: Approval Years: 2013 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: SIC Code: 913150 SIC Description: Detail(s) Waste Class: 241 Waste Class Desc: HALOGENATED SOLVENTS **70** 5 of 10 ESE/164.0 227.9 / -6.32 The Corporation of the City of Barrie **ECA** 157 Dunlop St. & Part of Water Lot 16 Barrie ON L4M 4T5 2181-4UFT74 **MOE District:** Approval No: Barrie Approval Date: 2001-04-17 City: Status: Approved Longitude: -79.68384999999999 Latitude: **ECA** 44.38908999999996 Record Type: Link Source: **IDS** Geometry X: SWP Area Name: Lakes Simcoe and Couchiching/Black River Geometry Y: Approval Type: **ECA-AIR** Project Type: AIR Address: 157 Dunlop St. & Part of Water Lot 16 Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/1842-4U7ND4-14.pdf **70** 6 of 10 ESE/164.0 227.9 / -6.32 THE CORPORATION OF THE CITY OF BARRIE **GEN** 157 Dunlop Street East Barrie ON L4M 1B2 ON7741898 Generator No: PO Box No: Status: Country: Canada Approval Years: 2016 Choice of Contact: CO_OFFICIAL Lee Roberts Contam. Facility: No Co Admin: 705-739-4220 Ext.5810 MHSW Facility: No Phone No Admin:

Order No: 20200504087

913150

913150

SIC Code:

SIC Description:

Map Key Number of Direction/ Elev/Diff Site DB

Records Distance (m) (m)

Detail(s)

Waste Class: 241

Waste Class Desc: HALOGENATED SOLVENTS

70 7 of 10 ESE/164.0 227.9 / -6.32 THE CORPORATION OF THE CITY OF BARRIE GEN

157 Dunlop Street East Barrie ON L4M 1B2

> Canada CO_OFFICIAL

Canada CO_OFFICIAL

Canada

Lee Roberts

705-739-4220 Ext.5810

Lee Roberts

705-739-4220 Ext.5810

GEN

GEN

Order No: 20200504087

PO Box No:

Choice of Contact:

Phone No Admin:

Country:

Co Admin:

PO Box No:

Co Admin:

Choice of Contact:

Phone No Admin:

Country:

Country:

Co Admin:

Choice of Contact:

Phone No Admin:

Generator No: ON7741898

Status:

Approval Years: 2015
Contam. Facility: No
MHSW Facility: No

SIC Code: 913150

SIC Description: 913150

Detail(s)

Waste Class: 241

Waste Class Desc: HALOGENATED SOLVENTS

70 8 of 10 ESE/164.0 227.9 / -6.32 THE CORPORATION OF THE CITY OF BARRIE

157 Dunlop Street East Barrie ON L4M 1B2

Generator No: ON7741898

Status:

Approval Years: 2014
Contam. Facility: No
MHSW Facility: No
SIC Code: 913150

SIC Code: 913150

SIC Description: 913150

Detail(s)

Waste Class: 241

Waste Class Desc: HALOGENATED SOLVENTS

70 9 of 10 ESE/164.0 227.9 / -6.32 THE CORPORATION OF THE CITY OF BARRIE 157 Dunlop Street East

Barrie ON L4M 1B2

Generator No: ON7741898 PO Box No:

Status: Registered

Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description: Registered As of Dec 2018

Detail(s)

Waste Class: 241 L

Waste Class Desc: Halogenated solvents and residues

70 10 of 10 ESE/164.0 227.9 / -6.32 THE CORPORATION OF THE CITY OF BARRIE 157 Dunlop Street East

Number of Direction/ Elev/Diff Site Map Key

Records Distance (m) (m)

DΒ

Barrie ON L4M 1B2

Generator No: ON7741898 Registered Status: Approval Years:

As of Oct 2019

PO Box No: Country: Choice of Contact:

Co Admin: Phone No Admin: Canada

SIC Description:

Detail(s)

Contam. Facility:

MHSW Facility: SIC Code:

Waste Class: 241 L

Waste Class Desc: Halogenated solvents and residues

71 1 of 1 WSW/166.2 228.5 / -5.69 58 Dunlop Street East **EHS** Barrie ON L4M 1A3

20190619020 Order No: Status:

Report Type: Standard Report 24-JUN-19 Report Date: Date Received: 19-JUN-19

Previous Site Name: Lot/Building Size: Additional Info Ordered: Municipality: Client Prov/State: ON Search Radius (km): .25

Nearest Intersection:

X: -79.688196 Y: 44.389578

72 1 of 1 ESE/175.4 230.8 / -3.40 **WWIS** ON

Well ID: 5700236

Construction Date:

Primary Water Use: Industrial

Sec. Water Use:

Final Well Status: Water Supply

Water Type: Casing Material:

Audit No: Tag:

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock:

Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level:

Flowing (Y/N): Flow Rate: Clear/Cloudy:

Data Entry Status: Data Src:

8/11/1952 Date Received: Selected Flag: Yes

Abandonment Rec:

5510 Contractor: Form Version: 1

Owner: Street Name:

County: SIMCOE Municipality: **BARRIE CITY**

Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 10378130 226.81401 Elevation:

DP2BR:

Spatial Status: Code OB:

Code OB Desc: Overburden

Open Hole:

Cluster Kind: Date Completed:

5/23/1952

Elevrc:

17 Zone:

East83: 604850.3 4915979 North83:

Org CS:

UTMRC:

margin of error: 100 m - 300 m UTMRC Desc:

Remarks: Location Method: gis

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock **Materials Interval**

Formation ID: 932255789

Layer: 2

Color:

General Color:

Mat1: 11

Most Common Material: **GRAVEL** Mat2: 12 Other Materials: **STONES**

Mat3:

Other Materials:

Formation Top Depth: 2 Formation End Depth: 12 ft Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 932255788

Layer:

Color: General Color:

01 Mat1: Most Common Material: FILL

Mat2:

Other Materials:

Mat3:

Other Materials:

0 Formation Top Depth: Formation End Depth: 2 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

932255790 Formation ID:

Layer: 3

Color:

General Color:

09 Mat1:

Most Common Material: MEDIUM SAND

Mat2:

Other Materials: **GRAVEL**

Mat3:

Other Materials:

12 Formation Top Depth: 79 Formation End Depth: Formation End Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID:

Method Construction Code:

Method Construction: Cable Tool

Other Method Construction:

Pipe Information

Pipe ID: 10926700

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930625736

Layer: 1
Material: 1

Open Hole or Material: STEEL

Depth From:
Depth To: 63
Casing Diameter: 4
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 933362787

Layer:

Slot:

Screen Top Depth: 63 **Screen End Depth:** 79

Screen Material:

Screen Depth UOM: ft Screen Diameter UOM: inch

Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 995700236

Pump Set At: Static Level:

Final Level After Pumping: 5

Recommended Pump Depth:

Pumping Rate: 50

Flowing Rate:

Recommended Pump Rate:

 Levels UOM:
 ft

 Rate UOM:
 GPM

 Water State After Test Code:
 1

 Water State After Test:
 CLEAR

Pumping Test Method: Pumping Duration HR:

Pumping Duration HR:
Pumping Duration MIN:

Flowing:

Water Details

Water ID: 933859656

 Layer:
 1

 Kind Code:
 1

 Kind:
 FRESH

64

Water Found Depth:

Water Found Depth UOM: ft

73 1 of 1 ESE/176.8 226.3 / -7.92 155 Dunlop Street East Barrie ON L4M 1B2

Order No:20181001043Nearest Intersection:Status:CMunicipality:

 Report Type:
 Custom Report
 Client Prov/State:
 ON

 Report Date:
 05-OCT-18
 Search Radius (km):
 .25

 Date Received:
 01-OCT-18
 X:
 -79.683855

 Previous Site Name:
 Y:
 44.389096

Previous Site Name: Lot/Building Size:

Additional Info Ordered: Fire Insur. Maps and/or Site Plans

74 1 of 1 WSW/179.2 228.7 / -5.48

Barrie ON

WWIS

7241

Order No: 20200504087

Well ID: 7169806 Data Entry Status:

Construction Date: Data Src:

Primary Water Use:MonitoringDate Received:10/12/2011Sec. Water Use:Selected Flag:YesFinal Well Status:0Abandonment Rec:Yes

Final Well Status: 0 Abandonment Rec:
Water Type: Contractor:
Casing Material: Form Version:

 Audit No:
 Z136815
 Owner:

 Tag:
 A111575
 Street Name:
 48 OWEN ST

Construction Method: County: SIMCOE
Elevation (m): Municipality: BARRIE CITY (VESPRA)

Elevation Reliability:

Depth to Bedrock:

Well Depth:

Site Info:

Lot:

Concession:

Overburden/Bedrock:Concession Name:Pump Rate:Easting NAD83:Static Water Level:Northing NAD83:Flowing (Y/N):Zone:

Flow Rate: UTM Reliability: Clear/Cloudy:

Bore Hole Information

 Bore Hole ID:
 1003578504
 Elevation:
 225.731719

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 604471

 Code OB Desc:
 North83:
 4915972

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 3

Date Completed: 9/27/2011 UTMRC Desc: margin of error : 10 - 30 m

Remarks: Location Method: w

Elevrc Desc:

Location Source Date:
Improvement Location Source:
Improvement Location Method:

Annular Space/Abandonment Sealing Record

Source Revision Comment: Supplier Comment:

Plug ID: 1003993355

Layer: 1
Plug From: 0

Plug To: 29
Plug Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: Method Construction Code:D

Method Construction: Direct Push

Other Method Construction:

Pipe Information

Pipe ID: 1003993347

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1003993351

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From: 0
Depth To: 20
Casing Diameter: 1.75
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1003993352

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 20

 Screen End Depth:
 30

 Screen Material:
 5

Screen Material: 5
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 2

Hole Diameter

Hole ID: 1003993349

 Diameter:
 4.5

 Depth From:
 0

 Depth To:
 30

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

Order No: 20030211042

1 of 2

Status: C

 Report Type:
 Site Report

 Report Date:
 2/12/03

 Date Received:
 2/11/03

Previous Site Name: Lot/Building Size:

156 & 158 Dunlop Street East Barrie ON

Nearest Intersection: Poyntz Street
Municipality: City of Barrie
Client Prov/State: ON

 Search Radius (km):
 0.25

 X:
 -79.683522

 Y:
 44.389535

ESE/183.3

230.8 / -3.40

75

EHS

Number of Direction/ Elev/Diff Site DΒ Map Key

Records

Additional Info Ordered:

75

2 of 2 ESE/183.3 230.8 / -3.40 156 And 158 Dunlop Street

(m)

Barrie ON

Country:

Co Admin:

Choice of Contact:

Phone No Admin:

Order No: 20131122005 C

Status:

Report Type: Standard Report Report Date: 25-NOV-13 Date Received: 22-NOV-13

Previous Site Name:

Lot/Building Size: 0.36 acres

Additional Info Ordered: Fire Insur. Maps and/or Site Plans Nearest Intersection: Municipality:

Client Prov/State: ON Search Radius (km): .25

X: -79.683417 Y: 44.389533

EHS

GEN

GEN

Order No: 20200504087

76 1 of 7 WSW/182.8 225.9 / -8.27 Mohammed Qanbar-Agha professional

Corporation

50 Dunlop St. East Suite 402 Barrie ON L4M 6J9

Canada

Canada

CO_ADMIN

Paula Kelly

705-728-3814 Ext.

CO_ADMIN Tiffany MacDonald

705-728-3814 Ext.

PO Box No:

Distance (m)

Generator No: ON3440365 Status:

Approval Years: 2016 Contam. Facility: No MHSW Facility: No

621390 SIC Code:

SIC Description: OFFICES OF ALL OTHER HEALTH PRACTITIONERS

Detail(s)

Waste Class: 148

Waste Class Desc: **INORGANIC LABORATORY CHEMICALS**

Waste Class: 264

PHOTOPROCESSING WASTES Waste Class Desc:

Waste Class: 312

Waste Class Desc: PATHOLOGICAL WASTES

76 2 of 7 WSW/182.8 225.9 / -8.27 Abdel-Gawad Dentistry Professional Corporation

50 Dunlop St. East Suite 402

Barrie ON L4M 6J9

Choice of Contact:

Phone No Admin:

Co Admin:

Generator No: ON3440365 PO Box No: Country:

Status: 2015 Approval Years: Contam. Facility: No

MHSW Facility: No

621390 SIC Code:

SIC Description: OFFICES OF ALL OTHER HEALTH PRACTITIONERS

Detail(s)

Waste Class: 312

Waste Class Desc: PATHOLOGICAL WASTES

Waste Class:

Waste Class Desc: INORGANIC LABORATORY CHEMICALS

Waste Class: 264

PHOTOPROCESSING WASTES Waste Class Desc:

Map Key Number of Direction/ Elev/Diff Site DΒ Records Distance (m) (m) 3 of 7 WSW/182.8 225.9 / -8.27 Lovers Harbour Inc. 76 **GEN** 50 Dunlop Street East Barrie ON L4M6J9 ON4965063 Generator No: PO Box No: Status: Country: Canada CO_ADMIN Approval Years: 2016 Choice of Contact: Contam. Facility: No Co Admin: Louisa Reid 705-792-3830 Ext. MHSW Facility: No Phone No Admin: SIC Code: 531310 REAL ESTATE PROPERTY MANAGERS SIC Description: Detail(s) Waste Class: 251 OIL SKIMMINGS & SLUDGES Waste Class Desc: 225.9 / -8.27 **76** 4 of 7 WSW/182.8 Lovers Harbour Inc. **GEN** 50 Dunlop Street East Barrie ON L4M6J9 ON4965063 Generator No: PO Box No: Status: Country: Canada Choice of Contact: Approval Years: 2015 CO_OFFICIAL Contam. Facility: No Co Admin: MHSW Facility: No Phone No Admin: SIC Code: 531310 REAL ESTATE PROPERTY MANAGERS SIC Description: Detail(s) Waste Class: 251 Waste Class Desc: **OIL SKIMMINGS & SLUDGES** 225.9 / -8.27 **76** 5 of 7 WSW/182.8 Lovers Harbour Inc. **GEN** 50 Dunlop Street East Barrie ON L4M6J9 ON4965063 Generator No: PO Box No: Status: Country: Canada Approval Years: 2014 Choice of Contact: CO_OFFICIAL Contam. Facility: No Co Admin: MHSW Facility: No Phone No Admin: SIC Code: 531310 SIC Description: REAL ESTATE PROPERTY MANAGERS

Detail(s)

Waste Class: 251

Waste Class Desc: OIL SKIMMINGS & SLUDGES

76 6 of 7 WSW/182.8 225.9 / -8.27 Mohammed Qanbar-Agha professional

Corporation

50 Dunlop St. East Suite 402

Order No: 20200504087

Barrie ON L4M 6J9

Generator No: ON3440365 PO Box No:

Status: Registered Country: Canada

Approval Years: As of Dec 2018 Choice of Contact:

Contam. Facility: Co
MHSW Facility: Pho
SIC Code:

Co Admin: Phone No Admin:

Detail(s)

SIC Description:

Waste Class: 148 C

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 264 L

Waste Class Desc: Photoprocessing wastes

Waste Class: 264 T

Waste Class Desc: Photoprocessing wastes

Waste Class: 312 P

Waste Class Desc: Pathological wastes

76 7 of 7 WSW/182.8 225.9 / -8.27 Mohammed Qanbar-Agha professional GEN

Corporation

50 Dunlop St. East Suite 402

Barrie ON L4M 6J9

Generator No:ON3440365PO Box No:Status:RegisteredCountry:

Status: Registered
Approval Years: As of Oct 2019
Contam. Facility:

Contam. Facility: MHSW Facility: SIC Code: SIC Description: Country: Canada

Choice of Contact: Co Admin: Phone No Admin:

Detail(s)

Waste Class: 148 C

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 312 P

Waste Class Desc: Pathological wastes

Waste Class: 264 T

Waste Class Desc: Photoprocessing wastes

Waste Class: 264 L

Waste Class Desc: Photoprocessing wastes

77 1 of 3 WSW/182.9 225.9 / -8.27 Lovers Harbour Inc.
50 Dunlop Street East

Barrie ON L4M6J9

Generator No: ON4965063 PO Box No:

Status: Country:

Approval Years:2011Choice of Contact:Contam. Facility:Co Admin:MHSW Facility:Phone No Admin:

SIC Code: 531310

SIC Code: 531310
SIC Description:

77 2 of 3 WSW/182.9 225.9 / -8.27 Lovers Harbour Inc. 50 Dunlop Street East Barrie ON L4M6J9

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

ON4965063 Generator No: PO Box No:

Country: Status: Approval Years: 2012 Choice of Contact: Co Admin:

Contam. Facility: MHSW Facility:

531310 SIC Code:

SIC Description: Real Estate Property Managers

225.9 / -8.27 3 of 3 WSW/182.9 Lovers Harbour Inc. 77 **GEN**

50 Dunlop Street East

Barrie ON

Phone No Admin:

ON4965063 PO Box No: Generator No: Status: Country:

2013 Choice of Contact: Approval Years: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin:

531310 SIC Code:

SIC Description: REAL ESTATE PROPERTY MANAGERS

Detail(s)

Waste Class: 251

OIL SKIMMINGS & SLUDGES Waste Class Desc:

78 1 of 1 ENE/179.4 244.3 / 10.10 Pentor Electric Ltd **GEN** 108 Collier Street

Barrie ON L4M 5R5

Order No: 20200504087

ON3137873 Generator No: PO Box No:

Status: Country:

Canada 2016 CO_OFFICIAL Approval Years: Choice of Contact: Nο

Contam. Facility: Co Admin: MHSW Facility: No Phone No Admin: 238210 SIC Code:

ELECTRICAL CONTRACTORS, ELECTRICAL CONTRACTORS AND OTHER WIRING SIC Description:

Detail(s)

Waste Class: 221

LIGHT FUELS Waste Class Desc:

79 1 of 1 WSW/183.5 224.4 / -9.82 **WWIS** Barrie ON

Well ID: 7169805 Data Entry Status:

Construction Date: Data Src:

Primary Water Use: Monitoring Date Received: 10/12/2011 Sec. Water Use: Selected Flag: Yes Final Well Status: 0 Yes

Abandonment Rec: Water Type: 7241 Contractor: Casing Material: Form Version: 7 Owner: Audit No: Z136814

48 OWEN ST A111577 Street Name: Tag: **Construction Method:** SIMCOE County:

Elevation (m): Municipality: BARRIE CITY (VESPRA) Elevation Reliability: Site Info:

Depth to Bedrock: Lot: Well Depth: Concession: Overburden/Bedrock: Concession Name: Easting NAD83: Pump Rate: Static Water Level:

Flowing (Y/N):

Flow Rate: Clear/Cloudy: Zone:

Elevation:

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

Zone:

UTM Reliability:

224.550552

17

604481

UTM83

4915934

margin of error: 10 - 30 m

Order No: 20200504087

Bore Hole Information

Bore Hole ID: 1003578502

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 9/27/2011

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Annular Space/Abandonment

Sealing Record

Plug ID: 1003993260

 Layer:
 1

 Plug From:
 0

 Plug To:
 0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:

Method Construction Code: D

Method Construction: Direct Push

Other Method Construction:

Pipe Information

Pipe ID: 1003993251

Casing No: (Comment:

Alt Name:

Construction Record - Casing

Casing ID: 1003993256

Layer: 2

Material:

Open Hole or Material:

Depth From:
Depth To:
Casing Diameter:

Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 1003993255

| Map Key | Number Records | | Elev/Diff (m) | Site | | DB |
|---|---|---|------------------|---|--|------|
| Layer: Material: Open Hole or I Depth From: Depth To: Casing Diamet Casing Depth | ter: ter UOM: | 1 5 PLASTIC 0 16 1.75 inch ft | | | | |
| Construction I | Record - S | <u>Screen</u> | | | | |
| Screen ID: Layer: Slot: Screen Top De Screen End De Screen Materia Screen Depth Screen Diames | epth: al: UOM: ter UOM: | 1003993257 1 10 16 26 5 ft inch 2 | | | | |
| Hole Diameter | | | | | | |
| Hole ID: Diameter: Depth From: Depth To: Hole Depth UC Hole Diameter | | 1003993253 4.5 0 26 ft inch | | | | |
| <u>80</u> | 1 of 1 | WSW/188.5 | 228.7/-5.48 | 46 Dunlop Street East Barrie ON | : | EHS |
| Order No: Status: Report Type: Report Date: Date Received Previous Site I Lot/Building S Additional Info | Name: Size: | 20160121140 C Custom Report 27-JAN-16 21-JAN-16 | | Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y: | ON .25 -79.688469 44.389535 | |
| <u>81</u> | 1 of 1 | SW/181.1 | 224.3 / -9.90 | BARRIE ON | | wwis |
| Well ID: Construction I Primary Water Sec. Water Use Final Well Stat Water Type: Casing Materia Audit No: Tag: Construction I Elevation Relia Depth to Bedre Well Depth: Overburden/Be Pump Rate: Static Water Le | r Use: ee: tus: Method: dability: cock: | 7301015 Abandoned-Other Z275998 | | Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: | 12/8/2017 Yes 7201 7 FRED GRANT ST SIMCOE BARRIE CITY (VESPRA) | |

Flowing (Y/N):

Flow Rate: Clear/Cloudy: Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 1006875292

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 9/29/2017

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Annular Space/Abandonment

Sealing Record

Plug ID: 1007059963

 Layer:
 1

 Plug From:
 0

 Plug To:
 20

 Plug Depth UOM:
 ft

Pipe Information

Pipe ID: 1007059956

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1007059960

Layer: Material:

Open Hole or Material:

Depth From:
Depth To:
Casing Diameter:

Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1007059961

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft Screen Diameter UOM: inch

Screen Diameter:

Elevation: 222.086563

Elevrc:

Zone: 17
East83: 604529
North83: 4915878
Org CS: UTM83
UTMRC: 4

UTMRC Desc: margin of error : 30 m - 100 m

Order No: 20200504087

Location Method: wwr

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Hole Diameter

Hole ID: 1007059958 Diameter: 8.25 Depth From: 0 Depth To: 6 Hole Depth UOM: ft Hole Diameter UOM: inch

1 of 1 ESE/189.7 230.8 / -3.40 158 Dunlop Street East 82 **EHS** Barrie ON L4M 1B1

Y:

Order No: 20190703142 Status: Standard Report Report Type: Report Date: 10-JUL-19 03-JUL-19

Date Received: Previous Site Name: Lot/Building Size:

Additional Info Ordered: City Directory Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 -79.683369 X:

83 1 of 2 WNW/188.7 234.9 / 0.68 **WWIS** Barrie ON

Well ID: 7157664

Construction Date:

Primary Water Use:

Sec. Water Use:

Final Well Status: Monitoring and Test Hole

Water Type: Casing Material:

Audit No: Z126400 A111575 Tag:

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate:

Monitoring and Test Hole Date Received:

1/14/2011 Selected Flag: Yes

Abandonment Rec:

Data Entry Status:

Data Src:

Contractor: 7241 Form Version: Owner:

Street Name: **48 OWEN STREET**

SIMCOE County: BARRIE CITY (VESPRA) Municipality: Site Info: WKQ-00339 A0-A02

44.389556

Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 1003455866 233.805496 Elevation:

DP2BR:

Clear/Cloudy:

Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

12/15/2010 Date Completed:

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Elevrc:

Zone: 17 East83: 604499 North83: 4916187 Org CS: UTM83 **UTMRC:**

UTMRC Desc: margin of error: 10 - 30 m

Order No: 20200504087

Location Method:

Overburden and Bedrock

Materials Interval

Formation ID: 1003768334

Layer: Color:

6 General Color:

BROWN Mat1: 02 Most Common Material: **TOPSOIL**

Mat2:

Other Materials:

Mat3: 77 LOOSE Other Materials: Formation Top Depth: Formation End Depth: 4 Formation End Depth UOM: ft

Overburden and Bedrock **Materials Interval**

Formation ID: 1003768336

Layer: 3 Color: 6

General Color: **BROWN** Mat1: 28 Most Common Material: SAND

Mat2:

Other Materials:

Mat3:

Other Materials:

Formation Top Depth: 16 Formation End Depth: 20 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

1003768337 Formation ID:

Layer: Color: 6 General Color: **BROWN** Mat1: 28 SAND Most Common Material: 26 Mat2: Other Materials: ROCK Mat3: 66 **DENSE** Other Materials: Formation Top Depth: 20 Formation End Depth: 29 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1003768335

2 Layer: Color: 6

BROWN General Color: 28 Mat1. Most Common Material: SAND Mat2: 26

Other Materials:ROCKMat3:85Other Materials:SOFTFormation Top Depth:4Formation End Depth:16Formation End Depth UOM:ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1003768346

 Layer:
 1

 Plug From:
 0

 Plug To:
 1

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1003768347

 Layer:
 2

 Plug From:
 1

 Plug To:
 13

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1003768348

 Layer:
 3

 Plug From:
 13

 Plug To:
 29

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:

Method Construction Code: B

Method Construction:Other MethodOther Method Construction:DIRECT PUSH

Pipe Information

Pipe ID: 1003768333

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1003768340

Layer: 1
Material: 5
Open Hole or Material: PLASTIC

 Depth From:
 0

 Depth To:
 14

 Casing Diameter:
 1.75

 Casing Diameter UOM:
 inch

 Casing Depth UOM:
 ft

DΒ Number of Direction/ Elev/Diff Site Map Key Records Distance (m) (m)

Construction Record - Screen

Screen ID: 1003768341

Layer: Slot: 10 Screen Top Depth: 14 Screen End Depth: 29 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 2

Hole Diameter

Hole ID: 1003768338

Diameter: 4.5 Depth From: 0 29 Depth To: Hole Depth UOM: ft Hole Diameter UOM: inch

WNW/188.7 83 2 of 2 234.9 / 0.68 **WWIS** Barrie ON

Well ID: 7157665

Construction Date: Primary Water Use: Monitoring and Test Hole

Sec. Water Use:

Final Well Status: Monitoring and Test Hole

Water Type: Casing Material:

Audit No: Z126401

A111577 Tag: **Construction Method:**

Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate:

Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

Data Entry Status: Data Src:

Date Received: 1/14/2011 Selected Flag: Yes

Abandonment Rec:

Contractor: 7241 Form Version:

Owner:

48 OWEN STREET Street Name:

County: SIMCOE

Municipality: BARRIE CITY (VESPRA) WKQ-003369 A0-A02 Site Info:

Lot:

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

Elevation:

Elevrc:

Zone:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 1003455868

DP2BR:

Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 12/15/2010

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

erisinfo.com | Environmental Risk Information Services

margin of error: 10 - 30 m

604499

4916187

UTM83

233.805496

wwr

Overburden and Bedrock

Materials Interval

Formation ID: 1003768367

Layer: 3 **Color:** 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 26

 Other Materials:
 ROCK

Mat3:

Other Materials:

Formation Top Depth: 16
Formation End Depth: 20
Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 1003768365

Layer: 1 **Color:** 6

General Color: **BROWN** Mat1: 02 Most Common Material: **TOPSOIL** Mat2: 26 Other Materials: ROCK Mat3: 77 LOOSE Other Materials: Formation Top Depth: 0 Formation End Depth: 5

Overburden and Bedrock

Formation End Depth UOM:

Materials Interval

Formation ID: 1003768366

ft

 Layer:
 2

 Color:
 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

Mat2:

Other Materials:

Mat3:85Other Materials:SOFTFormation Top Depth:5Formation End Depth:16Formation End Depth UOM:ft

Overburden and Bedrock

Materials Interval

Formation ID: 1003768368

 Layer:
 4

 Color:
 6

General Color: BROWN Mat1: 28
Most Common Material: SAND

Mat2:

Other Materials:

Mat3:66Other Materials:DENSEFormation Top Depth:20Formation End Depth:28Formation End Depth UOM:ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1003768377

 Layer:
 1

 Plug From:
 0

 Plug To:
 1

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1003768378

 Layer:
 2

 Plug From:
 1

 Plug To:
 12

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1003768379

 Layer:
 3

 Plug From:
 12

 Plug To:
 28

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:

Method Construction Code: B

Method Construction:Other MethodOther Method Construction:DIRECT PUSH

Pipe Information

Pipe ID: 1003768364

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1003768371

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

Depth From:0Depth To:13Casing Diameter:1.75Casing Diameter UOM:inchCasing Depth UOM:ft

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Construction Record - Screen

Screen ID: 1003768372

Layer: Slot: 10 Screen Top Depth: 13 Screen End Depth: 28 5 Screen Material: Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 2

Hole Diameter

Hole ID: 1003768369

Diameter: 4.5 Depth From: 0 28 Depth To: Hole Depth UOM: ft Hole Diameter UOM: inch

> 84 1 of 1 WSW/187.0 225.5 / -8.68 **UNKNOWN**

SIMCOE ST. & FRED GRANT SQUARE BARRIE

SPL

NPCB

Order No: 20200504087

BARRIE CITY ON

77834 Ref No: Discharger Report:

Site No: Material Group: Incident Dt: 10/22/1992 Health/Env Conseq: Client Type:

Year:

Incident Cause: OTHER CONTAINER LEAK Sector Type: Incident Event: Agency Involved:

Contaminant Code: Nearest Watercourse: Contaminant Name: Site Address: Contaminant Limit 1: Site District Office: Contam Limit Freq 1: Site Postal Code: Contaminant UN No 1: Site Region:

Environment Impact: NOT ANTICIPATED Site Municipality: 70101

247.9 / 13.68

Nature of Impact: Site Lot: Receiving Medium: LAND Site Conc: Receiving Env: Northing:

MOE Response: Easting: Dt MOE Arvl on Scn: Site Geo Ref Accu:

MOE Reported Dt: 10/22/1992 Site Map Datum: **Dt Document Closed:** SAC Action Class: Source Type:

Incident Reason: **UNKNOWN** Site Name: Site County/District:

1 of 7

Site Geo Ref Meth: UNKNOWN SOURCE - ANTIFREEZE TO GROUND.

Incident Summary: Contaminant Qty:

NE/188.2

MINISTRY OF GOVERNMENT SERVICES 114 WORSLEY STREET; BOX 790

BARRIE ON L4M 1M1

Company Code: O0255R

Industry: Government (not Fed)

Site Status:

85

3/6/1991 Transaction Date: 2/25/1991 Inspection Date:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) --Details--Label: Serial No.: PCB Type/Code: Askarel Location: Item/State: No. of Items: Manufacturer: In-Use Status: Contents: 2462.00 L 2 of 7 NE/188.2 247.9 / 13.68 MINISTRY OF GOVERNMENT SERVICES **85 GEN** 114 WORSLEY ST., BARRIE C/O 24 JAMES ST. **ORILLIA ON L4M 1M1** Generator No: ON0123921 PO Box No: Status: Country: Approval Years: 89,90 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: SIC Code: 8121 COURTS OF LAW SIC Description: Detail(s) Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS 85 3 of 7 NE/188.2 247.9 / 13.68 **MINISTRY OF GOVERNMENT SERVICES 27-531 GEN** 114 WORSLEY ST., BARRIE C/O 24 JAMES ST. **ORILLIA ON L4M 1M1** Generator No: ON0123921 PO Box No: Status: Country: Choice of Contact: Approval Years: 92,93,94,95,96,97 Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: 8121 SIC Code: COURTS OF LAW SIC Description: Detail(s) Waste Class: Waste Class Desc: WASTE OILS & LUBRICANTS 85 4 of 7 NE/188.2 247.9 / 13.68 MINISTRY OF GOVERNMENT SERVICES GEN 114 WORSLEY STREET BARRIE_ ON L4M 1M1 Generator No: ON0123921 PO Box No: Status: Country: Approval Years: 98 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin:

Order No: 20200504087

SIC Code: 8121

SIC Description: **COURTS OF LAW**

Detail(s)

Waste Class: 252

Number of Elev/Diff Site DΒ Map Key Direction/ Records Distance (m) (m) WASTE OILS & LUBRICANTS Waste Class Desc: 5 of 7 NE/188.2 247.9 / 13.68 114 Worsley Street 85 **EHS** Barrie ON L4M 1M1 20091028015 Order No: Nearest Intersection: Status: С Municipality: Standard Report Client Prov/State: ON Report Type: Report Date: 11/6/2009 Search Radius (km): 0.25 Date Received: 10/28/2009 X: -79.684341 Previous Site Name: Y: 44.392214 Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Sire Plans 85 6 of 7 NE/188.2 247.9 / 13.68 ECOH Management Inc. **GEN** 114 Worsley Street Barrie ON L4M 1M1 ON6817628 Generator No: PO Box No: Status: Country: Approval Years: 2011 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: 913110 SIC Code: SIC Description: **ONTARIO REALTY** 85 7 of 7 NE/188.2 247.9 / 13.68 **NPRI** 114 WORSLEY Street **BARRIE ON L4M1M1** NPRI ID: 8800000488 Org ID: Other ID: Submit Date: No Other ID: Last Modified: Track ID: Contact ID: Report ID: Cont Type: MED Report Type: Contact Title: Mr. Rpt Type ID: Cont First Name: ALEX Report Year: 2004 Cont Last Name: LYE Not-Current Rpt?: **Contact Position: Environmental Assessment Manager** Yr of Last Filed Rpt: Contact Fax: Fac ID: Contact Ph.: Fac Name: ONTARIO GOVERNMENT COMPLEX - 114 Cont Area Code: 416 WORSLEY ST. Fac Address1: Contact Tel.: 3268229 Fac Address2: Contact Ext.: Fac Postal Zip: Cont Fax Area Cde: 416 Facility Lat: Contact Fax: 2121131 Contact Email: Facility Long: alex.lye@orc.gov.on.ca DLS (Last Filed Rpt): Latitude: Facility DLS: Longitude: UTM Zone: Datum: Facility Cmnts: **UTM Northing:**

UTM Easting:

No Streams: Waste Off Sites:

No Off Sites:

Shutdown:

Waste Streams:

No of Shutdown:

Order No: 20200504087

URL:

No of Empl.:

No Parent Co.: Pollut Prev Cmnts:

No of Stacks:

Canadian SIC Code (2 digit): Canadian SIC Code: SIC Code Description:

Parent Co.:

Stacks:

2

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

American SIC Code:

NAICS Code (2 digit): 53

NAICS 2 Description: Real Estate and Rental and Leasing

NAICS Code (4 digit): 5311

NAICS 4 Description: Lessors of Real Estate

531120 NAICS Code (6 digit):

NAICS 6 Description: Lessors of Non-Residential Buildings (except Mini-Warehouses)

Substance Release Report

7446-09-5 CAS No:

Report ID:

Rpt Period: 2004

Subst Released: Sulphur dioxide

Air: Water: Land:

Total Releases:

Units: tonnes 811-97-2 CAS No:

Report ID:

Rpt Period: 2004

HFC-134a Hydrofluorocarbon Subst Released:

Air: Water: Land:

Total Releases:

Units: tonnes

CAS No: 11104-93-1 Report ID:

Rpt Period: 2004

Nitrogen oxides (expressed as NO2) Subst Released:

Air: Water: Land:

Total Releases:

Units: tonnes

1 of 1 ESE/193.6 230.8 / -3.40 86 **WWIS** ON

Well ID: 5700237

Construction Date: Primary Water Use: Sec. Water Use:

Final Well Status: Test Hole

Water Type: Casing Material: Audit No:

Tag:

Construction Method: Elevation (m):

Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level:

Flowing (Y/N): Flow Rate: Clear/Cloudy:

Data Entry Status: Data Src:

Date Received: 11/29/1950 Selected Flag: Yes Abandonment Rec:

Contractor:

2801 Form Version: 1 Owner:

Street Name:

County: SIMCOE **BARRIE CITY** Municipality:

Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 10378131

DP2BR: Spatial Status:

Code OB:

Code OB Desc: Overburden

Open Hole:

Cluster Kind:

Date Completed: 2/25/1948

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 932255797

Layer:

Color:

General Color:

Mat1: 09

Most Common Material: MEDIUM SAND

Mat2:

Other Materials: GRAVEL

Mat3:

Other Materials:

Formation Top Depth: 62 Formation End Depth: 71 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

932255791 Formation ID:

Layer:

Color: General Color:

Mat1: 01

FILL Most Common Material:

Mat2:

Other Materials: Mat3:

Other Materials:

Formation Top Depth: 0 Formation End Depth: 10 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 932255795

Layer: Color:

General Color:

13 Mat1.

Most Common Material: **BOULDERS**

Mat2:

Elevation: 226.968536

Elevrc:

Zone: 17

East83: 604869.3 North83: 4915979

Org CS:

UTMRC: 5

UTMRC Desc: margin of error: 100 m - 300 m

Order No: 20200504087

Location Method: gis

Other Materials:

Mat3:

Other Materials:

Formation Top Depth: 51
Formation End Depth: 55
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932255793

Layer:

Color:

General Color:

Mat1: 09

Most Common Material: MEDIUM SAND

Mat2:

Other Materials:

Mat3:

Other Materials:

Formation Top Depth: 17
Formation End Depth: 35
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932255792

Layer: 2

Color:

General Color:

Mat1: 09

Most Common Material: MEDIUM SAND

Mat2: 13

Other Materials: BOULDERS

Mat3:

Other Materials:

Formation Top Depth: 10
Formation End Depth: 17
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932255798

Layer: 8

Color:

General Color:

Mat1: 09

Most Common Material: MEDIUM SAND

Mat2:05Other Materials:CLAY

Mat3:

Other Materials:

Formation Top Depth: 71
Formation End Depth: 82
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932255796

Layer:

Color: General Color:

Mat1:

Most Common Material: MEDIUM SAND

6

Mat2: 13

Other Materials: **BOULDERS**

Mat3:

Other Materials:

Formation Top Depth: 55 62 Formation End Depth: Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 932255794

Layer:

Color: General Color:

09 Mat1:

Most Common Material: MEDIUM SAND

Mat2: 05 CLAY Other Materials:

Mat3:

Other Materials:

Formation Top Depth: 35 Formation End Depth: 51 Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:

Method Construction Code:

Rotary (Convent.) **Method Construction:**

Other Method Construction:

Pipe Information

Pipe ID: 10926701

Casing No:

Comment: Alt Name:

Ref No:

WSW/194.3 225.9 / -8.27 **87** 1 of 1 Barrie Hydro Distribution Inc. SPL 46 Dunlop Stre. E.

7705-5XZQWN Discharger Report: Material Group: Oil

Site No: Incident Dt: 4/13/2004 Health/Env Conseq: Client Type:

Year: Incident Cause: Cooling System Leak

Incident Event:

Contaminant Code:

TRANSFORMER OIL (N.O.S.) Contaminant Name:

Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1:

Environment Impact: Possible

Nature of Impact: Soil Contamination; Surface Water Pollution

Other Sector Type: Agency Involved:

Nearest Watercourse:

Barrie ON L4M 1A3

Site Address: Site District Office: Barrie

Site Postal Code:

Site Region: Southwestern Barrie

Site Municipality:

Site Lot:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Receiving Medium: Land & Water Site Conc: Northing:

Receiving Env: MOE Response: Easting: Dt MOE Arvl on Scn: Site Geo Ref Accu:

MOE Reported Dt: 4/13/2004 Site Map Datum:

Notification; Spill to Land Dt Document Closed: SAC Action Class:

Incident Reason: Equipment Failure - Malfunction of system Source Type:

components Site Name: BARRIE HYDRO TRANSFORMER - DUNLOP STR. E.<UNOFFICIAL>

Site County/District: Site Geo Ref Meth:

Incident Summary: Barrie Hydro - transformer oil spill, no PCB Contaminant Qty:

88 1 of 1 S/194.2 221.2 / -12.93 **WWIS** ON

Well ID: 5718640 Data Entry Status:

Construction Date: Data Src:

9/20/1983 Primary Water Use: Not Used Date Received: Sec. Water Use: Selected Flag: Yes

Final Well Status: **Observation Wells** Abandonment Rec: Water Type: Contractor: 2801

Casing Material: Form Version:

Audit No: Owner: Tag: Street Name: Construction Method: County: SIMCOE

Elevation (m): Municipality: **BARRIE CITY** Elevation Reliability: Site Info: Depth to Bedrock: Lot:

Well Depth: Concession: Concession Name: Overburden/Bedrock: Pump Rate: Easting NAD83: Static Water Level: Northing NAD83:

Flowing (Y/N): Zone:

Flow Rate: UTM Reliability: Clear/Cloudy:

Bore Hole Information

Bore Hole ID: 10396320 Elevation: 220.530273

DP2BR: Elevrc: Spatial Status: 17 Zone: 604664.4 Code OB: East83:

Code OB Desc: Overburden North83: 4915824

Open Hole: Org CS: UTMRC: Cluster Kind:

7/21/1983 margin of error: 100 m - 300 m Date Completed: UTMRC Desc:

Order No: 20200504087

Remarks: Location Method: р5

Elevrc Desc: Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Overburden and Bedrock **Materials Interval**

Supplier Comment:

Formation ID: 932334407

Layer:

Color:

General Color:

Mat1: 06 SILT Most Common Material: Mat2: 05 Other Materials: CLAY 28 Mat3: Other Materials: SAND Formation Top Depth: 34 Formation End Depth: 37 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932334414

Layer: 11

Color:

General Color:

Mat1:28Most Common Material:SANDMat2:29

Other Materials: FINE GRAVEL

Mat3:05Other Materials:CLAYFormation Top Depth:123Formation End Depth:142Formation End Depth UOM:ft

Overburden and Bedrock

Materials Interval

Formation ID: 932334409

Layer: 6

Color:

General Color:

Mat1: 05

Most Common Material:CLAYMat2:28Other Materials:SANDMat3:74Other Materials:LAYEREDFormation Top Depth:67Formation End Depth:82

ft

Overburden and Bedrock

Formation End Depth UOM:

Materials Interval

Formation ID: 932334417

Layer: 14

Color:

General Color:

Mat1:05Most Common Material:CLAY

Mat2: 87
Other Materials: STONEY

Mat3:73Other Materials:HARDFormation Top Depth:214Formation End Depth:255Formation End Depth UOM:ft

Overburden and Bedrock

Materials Interval

932334416 Formation ID: 13

Layer: Color:

General Color:

28 Mat1: Most Common Material: SAND

Mat2: 29

Other Materials: FINE GRAVEL

Mat3:

Other Materials:

203 Formation Top Depth: Formation End Depth: 214 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

932334413 Formation ID:

Layer: 10

Color: General Color:

Mat1:

28 SAND Most Common Material: Mat2: 11 **GRAVEL** Other Materials:

Mat3: 13

Other Materials: **BOULDERS** Formation Top Depth: 109

Formation End Depth: 123 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932334419

Layer: 16

Color:

General Color:

Mat1: 05 Most Common Material: CLAY Mat2: 11 Other Materials: **GRAVEL** Mat3: 13 Other Materials: **BOULDERS**

Formation Top Depth: 269 Formation End Depth: 294 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

932334410 Formation ID:

Layer:

Color:

General Color:

28 Mat1: SAND Most Common Material: Mat2: 06 Other Materials: SILT

Mat3: 05

Other Materials: CLAY Formation Top Depth: 82 86 Formation End Depth: Formation End Depth UOM: ft

Overburden and Bedrock Materials Interval

Formation ID: 932334408

Layer: 5 Color:

General Color:

Mat1: 10

Most Common Material: COARSE SAND

Mat2:

FINE GRAVEL Other Materials:

Mat3: 05 CLAY Other Materials: Formation Top Depth: 37 Formation End Depth: 67 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932334405

Layer:

Color:

General Color:

Mat1: 05 CLAY Most Common Material: Mat2: 80

FINE SAND Other Materials:

Mat3: 35

Other Materials: WOOD FRAGMENTS

Formation Top Depth: 23 29 Formation End Depth: Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 932334411

Layer:

Color:

General Color:

Mat1: 05

Most Common Material: CLAY 12 Mat2: **STONES** Other Materials: Mat3: 79 **PACKED** Other Materials:

Formation Top Depth: 86 Formation End Depth: 99 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932334418

Layer: 15

Color:

General Color:

Mat1: 05 CLAY Most Common Material: Mat2: 11 Other Materials: **GRAVEL** Mat3: 81 Other Materials: SANDY 255 Formation Top Depth: Formation End Depth: 269 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 932334412

Layer:

Color:

General Color:

28 Mat1: Most Common Material: SAND Mat2: 11 Other Materials: **GRAVEL** Mat3: 05 CLAY Other Materials: Formation Top Depth: 99 109 Formation End Depth: Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932334415

Layer: 12

Color:

General Color:

Mat1:28Most Common Material:SANDMat2:11

Other Materials: GRAVEL Mat3: 13

Mats:13Other Materials:BOULDERSFormation Top Depth:142Formation End Depth:203

Formation End Depth: 203
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932334404

Layer:

Color: General Color:

Mat1: 01

Most Common Material: FILL

Mat2:

Other Materials:

Mat3:

Other Materials:

Formation Top Depth: 0
Formation End Depth: 23
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932334406

Layer: 3

Color:

General Color:

Mat1: 10

Most Common Material:COARSE SANDMat2:29Other Materials:FINE GRAVE

Other Materials: FINE GRAVEL Mat3: 05

Other Materials: CLAY
Formation Top Depth: 29
Formation End Depth: 34
Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:
Method Construction Code:

Method Construction Code: 4

Method Construction: Rotary (Air)

Other Method Construction:

Pipe Information

Pipe ID: 10944890

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930647487

Layer: 1
Material: 1

Open Hole or Material: STEEL

Depth From:

Depth To: 18
Casing Diameter: 18
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930647488

Layer: 2
Material: 1
Open Hole or Material: STEEL

Depth From:

Depth To: 54
Casing Diameter: 10
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930647489

Layer: 3

Material:

Open Hole or Material:

Depth From:
Depth To: 183
Casing Diameter: 2
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 933371258 **Layer:** 1

 Slot:
 020

 Screen Top Depth:
 183

 Screen End Depth:
 203

Screen Material:
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter: 2

Results of Well Yield Testing

Pump Test ID: 995718640

Pump Set At:

Static Level: 18
Final Level After Pumping: 20
Recommended Pump Depth:

Pumping Rate: 39

Flowing Rate: Recommended Pump Rate:

Levels UOM: ft
Rate UOM: GPM

Water State After Test Code:
Water State After Test:
Pumping Test Method: 1
Pumping Duration HR: 3
Pumping Duration MIN: 0
Flowing: N

Draw Down & Recovery

 Pump Test Detail ID:
 934576091

 Test Type:
 Recovery

 Test Duration:
 30

 Test Level:
 19

 Test Level UOM:
 ft

Draw Down & Recovery

 Pump Test Detail ID:
 935091868

 Test Type:
 Recovery

 Test Duration:
 60

 Test Level:
 19

 Test Level UOM:
 ft

Water Details

Water ID: 933878448

 Layer:
 1

 Kind Code:
 1

 Kind:
 FRESH

 Water Found Depth:
 100

 Water Found Depth UOM:
 ft

| Map Key | Number o Records | of Direction/ Distance (m) | Elev/Diff (m) | Site | DB |
|---------------------------------|---------------------|-------------------------------|------------------|---|-----|
| 89 | 1 of 3 | NW/192.1 | 234.9 / 0.68 | P.U.C. BARRIE - POYNTZ ST. WORSLEY ST./OWEN ST. BARRIE CITY ON | CA |
| Certificate #: | | 7-0106-92- | | | |
| Application \ Issue Date: | Year: | 92 2/14/1992 | | | |
| Approval Typ | pe: | Municipal water | | | |
| Status: | | Approved | | | |
| Application 1 Client Name: | | | | | |
| Client Addres | | | | | |
| Client City: | | | | | |
| Client Postal Project Desc | | | | | |
| Contaminant | ts: | | | | |
| Emission Co | ntrol: | | | | |
| <u>89</u> | 2 of 3 | NW/192.1 | 234.9 / 0.68 | BARRIE CITY WORSLEY ST/OWEN ST/CLAPPERTON BARRIE CITY ON | CA |
| Certificate #: | i | 3-0527-95- | | | |
| Application \ | Year: | 95 | | | |
| Issue Date: Approval Typ | no. | 6/5/1995 Municipal sewage | | | |
| Status: | Je. | Approved | | | |
| Application 1 | | | | | |
| Client Name: Client Addres | | | | | |
| Client City: | | | | | |
| Client Postal Project Desc | | | | | |
| Contaminant | | | | | |
| Emission Co | ntrol: | | | | |
| <u>89</u> | 3 of 3 | NW/192.1 | 234.9 / 0.68 | P.U.C. BARRIE WORSLEY ST./OWEN ST. BARRIE CITY ON | CA |
| Cartificate # | | 7-0399-95- | | | |
| Certificate #: Application \ | | 7-0399-95- 95 | | | |
| Issue Date: | | 6/15/1995 | | | |
| Approval Typ Status: | pe: | Municipal water Approved | | | |
| Application 1 | Гуре: | Approved | | | |
| Client Name: | • | | | | |
| Client Addres Client City: | ss: | | | | |
| Client Postal | Code: | | | | |
| Project Desc | | | | | |
| Contaminant Emission Co | | | | | |
| | 4 -4 5 | 0011/407.0 | 204.5 / 40.74 | The Commentation of the Office (C.) | |
| <u>90</u> | 1 of 5 | SSW/195.6 | 221.5/-12.71 | The Corporation of the City of Barrie 5 Simcoe Street Barrie ON | SPL |
| Ref No: | | 5482-9LSKTD | | Disahawan Danaut | |
| Rei No. | | O TOL OLOTTID | | Discharger Report: | |

Incident Dt: 2014/07/07 Health/Env Conseq:

Year: Client Type:

Incident Cause: Overflow/Surcharge Sector Type: Other

Incident Event:

Contaminant Code:

44

Agency Involved:
Nearest Watercourse:

Contaminant Name: GREY WATER Site Address: 5 Simcoe Street

Contaminant Limit 1: Site District Office:
Contam Limit Freq 1: Site Postal Code:
Contaminant UN No 1: Site Region:

Environment Impact:Not AnticipatedSite Municipality:BarrieNature of Impact:Surface Water PollutionSite Lot:

 Nature of Impact:
 Surface Water Pollution
 Site Lot:

 Receiving Medium:
 Site Conc:

 Receiving Env:
 Northing:

MOE Response: No Field Response Easting:

Dt MOE Arvl on Scn: Site Geo Ref Accu:

 MOE Reported Dt:
 2014/07/07

 Dt Document Closed:
 2014/07/22

 SAC Action Class:
 Watercourse Spills

0 other - see incident description

Incident Reason: Intentional Discharge Source Type:

Site Name: municipal allowance<UNOFFICIAL> Site County/District:

Site Geo Ref Meth:
Incident Summary:

C of Barrie: grey wtr to catch basins; cntnd & clng

221.5 / -12.71

71 The Corporation of the City of Barrie 5 Simcoe Street City of Barrie ON

ECA

EASR

Order No: 20200504087

Approval No: 1859-ABZKSY MOE District:

SSW/195.6

Approval Date: 2016-08-08 City: City of Barrie

Status:ApprovedLongitude:Record Type:Latitude:Link Source:Geometry X:SWP Area Name:Geometry Y:

Approval Type:
Project Type: Municipal and Private Sewage Works

Address: 5 Simcoe Street

Full Address: 5 Simcoe Street City of Barrie , County of Simcoe

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/7612-A7AM9Q-14.pdf

90 3 of 5 SSW/195.6 221.5 / -12.71 The Corporation of the City of Barrie

5 Simcoe St Barrie ON L4M 4T5

Approval No: 1859-ABZKSY MOE District: 2016-08-08 Approval Date: City: Status: Approved Longitude: Record Type: ECA Latitude: Link Source: **IDS** Geometry X: SWP Area Name: Geometry Y:

Approval Type:ECA-MUNICIPAL AND PRIVATE SEWAGE WORKSProject Type:MUNICIPAL AND PRIVATE SEWAGE WORKS

Address: 5 Simcoe St

Full Address:

Contaminant Qty:

90

2 of 5

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/7612-A7AM9Q-14.pdf

90 4 of 5 SSW/195.6 221.5 / -12.71 CORPORATION OF THE CITY OF BARRIE

5 Simcoe ST Barrie ON L4M 4T5

Elev/Diff DΒ Map Key Number of Direction/ Site (m)

Records Distance (m) R-009-8670735132

Approval No: SWP Area Name: Lakes Simcoe and Couchiching/Black River REGISTERED Status: **MOE District:** Barrie Date: 2016-10-21 Municipality: Barrie 44.38805556 Record Type: **EASR** Latitude: Link Source: **MOFA** Longitude: -79.685

Water Taking - Construction Dewatering Project Type: Geometry X:

Full Address: Geometry Y: EASR-Water Taking - Construction Dewatering Approval Type:

Full PDF Link: http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=2026366

SSW/195.6 221.5 / -12.71 5 of 5 The Corporation of the City of Barrie 90 SPL

5 Simcoe Street Barrie ON

Ref No: 2713-B4UVLL Discharger Report: Site No: Material Group:

2018/09/22 Incident Dt: Health/Env Conseq: 2 - Minor Environment Municipal Government Year: Client Type: Miscellaneous Communal

Incident Cause: Sector Type:

Incident Event: Leak/Break Agency Involved:

Contaminant Code: Nearest Watercourse: Lake Simcoe SEWAGE, RAW UNCHLORINATED Contaminant Name: Site Address: 5 Simcoe Street

Contaminant Limit 1: Site District Office: Barrie

Contam Limit Freq 1: Site Postal Code:

Contaminant UN No 1: Central n/a Site Region: **Environment Impact:** Site Municipality: Barrie

Nature of Impact: Site Lot: Receiving Medium: Site Conc: Receiving Env: Land; Surface Water; Source Water Zone Northing:

4915646.34 604390.28 MOE Response: No Easting:

Dt MOE Arvl on Scn: Site Geo Ref Accu: 2018/09/22 MOE Reported Dt: Site Map Datum:

Watercourse Spills **Dt Document Closed:** SAC Action Class:

Incident Reason: **Equipment Failure** Source Type: Sewer (Private or Municipal)

Heritage Park Sanitary Pumping Station<UNOFFICIAL> Site Name:

Site County/District: County of Simcoe

Site Geo Ref Meth:

Incident Summary: City of Barrie: sanitary sewage to grnd, Lake Simcoe

Contaminant Qty: 0 other - see incident description

1 of 1 SSW/195.7 221.5/-12.71 The Corporation of the City of Barrie 91

5 Simcoe Street

SPL

Order No: 20200504087

Barrie ON

Ref No: 1888-9AE2FG Discharger Report: Site No: Material Group: Incident Dt: 2013/08/08 Health/Env Conseq:

Year: Client Type: Sector Type: Incident Cause: Leak/Break Watercraft/Vessel

Incident Event: Agency Involved: 12 Nearest Watercourse: Contaminant Code:

GASOLINE 5 Simcoe Street Contaminant Name: Site Address:

Contaminant Limit 1: Site District Office: Contam Limit Freg 1: Site Postal Code: Contaminant UN No 1: Site Region:

Environment Impact: Confirmed Site Municipality: Barrie

Nature of Impact: Surface Water Pollution Site Lot: Site Conc: Receiving Medium: Receiving Env: Northing: MOE Response: No Field Response Easting:

Dt MOE Arvl on Scn: Site Geo Ref Accu: 2013/08/08 MOE Reported Dt: Site Map Datum:

Number of Direction/ Elev/Diff Site DΒ Map Key (m)

Records Distance (m)

2013/08/17 **Dt Document Closed:** SAC Action Class: Watercourse Spills

Incident Reason: Other Source Type:

City of Barrie Marina - Slip #HP20 (Heritage Park) < UNOFFICIAL> Site Name:

Site County/District: Site Geo Ref Meth:

Barrie Marina: 40 L gas to Kempenfelt Bay from sunken vessel Incident Summary:

Contaminant Qty:

92 1 of 1 WNW/200.4 233.4 / -0.79 Office Building - 48 Owen Street

Barrie ON

FCS

Order No: 20200504087

SGC: 3543042 Site ID: 31177001 Departmental ID: Ontario 31177001

Depart Code: SVC

Class Type:

Class:

Site Name: Office Building - 48 Owen Street

Site Name (FR): 48 rue Owen, Barrie

Site Status: Closed

Initial testing completed. No further action required. Site Status Desc:

Site Status (FR): Fermé

Description (FR): Première analyse terminée. Aucune autre mesure nécessaire.

Involv Code:

Census Division: Simcoe Barrie Municipality: Census Sub Class: 44.391227 Latitude: Longitude: -79.688335

Location: Protected Data: 0 005 FED:

Fed Electoral District: Barrie--Springwater--Oro-Medonte Fed Electoral District (FR): Barrie--Springwater--Oro-Medonte

Metro:

Nearest Pop. Area:

Highest Step Cmpltd: 3

Site Deleted Flag:

2010-05-06T15:55:00 Created: Modified: 2013-07-25T16:02:16.850

Property No.: 31177 Est m3 Contmnted: Est Ha Contmnted: 0.0000 Est Tons Contamin: 0.0000 Est Population at 1 Km: 8,379 Est Population at 5 Km: 111,842 172,203 Est Population at 10 Km: Est Population at 25 Km: 398,578 Est Population at 50 Km: 1,107,331

Reporting Org:

Reporting Org (FR): Reason for Involv: Federal Real Property Reason for Involv (FR): Biens immobiliers fédéraux

Liable Third Party:

Class (FR):

Action Plan: Complete groundwater sampling in spring 2011. As of March 2012 no further work required Action Plan (FR): Compléter l'échantillonnage de l'eau souterraine dans printemps 2011. En Mars 2012 aucun travail supplémentaire

nécessaire.

Site Mgmnt Strategy:

Minimap URL: http://www.tbs-sct.gc.ca/fcsi-rscf/minimap.aspx?fsi=31177001

Additional Info: Additional Info (FR):

Annual Data

Fiscal Year: 2011-2012
Reporting Organization: SVC

Reporting Organization (EN): Public Services and Procurement Canada **Reporting Organization (FR):** Services publics et Approvisionnement Canada

Class Type: Class (EN): Class (FR): CCME Flag: CCME NCS Year: Step Name (EN): Step Name (FR):

Step Name (FR):
Highest Step Completed: 03
Highest Step Completed Desc:
Planned Compl Date Step7:
Planned Compl Date Step8:
Planned Compl Date Step9:

Created: Modified: NCSCS Year: Closed:

Yes 0.0000 Actual Cubic Metres Rem: Actual Hectares Rem: 0.0000 Actual Tons Remediated: 0.0000 0.00 Total Asmt Expenditure: Total Remediation Expenditure: 0.00 Total Care/Maint Expenditur: 0.00 Total Mntring Expenditure: 0.00 Ttl Expenditure Reduc Liabil: FCSAP Asmt Expenditure: 0.00

FCSAP Asmt Expenditure: 0.00 FCSAP Remed Expenditure: 0.00 FCSAP Care/Maint Expenditur: 0.00 FCSAP Mntring Expenditure: 0.00

Annual Data

Fiscal Year: 2009-2010
Reporting Organization: SVC

Reporting Organization (EN): Public Services and Procurement Canada
Reporting Organization (FR): Services publics et Approvisionnement Canada

Class Type:
Class (EN):
Class (FR):
CCME Flag:
CCME NCS Year:
Step Name (EN):
Step Name (FR):

Highest Step Completed: 02 Highest Step Completed Desc:

Planned Compl Date Step7: Planned Compl Date Step8: Planned Compl Date Step9:

Created: Modified: NCSCS Year: Closed:

Closed: No
Actual Cubic Metres Rem: 0.0000
Actual Hectares Rem: 0.0000
Actual Tons Remediated: 0.0000
Total Asmt Expenditure: 17495.29
Total Remediation Expenditure: 0.00
Total Care/Maint Expenditur: 0.00
Total Mntring Expenditure: 0.00

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) Ttl Expenditure Reduc Liabil: FCSAP Asmt Expenditure: 17495.29 FCSAP Remed Expenditure: 0.00 FCSAP Care/Maint Expenditur: 0.00 FCSAP Mntring Expenditure: 0.00 Annual Data Fiscal Year: 2010-2011 Reporting Organization: SVC Reporting Organization (EN): Public Services and Procurement Canada Reporting Organization (FR): Services publics et Approvisionnement Canada Class Type: Class (EN): Class (FR): CCME Flag: CCME NCS Year: Step Name (EN): Step Name (FR): **Highest Step Completed:** 03 Highest Step Completed Desc: Planned Compl Date Step7: Planned Compl Date Step8: Planned Compl Date Step9: Created: Modified: NCSCS Year: Closed: No Actual Cubic Metres Rem: 0.0000 Actual Hectares Rem: 0.0000

Actual Tons Remediated: 0.0000 Total Asmt Expenditure: 0.00 Total Remediation Expenditure: 0.00 Total Care/Maint Expenditur: 0.00 Total Mntring Expenditure: 0.00 Ttl Expenditure Reduc Liabil: 0.00 FCSAP Asmt Expenditure: FCSAP Remed Expenditure: 0.00 FCSAP Care/Maint Expenditur: 0.00

0.00

93 1 of 1 NW/201.3 234.9 / 0.68 53 Owen St Barrie ON L4M3H2 EHS

Order No: 20170721018

Status: C

FCSAP Mntring Expenditure:

Report Type:Custom ReportReport Date:28-JUL-17Date Received:21-JUL-17

Previous Site Name: Lot/Building Size: Additional Info Ordered: Nearest Intersection:
Municipality:
Client Prov/State:
Search Radius (km):
25
70 68

X: -79.687542 **Y:** 44.39183

Order No: 20200504087

 94
 1 of 1
 NW/201.8
 234.9 / 0.68
 Seniors Plus Newspaper
 SCT

 53 Owen St
 Barrie ON L4M 3H2

Established: Plant Size (ft²): Employment:

4

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) 1 of 8 WNW/202.3 SNC-Lavalin ProFac Inc. 95 234.5 / 0.37 **GEN** 48 Owen Street Suite 312 Barrie ON L4M 3H1 ON9869912 Generator No: PO Box No: Status: Country: Choice of Contact: Approval Years: 06 Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: SIC Code: 911910 Other Federal Government Public Administration SIC Description: Detail(s) Waste Class: 252 Waste Class Desc: WASTE OILS & LUBRICANTS WNW/202.3 48 Owen St. 95 2 of 8 234.5 / 0.37 **EHS** Barrie ON L4M 3H1 Order No: 20090908020 Nearest Intersection: Municipality: Status: Report Type: Standard Report Client Prov/State: ON Search Radius (km): Report Date: 9/17/2009 0.25 Date Received: 9/8/2009 -79.68819 X: 44.391376 Y: Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Sire Plans; Title Searches; Aerial Photos Government of Canada<UNOFFICIAL> 95 3 of 8 WNW/202.3 234.5 / 0.37 SPL 48 Owen St Barrie ON Ref No: 0651-84BS3V Discharger Report: Material Group: Site No: Incident Dt: Health/Env Conseq:

Year: Client Type: Sector Type: Incident Cause: Discharge or Emission to Air Other Incident Event: Agency Involved: Contaminant Code: Nearest Watercourse: Site Address: Contaminant Name: REFRIGERANT GAS, 134A Contaminant Limit 1: Site District Office: Site Postal Code: Contam Limit Freq 1: Contaminant UN No 1: Site Region: Environment Impact: Not Anticipated Site Municipality: Air Pollution Nature of Impact: Site Lot: Receiving Medium: Site Conc: Receiving Env: Northing: MOE Response: Not MOE mandate Easting: Dt MOE Arvl on Scn: Site Geo Ref Accu: 4/8/2010 **MOE** Reported Dt: Site Map Datum: **Dt Document Closed:** 5/6/2010 SAC Action Class: Air Spills - Gases and Vapours Incident Reason: Unknown - Reason not determined Source Type: Site Name: Federal Gov't Building<UNOFFICIAL> Site County/District: Site Geo Ref Meth:

Order No: 20200504087

100 kg

Canada Gov't: >100 kg R134A to atmosphere

Incident Summary:

Contaminant Qty:

| Map Key Number Record | | | Elev/Diff (m) | Site | | DB |
|--|----------------------------------|---|--------------------|--|--------------------------------------|-----|
| <u>95</u> | 4 of 8 | WNW/202.3 | 234.5 / 0.37 | 48 Owen St. Barrie ON | | SPL |
| Ref No: Site No: Incident Dt: Year: | | 8667-84QSYM | | Discharger Report: Material Group: Health/Env Conseq: Client Type: | | |
| Incident Cause: Incident Event: Contaminant Code: | | Valve / Fitting Leak Or Failure 38 | | Sector Type: Agency Involved: Nearest Watercourse: | Other | |
| Contaminan Contaminan Contam Lim | t Limit 1: it Freq 1: | FREON R-134A (CFC) | | Site Address: Site District Office: Site Postal Code: | | |
| Contaminan Environmen Nature of Im Receiving M Receiving E | t Impact: pact: ledium: | Not Anticipated | | Site Region: Site Municipality: Site Lot: Site Conc: Northing: | | |
| MOE Respondence Dt MOE Arvi MOE Report Dt Document | nse: I on Scn: ted Dt: | No Field Response 4/21/2010 5/6/2010 | | Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: | Air Spills - Gases and Vapours | |
| Incident Rea Site Name: Site County/ Site Geo Rea | /District: | Equipment Failure Government of Can | ada Building, Se | Source Type: rvice Canada <unofficial:< th=""><th>></th><th></th></unofficial:<> | > | |
| Incident Sur Contaminan | • | Federal Governmen 225 kg | t Building - 225 I | kg of freon to air. | | |
| 95 | 5 of 8 | WNW/202.3 | 234.5 / 0.37 | Brookfield Properties 48 Owen St Barrie ON L4M 3H1 | Corporation | SPL |
| Ref No: Site No: Incident Dt: | | 6204-9WFGVV 5228-8VAHK5 5/11/2015 | | Discharger Report: Material Group: Health/Env Conseq: | | |
| Year: Incident Cau Incident Eve Contaminan | ent: | Leak/Break | | Client Type: Sector Type: Agency Involved: Nearest Watercourse: | | |
| Contaminan Contaminan Contam Lim | t Limit 1: | REFRIGERANT GAS, N.O.S. | | Site Address: Site District Office: Site Postal Code: | 48 Owen St L4M 3H1 | |
| Contaminan Environmen Nature of Im | t UN No 1: t Impact: pact: | Air | | Site Region: Site Municipality: Site Lot: | Barrie | |
| Receiving M Receiving E MOE Respo Dt MOE Arv | nv: nse: I on Scn: | N | | Site Conc: Northing: Easting: Site Geo Ref Accu: | NA NA NA | |
| MOE Report Dt Documen Incident Rea Site Name: | t Closed: | 5/12/2015 5/19/2015 Equipment Failure Barrie SNC-Lavalin | Profac Inc. | Site Map Datum: SAC Action Class: Source Type: | NA Air Spills - Gases and Vapours | |

Brookefield GIS: Refrigerant leak from chiller; resolved 285 kg

234.5 / 0.37 **Brookfield Properties Corporation**

48 Owen St Barrie ON

SPL

Order No: 20200504087

WNW/202.3

NA

95

Site County/District: Site Geo Ref Meth:

Incident Summary: Contaminant Qty:

6 of 8

Elev/Diff DΒ Map Key Number of Direction/ Site

Records Distance (m) (m)

Ref No: 5752-9WEQ2A Discharger Report: Material Group: Site No: NA Incident Dt: 5/11/2015 Health/Env Conseq: Client Type: Year:

Incident Cause: Leak/Break Sector Type: Incident Event: Agency Involved:

Nearest Watercourse: Contaminant Code:

48 Owen St REFRIGERANT GAS, N.O.S. Contaminant Name: Site Address:

Contaminant Limit 1: Site District Office: Contam Limit Freq 1: Site Postal Code: Contaminant UN No 1: Site Region: **Environment Impact:** Site Municipality:

Nature of Impact: Air Site Lot: Receiving Medium: Site Conc: Northing:

Receiving Env: MOE Response: Ν Easting: Dt MOE Arvl on Scn: Site Geo Ref Accu:

5/11/2015 MOE Reported Dt: Site Map Datum: Dt Document Closed: SAC Action Class:

Incident Reason: **Equipment Failure** Source Type:

Site Name: Federal government building<UNOFFICIAL> Site County/District:

Site Geo Ref Meth:

Federal Govt Building: R134A to atm. 91 kg Incident Summary:

Contaminant Qty:

WNW/202.3 95 7 of 8 234.5 / 0.37 Her Majesty the Queen in Right of Canada as **SPL**

Represented by the Minister of

Public Works and Government Services Canada

Barrie

Air Spills - Gases and Vapours

48 Owen Street Barrie ON L4M 3H1

Ref No: 8727-A9UR3S Discharger Report: Site No: NA Material Group: 2016/05/11 Incident Dt: Health/Env Conseq:

Year: Client Type:

Incident Cause: Sector Type: Miscellaneous Industrial Incident Event: Leak/Break Agency Involved:

Contaminant Code: Nearest Watercourse:

REFRIGERANT GAS, N.O.S. 48 Owen Street Contaminant Name: Site Address: Contaminant Limit 1: Site District Office:

L4M 3H1 Contam Limit Freq 1: Site Postal Code: Contaminant UN No 1:

Site Region: **Environment Impact:** Site Municipality: Barrie

Nature of Impact: Site Lot: Receiving Medium: Site Conc: Northing: Receiving Env: Air MOE Response: No Easting:

Dt MOE Arvl on Scn: Site Geo Ref Accu: 2016/05/11 MOE Reported Dt: Site Map Datum:

Dt Document Closed: 2016/06/16 SAC Action Class: Air Spills - Gases and Vapours Incident Reason: Equipment Failure Source Type:

Service Canada<UNOFFICIAL> Site Name: Site County/District:

Site Geo Ref Meth: Incident Summary: Service Canada: Leak of refrigerant R134A to atmosphere

Contaminant Qty: 0 other - see incident description

8 of 8 WNW/202.3 234.5 / 0.37 Her Majesty the Queen in Right of Canada as 95

Represented by the Minister of Public Works and Government Services Canada

SPL

Number of Direction/ Elev/Diff Site DΒ Map Key

Records Distance (m) (m)

> 48 Owen St Barrie ON L4M 3H1

Discharger Report:

Health/Env Conseq:

Agency Involved:

Site District Office:

Site Postal Code:

Site Municipality:

Site Geo Ref Accu:

SAC Action Class:

Site Map Datum:

Source Type:

Nearest Watercourse:

2 - Minor Environment Federal Government

Air Spills - Gases and Vapours

GEN

GEN

Order No: 20200504087

Unknown / N/A

48 Owen St

Barrie

L4M 3H1

Central

Barrie

NA

NA NA

NA

NA

Other

Canada

Material Group:

Client Type:

Sector Type:

Site Address:

Site Region:

Site Lot:

Site Conc:

Northing:

Easting:

Ref No: 4032-AT4Q45 Site No: 5228-8VAHK5 Incident Dt: 2017/11/14

Year:

Incident Cause:

Leak/Break Incident Event:

Contaminant Code: 38

Contaminant Name: REFRIGERANT GAS, N.O.S.

Contaminant Limit 1: Contam Limit Freg 1:

Contaminant UN No 1: 1078 **Environment Impact:**

Nature of Impact: Receiving Medium:

Receiving Env: Air MOE Response: No

Dt MOE Arvl on Scn: MOE Reported Dt:

2017/11/14 **Dt Document Closed:** 2017/12/19 Incident Reason: Unknown / N/A

Site Name:

Barrie SNC-Lavalin Profac Inc.

Site County/District:

County of Simcoe Site Geo Ref Meth:

GovOfCanada Building: leak of ~ 283.5 kg of R134A to atm. Incident Summary:

Contaminant Qty: 283.5 kg

City of Barrie City of Barrie 96 1 of 2 W/214.5 230.9 / -3.32

31 Collier St. Barrie ON L4M 4T5

PO Box No:

Choice of Contact:

Phone No Admin:

City of Barrie City of Barrie

Country:

Co Admin:

Co Admin:

Phone No Admin:

Generator No: ON8042831 Status:

Registered As of Dec 2018 Approval Years: Contam. Facility:

MHSW Facility: SIC Code: SIC Description:

Detail(s)

96

Waste Class: 251 L

2 of 2

Waste Class Desc: Waste oils/sludges (petroleum based)

31 Collier St.

Barrie ON L4M 4T5

230.9 / -3.32

ON8042831 Generator No: PO Box No: Status: Registered Country:

W/214.5

Canada As of Oct 2019 Choice of Contact: Approval Years:

Contam. Facility: MHSW Facility: SIC Code: SIC Description:

Detail(s)

Waste Class: 251 L

Waste Class Desc: Waste oils/sludges (petroleum based)

S/209.4 220.7/-13.49 1 of 1 lot 25 con 4 97 **WWIS** ON

5727319 Well ID: Data Entry Status: Construction Date: Data Src:

Primary Water Use: Not Used Date Received: 10/11/1990

Sec. Water Use: Selected Flag: Yes

Final Well Status: **Observation Wells** Abandonment Rec: Water Type: Contractor: 2801 Casing Material: Form Version: 1

Audit No: 88604 Owner: Street Name: Tag:

Construction Method: County: SIMCOE VESPRA TOWNSHIP Municipality: Elevation (m): Elevation Reliability: Site Info:

Depth to Bedrock: Lot: 025 04 Well Depth: Concession: Overburden/Bedrock: Concession Name: CON

Pump Rate: Easting NAD83: Static Water Level: Northing NAD83:

Flowing (Y/N): Zone: UTM Reliability: Flow Rate: Clear/Cloudy:

Bore Hole Information

10404898 219.891448 Bore Hole ID: Elevation: DP2BR: 125 Elevrc:

Spatial Status: Zone: 17 Code OB: East83: 604670.3 h

Code OB Desc: Mixed in a Layer North83: 4915809 Open Hole: Org CS:

Cluster Kind: UTMRC: Date Completed: 7/31/1990 **UTMRC Desc:**

margin of error: 100 m - 300 m Remarks: Location Method: gis Elevrc Desc:

Order No: 20200504087

Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock **Materials Interval**

Location Source Date: Improvement Location Source:

932373560 Formation ID:

Layer:

Color: General Color:

Mat1: 11 **GRAVEL** Most Common Material: Mat2: 05

Other Materials: CLAY Mat3:

Other Materials: Formation Top Depth: 151

Formation End Depth: 154 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932373564

12 Layer: Color: 2 General Color: **GREY** 05 Mat1: Most Common Material: CLAY Mat2: Other Materials: **GRAVEL**

Mat3: 13 **BOULDERS** Other Materials: Formation Top Depth: 220

230 Formation End Depth: Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932373557

Layer: Color: 2 General Color: **GREY** Mat1: 05 CLAY Most Common Material: Mat2: 73 Other Materials: HARD

Mat3:

Other Materials:

Formation Top Depth: 89 Formation End Depth: 95 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

932373562 Formation ID:

10 Layer: Color:

General Color:

Mat1: 28 SAND Most Common Material: Mat2: 11 **GRAVEL** Other Materials:

Mat3:

Other Materials:

161 Formation Top Depth: Formation End Depth: 196 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 932373558

Layer: 6

Color:

General Color:

05 Mat1:

Most Common Material: CLAY 28 Mat2: Other Materials: SAND Mat3: 74 Other Materials: LAYERED

95 Formation Top Depth:

Formation End Depth: 125 Formation End Depth UOM: ft

Overburden and Bedrock **Materials Interval**

Formation ID: 932373555 3 Layer: Color: 2 General Color: **GREY** 05 Mat1: Most Common Material: CLAY Mat2: 85

SOFT

Mat3:

Other Materials: Other Materials:

Formation Top Depth: 53 67 Formation End Depth: Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

932373561 Formation ID:

Layer:

Color:

General Color:

Mat1:

Most Common Material: **GRAVEL**

Mat2:

Other Materials:

Mat3:

Other Materials:

Formation Top Depth: 154 Formation End Depth: 161 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932373554

Layer:

Color: General Color:

Mat1:

28 Most Common Material: SAND Mat2: 11 **GRAVEL** Other Materials: 84 Mat3: Other Materials: SILTY Formation Top Depth: 31

53 Formation End Depth: Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932373563

Layer: 11 Color:

General Color:

11 Mat1:

GRAVEL Most Common Material: 28

SAND Other Materials:

Mat3:

Other Materials:

196 Formation Top Depth: Formation End Depth: 220 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932373559

Layer:

Color:

General Color:

Mat1: 11

GRAVEL Most Common Material: Mat2: 28 Other Materials: SAND Mat3: 33 Other Materials: MARL Formation Top Depth: 125 151 Formation End Depth:

Overburden and Bedrock

Formation End Depth UOM:

Materials Interval

Formation ID: 932373553

Layer:

Color:

General Color:

Mat1: 01 Most Common Material: **FILL**

Mat2:

Other Materials:

Mat3:

Other Materials: Formation Top Depth: 0 Formation End Depth: 31 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932373556

Layer: 2 Color: **GREY** General Color: Mat1: 05 CLAY Most Common Material: Mat2: 28 Other Materials: SAND Mat3: 84 Other Materials: SILTY Formation Top Depth: 67 Formation End Depth: 89 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 933190986

 Layer:
 1

 Plug From:
 10

 Plug To:
 60

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:
Method Construction Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 10953468

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930658440

Layer: 1
Material: 1
Open Hole or Material: STEEL

Depth From:

Depth To: 170
Casing Diameter: 2
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930658441

Layer: 2
Material: 1
Open Hole or Material: STEEL

Depth From:

Depth To: 180
Casing Diameter: 1
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 933375664

 Layer:
 1

 Slot:
 001

 Screen Top Depth:
 170

 Screen End Depth:
 210

 Screen Material:
 Screen Depth UOM:
 ft

Screen Diameter UOM: inch Screen Diameter: 2

Results of Well Yield Testing

Pump Test ID: 995727319

| Map Key | Number Record | | Direction/ Distance (m) | Elev/Diff (m) | Site | | DB |
|--|------------------|--------------|----------------------------|------------------|----------------------------------|-------------------|------|
| Pump Set At: Static Level: Final Level A | | na: | 12 15 | | | | |
| Recommender Pumping Rate Flowing Rate | ed Pump D te: | | 45 | | | | |
| Recommend | | ate: | | | | | |
| Levels UOM: | | | ft GPM | | | | |
| Rate UOM: Water State A | After Test C | Code: | GPM 1 | | | | |
| Water State A | After Test: | | CLEAR | | | | |
| Pumping Tes Pumping Dui | | | 1 3 | | | | |
| Pumping Dui | | | 0 | | | | |
| Flowing: | | | N | | | | |
| <u>Draw Down 8</u> | Recovery | | | | | | |
| Pump Test D | etail ID: | | 934308031 | | | | |
| Test Type: Test Duration | 1: | | 15 | | | | |
| Test Level: | | | 14 | | | | |
| Test Level U | ОМ: | | ft | | | | |
| <u>Draw Down 8</u> | Recovery | | | | | | |
| Pump Test D | etail ID: | | 934583809 | | | | |
| Test Type: Test Duration | n: | | 30 | | | | |
| Test Level: | | | 15 | | | | |
| Test Level U | ОМ: | | ft | | | | |
| <u>Draw Down 8</u> | Recovery | | | | | | |
| Pump_Test D | etail ID: | | 935099196 | | | | |
| Test Type: Test Duration | ٠. | | 60 | | | | |
| Test Level: | | | 15 | | | | |
| Test Level U | ОМ: | | ft | | | | |
| Water Details | <u> </u> | | | | | | |
| Water ID: | | | 933887287 | | | | |
| Layer: Kind Code: | | | 1 1 | | | | |
| Kind: | | | FRESH | | | | |
| Water Found Water Found | | n <i>n</i> . | 125 ft | | | | |
| | рерит оот | WI: | ιι | | | | |
| <u>98</u> | 1 of 1 | | S/210.7 | 220.0 / -14.15 | lot 25 con 4 ON | | wwis |
| Well ID: | | 5727318 | ; | | Data Entry Status: | | |
| Construction | | Not Us | 4 | | Data Src: | 1 | |
| Primary Water U | | Not Use | u | | Date Received: Selected Flag: | 10/11/1990 Yes | |
| Final Well Sta | | Abandor | ned-Supply | | Abandonment Rec: | | |
| Water Type: Casing Mater | rial· | | | | Contractor: Form Version: | 2801 1 | |
| Audit No: | .dr. | 88603 | | | Owner: | · | |
| Tag: | Motheril | | | | Street Name: | SIMCOE | |
| Construction | ivietnod: | | | | County: | SIMCOE | |

Map Key Number of Direction/ Elev/Diff Site DB

Records Distance (m) (m)

Elevation (m):Municipality:VESPRA TOWNSHIPElevation Reliability:Site Info:

 Depth to Bedrock:
 Lot:
 025

 Well Depth:
 Concession:
 04

 Overburden/Bedrock:
 Concession Name:
 CON

 Pump Rate:
 Easting NAD83:

Static Water Level:

Flowing (Y/N):

Flow Rate:

Northing NAD83:

Zone:

UTM Reliability:

Bore Hole Information

Clear/Cloudy:

Bore Hole ID: 10404897 **Elevation:** 219.71025

 DP2BR:
 195
 Elevrc:

 Spatial Status:
 Zone:
 17

 Code OB:
 h
 East83:
 604676.3

 Code OB Desc:
 Mixed in a Layer
 North83:
 4915808

 Open Hole:
 Org CS:

 Cluster Kind:
 UTMRC:
 5

 Date Completed:
 7/30/1990
 UTMRC Desc:
 margin of error: 100 m - 300 m

Remarks: Location Method:

Location Source Date:

Elevrc Desc:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock Materials Interval

Formation ID: 932373542

Layer: 2

Color:

General Color:
Mat1: 28

Most Common Material:SANDMat2:11Other Materials:GRAVELMat3:84Other Materials:SILTYFormation Top Depth:32Formation End Depth:58

Overburden and Bedrock

Formation End Depth UOM:

Materials Interval

Formation ID: 932373544

ft

Layer: 4

Color: General Color:

Mat1: 05

Most Common Material: CLAY Mat2: 08

Other Materials: FINE SAND

Mat3:84Other Materials:SILTYFormation Top Depth:68Formation End Depth:91Formation End Depth UOM:ft

Overburden and Bedrock

Materials Interval

Formation ID: 932373545

Layer: Color: 2 General Color: **GREY** 05 Mat1: Most Common Material: CLAY Mat2: 73 HARD Other Materials:

Mat3:

Other Materials:

Formation Top Depth: 91 Formation End Depth: 109 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

932373547 Formation ID: Layer: Color: 2 **GREY** General Color: Mat1: 05 Most Common Material: CLAY Mat2: 28 SAND Other Materials: Mat3: 79 Other Materials: **PACKED** Formation Top Depth: 130 Formation End Depth: 162 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932373552

12

Layer: Color: 2 General Color: **GREY** 05 Mat1: Most Common Material: CLAY 90 Mat2: Other Materials: **VERY** Mat3: 73 Other Materials: **HARD** Formation Top Depth: 226 Formation End Depth: 237 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

932373548 Formation ID:

Layer: 2 Color: General Color: **GREY** Mat1: 05 Most Common Material: CLAY Mat2: 28 SAND Other Materials:

Mat3:73Other Materials:HARDFormation Top Depth:162Formation End Depth:195Formation End Depth UOM:ft

Overburden and Bedrock

Materials Interval

Formation ID: 932373550 10 Layer: Color: 2 General Color: **GREY** Mat1: 05 Most Common Material: CLAY Mat2: 90 Other Materials: **VERY** Mat3: 73 HARD Other Materials: Formation Top Depth: 202 Formation End Depth: 219 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932373549

Layer: 9

Color: General Color:

Mat1: 28
Most Common Material: SAND

 Mat2:
 05

 Other Materials:
 CLAY

 Mat3:
 33

 Other Materials:
 MARL

 Formation Top Depth:
 195

 Formation End Depth:
 202

 Formation End Depth UOM:
 ft

Overburden and Bedrock

Materials Interval

Formation ID: 932373551

11 Layer: Color: General Color: **GREY** Mat1: 05 CLAY Most Common Material: Mat2: 90 Other Materials: **VERY** 73 Mat3: Other Materials: **HARD** Formation Top Depth: 219

Formation End Depth: 226
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932373543

Layer: 3

 Color:
 2

 General Color:
 GREY

 Mat1:
 05

 Most Common Material:
 CLAY

 Mat2:
 85

 Other Materials:
 SOFT

Mat3:

Other Materials:

Formation Top Depth: 58
Formation End Depth: 68
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932373546

Layer: 6 2 Color: General Color: **GREY** Mat1: 05 CLAY Most Common Material: Mat2: 28 SAND Other Materials: 90 Mat3: Other Materials: **VERY** Formation Top Depth: 109 Formation End Depth: 130 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932373541

Layer: 1

Color:

General Color:

Mat1: 01

Most Common Material: FILL

Mat2:

Other Materials:

Mat3:

Other Materials:
Formation Top Depth: 0
Formation End Depth: 32
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 933190985

 Layer:
 1

 Plug From:
 2

 Plug To:
 237

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:

Method Construction Code: 2

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 10953467 Casing No:

Comment: Alt Name:

Construction Record - Casing

930658439 Casing ID:

Layer: Material:

Open Hole or Material: STEEL

Depth From:

Depth To: 58 10 Casing Diameter: Casing Diameter UOM: inch Casing Depth UOM: ft

99 1 of 1 E/214.6 232.8 / -1.37

WWIS Barrie ON

Well ID: 7230455 Construction Date:

Primary Water Use: Monitoring

Sec. Water Use:

Observation Wells Final Well Status:

Water Type:

Casing Material:

Audit No: Z195410 Tag:

Construction Method:

Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level:

Flowing (Y/N): Flow Rate: Clear/Cloudy:

A168421

Bore Hole Information

Bore Hole ID: 1005190016

DP2BR: Spatial Status:

Code OB: Code OB Desc: Open Hole: Cluster Kind:

7/30/2014 Date Completed:

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Data Entry Status: Data Src:

10/30/2014 Date Received: Selected Flag:

Yes Abandonment Rec:

Contractor: 7472 Form Version: 7

Owner:

Street Name: 185 DUNLOP ST E

County: SIMCOE

Municipality: BARRIE CITY (VESPRA)

Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

230.408935 Elevation:

Elevrc:

Zone: 17 East83: 604898 4916029 North83: UTM83 Org CS: **UTMRC:**

margin of error: 30 m - 100 m UTMRC Desc:

Location Method: wwr

Overburden and Bedrock

Materials Interval

Formation ID: 1005414786

Layer: 1 **Color:** 6

General Color: BROWN

Mat1: 08

Most Common Material:FINE SANDMat2:11Other Materials:GRAVELMat3:79

Other Materials: PACKED
Formation Top Depth: 0
Formation End Depth: 4.6
Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1005414793

 Layer:
 1

 Plug From:
 0

 Plug To:
 2.2

 Plug Depth UOM:
 m

Annular Space/Abandonment

Sealing Record

Plug ID: 1005414794

 Layer:
 2

 Plug From:
 2.2

 Plug To:
 4.6

 Plug Depth UOM:
 m

Method of Construction & Well

<u>Use</u>

Method Construction ID:
Method Construction Code:
Method Construction:
Boring

Other Method Construction:

Pipe Information

Pipe ID: 1005414785

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1005414789

Layer: 1

Material: 5

 Open Hole or Material:
 PLASTIC

 Depth From:
 0

 Depth To:
 2.5

 Casing Diameter:
 5.2

 Casing Diameter UOM:
 cm

Order No: 20200504087

m

Casing Depth UOM:

Construction Record - Screen

Screen ID: 1005414790

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 2.5

 Screen End Depth:
 4.6

 Screen Material:
 5

 Screen Depth UOM:
 m

 Screen Diameter UOM:
 cm

 Screen Diameter:
 6.4

Hole Diameter

Hole ID: 1005414787

 Diameter:
 21

 Depth From:
 0

 Depth To:
 4.6

 Hole Depth UOM:
 m

 Hole Diameter UOM:
 cm

100 1 of 2 ESE/214.5 227.9 / -6.32 WWIS

Well ID: 5700262

Construction Date:
Primary Water Use: Industrial

Primary Water Use: Industrial **Sec. Water Use:** 0

Final Well Status: Water Supply

Water Type: Casing Material:

Audit No: Tag:

Construction Method:

Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level:

Flowing (Y/N): Flow Rate: Clear/Cloudy: Data Entry Status:

Data Src:

Date Received: 2/11/1963 **Selected Flag:** Yes

Abandonment Rec:

Contractor: 3414 Form Version: 1

Owner: Street Name:

County: SIMCOE
Municipality: BARRIE CITY

Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 10378155

DP2BR:

Spatial Status:
Code OB:

Code OB Desc: Overburden

Open Hole:

Cluster Kind:

Date Completed: 10/12/1962

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Elevation: 223.982574

Elevrc:

Zone: 17 **East83:** 604879.4 **North83:** 4915946

Org CS:

UTMRC:

UTMRC Desc: margin of error : 100 m - 300 m

Order No: 20200504087

Location Method: p5

Overburden and Bedrock

Materials Interval

Formation ID: 932255951

Layer:

Color:

General Color:

Mat1: 01 Most Common Material: **FILL**

Mat2:

Other Materials:

Mat3:

Other Materials:

Formation Top Depth: 0 Formation End Depth: Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

932255954 Formation ID:

Layer:

Color:

General Color:

Mat1:

Most Common Material: **GRAVEL**

Mat2: 09

Other Materials: MEDIUM SAND

Mat3:

Other Materials:

40 Formation Top Depth: Formation End Depth: 78 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

932255953 Formation ID:

Layer:

Color: General Color:

Mat1: 11

GRAVEL Most Common Material:

Mat2: 09

Other Materials: MEDIUM SAND

Mat3: 05

Other Materials: CLAY Formation Top Depth: 25 Formation End Depth: 40 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932255952

Layer: 2 Color:

6 **BROWN** General Color: 05 Mat1. Most Common Material: CLAY Mat2: 11

Other Materials:

Mat3:

Other Materials: 1 Formation Top Depth: Formation End Depth: 25 ft

GRAVEL

Formation End Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: Method Construction Code:

Cable Tool **Method Construction:**

Other Method Construction:

Pipe Information

Pipe ID: 10926725

Casing No: Comment: Alt Name:

Construction Record - Casing

Casing ID: 930625762

Layer: Material: Open Hole or Material: **STEEL**

Depth From:

Depth To: 43 10 Casing Diameter: inch Casing Diameter UOM: Casing Depth UOM: ft

Construction Record - Screen

933362805 Screen ID:

Layer:

Slot:

Screen Top Depth: 43 Screen End Depth: 68

Screen Material:

Screen Depth UOM: Screen Diameter UOM: inch

Screen Diameter:

Results of Well Yield Testing

995700262 Pump Test ID:

Pump Set At:

2 Static Level: 24 Final Level After Pumping: Recommended Pump Depth: 35 Pumping Rate: 300 Flowing Rate: Recommended Pump Rate: 150

Levels UOM: ft Rate UOM: **GPM** Water State After Test Code: 1 Water State After Test: **CLEAR** Pumping Test Method: 24 **Pumping Duration HR:**

Pumping Duration MIN: 0

Flowing: Ν

Water Details

Water ID: 933859677 Layer:

Kind Code: Kind: **FRESH** Water Found Depth: 78 ft Water Found Depth UOM:

2 of 2 ESE/214.5 227.9 / -6.32 100 **WWIS** ON

Well ID: 5735508 Data Entry Status:

Construction Date: Data Src: Primary Water Use: Date Received:

9/21/2000 Sec. Water Use: Selected Flag: Yes Abandoned-Other Final Well Status:

Abandonment Rec: Water Type: Contractor: 2576

Casing Material: Form Version: 219644 Audit No: Owner:

Tag: Street Name: Construction Method: SIMCOE County: Elevation (m): Municipality: **BARRIE CITY**

Elevation Reliability: Site Info: Depth to Bedrock: Lot: Well Depth: Concession: Overburden/Bedrock: Concession Name: Pump Rate: Easting NAD83: Static Water Level: Northing NAD83:

Flowing (Y/N): Zone:

UTM Reliability: Flow Rate: Clear/Cloudy:

Bore Hole Information

Bore Hole ID: 10413038 Elevation: 223.982574

DP2BR: Elevrc: Spatial Status: 17 Zone: Code OB: East83: 604879.4

No formation data Code OB Desc: North83: 4915946 Open Hole: Org CS: Cluster Kind: UTMRC:

Date Completed: 8/23/2000 UTMRC Desc: margin of error: 100 m - 300 m

Remarks: Location Method: org

Order No: 20200504087

Source Revision Comment: Supplier Comment:

Annular Space/Abandonment Sealing Record

933197880 Plug ID:

Layer: 2 Plug From: 10 25 Plug To: Plug Depth UOM: ft

Elevrc Desc:

Location Source Date: Improvement Location Source: Improvement Location Method:

Annular Space/Abandonment

Sealing Record

Plug ID: 933197879

 Layer:
 1

 Plug From:
 0

 Plug To:
 10

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:

Method Construction Code:

Method Construction: Not Known

Other Method Construction:

Pipe Information

Pipe ID: 10961608

Casing No: Comment: Alt Name:

Construction Record - Casing

Casing ID: 930668648

Layer: 1
Material: 1
Open Hole or Material: STEEL

Depth From:

Depth To:

Casing Diameter: 10
Casing Diameter UOM: inch
Casing Depth UOM: ft

101 1 of 1 WSW/212.8 223.6 / -10.53 2 Fred Grant St Barrie ON L4M3G6

Order No: 20170310027 Nearest Intersection: Status: C Municipality:

 Report Type:
 Standard Report
 Client Prov/State:
 ON

 Report Date:
 16-MAR-17
 Search Radius (km):
 .25

 Date Received:
 10-MAR-17
 X:
 -79.688474

 Previous Site Name:
 Y:
 44.388937

Lot/Building Size:

Additional Info Ordered: Fire Insur. Maps and/or Site Plans; City Directory

102 1 of 1 E/220.3 235.9 / 1.68 17 Poyntz St Barrie ON L4M3N6

Order No: 20200504087

Order No:20180306175Nearest Intersection:Status:CMunicipality:

Status:CMunicipality:Report Type:Standard ReportClient Prov/State:ONReport Date:13-MAR-18Search Radius (km):.25

 Date Received:
 06-MAR-18
 X:
 -79.682894

 Previous Site Name:
 Y:
 44.390026

Lot/Building Size:

Additional Info Ordered: Fire Insur. Maps and/or Site Plans; City Directory

Map Key Number of Direction/ Elev/Diff Site DΒ

Records Distance (m) (m)

103 1 of 1 ESE/219.1 227.9 / -6.32 **WWIS** Barrie ON

7230454 Well ID: Data Entry Status:

Construction Date: Data Src:

10/30/2014 Primary Water Use: Monitoring Date Received: Sec. Water Use: Selected Flag: Yes

Final Well Status: **Observation Wells** Abandonment Rec: Water Type: Contractor:

7472 Casing Material: Form Version: 7 Audit No: Z195411 Owner:

A168399 Street Name: 185 DUNLOP ST E Tag: Construction Method: County: SIMCOE

BARRIE CITY (VESPRA) Elevation (m): Municipality: Elevation Reliability: Site Info: Depth to Bedrock: Lot:

Well Depth: Concession: Overburden/Bedrock: Concession Name: Pump Rate: Easting NAD83:

Static Water Level: Northing NAD83: Flowing (Y/N): Zone: UTM Reliability:

Clear/Cloudy:

Bore Hole Information

Flow Rate:

Bore Hole ID: 1005189998 Elevation: 225.141098

DP2BR: Elevrc: Spatial Status: Zone: 17 Code OB: East83: 604890 Code OB Desc: North83: 4915960 Open Hole: Org CS: UTM83 Cluster Kind: **UTMRC:**

margin of error: 30 m - 100 m 7/30/2014 Date Completed: **UTMRC Desc:**

Order No: 20200504087

Remarks: Location Method: Elevrc Desc:

Overburden and Bedrock

Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Materials Interval

1005414762 Formation ID:

Layer: 1 Color: 6 General Color: **BROWN** Mat1: 80 Most Common Material: FINE SAND

Mat2: 11 Other Materials: **GRAVEL** Mat3: 79 Other Materials: **PACKED** Formation Top Depth: 0

Formation End Depth: 4.6 Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1005414770

 Layer:
 2

 Plug From:
 2.2

 Plug To:
 4.6

 Plug Depth UOM:
 m

Annular Space/Abandonment

Sealing Record

Plug ID: 1005414769

 Layer:
 1

 Plug From:
 0

 Plug To:
 2.2

 Plug Depth UOM:
 m

Method of Construction & Well

<u>Use</u>

Method Construction ID:
Method Construction Code:
Method Construction:
Boring

Other Method Construction:

Pipe Information

Pipe ID: 1005414761

Casing No: Comment: Alt Name:

Construction Record - Casing

Casing ID: 1005414765

 Layer:
 1

 Material:
 5

 Open Hole or Material:
 PLASTIC

 Depth From:
 0

 Depth To:
 2.5

 Casing Diameter:
 5.2

 Casing Diameter UOM:
 cm

 Casing Depth UOM:
 m

Construction Record - Screen

Screen ID: 1005414766

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 2.5

 Screen End Depth:
 4.6

 Screen Material:
 5

 Screen Depth UOM:
 m

 Screen Diameter UOM:
 cm

 Screen Diameter:
 6.4

Hole Diameter

Hole ID: 1005414763

Diameter: 21 **Depth From:** 0

| Map Key | Numbe Record | | - | Elev/Diff (m) | Site | | DB |
|------------------------------------|-----------------|---|----------|--------------------|---|----------------------|------|
| Depth To: | | 4.6 | | | | | |
| Hole Depth UOM: | | m | | | | | |
| Hole Diamet | | cm | | | | | |
| <u>104</u> | 1 of 1 | NW/217.1 | | 234.9 / 0.71 | OWEN ST., RIGHT BE <unofficial> Barrie ON</unofficial> | ESIDE 60 WORSLEY ST. | SPL |
| Ref No: | | 6706-5TJQ33 | | | Discharger Report: | | |
| Site No: | | | | | Material Group: | Oil | |
| Incident Dt: | | 11/22/2003 | | | Health/Env Conseq: | | |
| Year: | | Other Discharges | | | Client Type: | | |
| Incident Cause: Incident Event: | | Other Discharges | | | Sector Type: Agency Involved: | | |
| Contaminant Code: | | 15 | | | Nearest Watercourse: | | |
| Contaminan | | TRANSMISSION OIL | | | Site Address: | | |
| Contaminan | | | | | Site District Office: | Barrie | |
| Contam Lim | | | | | Site Postal Code: | | |
| Contaminan | • | | | | Site Region: | Southwestern | |
| Environmen | t Impact: | Possible | | | Site Municipality: | Barrie | |
| Nature of Im | | Soil Contamination | | | Site Lot: | | |
| Receiving M | | Land | | | Site Conc: | | |
| Receiving E | | | | | Northing: | | |
| MOE Respon | | | | | Easting: | | |
| Dt MOE Arvl on Scn: | | 4.4.100.100.00 | | | Site Geo Ref Accu: | | |
| MOE Report | | 11/22/2003 | | | Site Map Datum: | On the Land | |
| Dt Documen | | Unknown Bosson not | dotormi | inad | SAC Action Class: | Spill to Land | |
| Incident Rea Site Name: | ison: | Unknown - Reason not determined Source Type: OWEN ST., RIGHT BESIDE 60 WORSLEY ST. <unofficial></unofficial> | | | | | |
| Site County/ | District | OWEN 31., F | NIGITI L | DESIDE 00 WOR | SEET ST. CONOTTICIALS | | |
| Site Geo Re | | | | | | | |
| Incident Sur | | Ukn scre ukn | amt tra | nsmission fluid to | ord c/b | | |
| Contaminant Qty: | | Ukn scre,ukn amt transmission fluid to rd,c/b other - see incident description | | | | | |
| <u>105</u> | 1 of 1 | SW/215.0 | | 221.9 / -12.32 | ON. | | wwis |
| | | | | | ON | | |
| Well ID: | | 7176288 | | | Data Entry Status: | Yes | |
| Construction Date: | | | | | Data Src: | | |
| Primary Water Use: | | | | | Date Received: | 2/8/2012 | |
| Can Water Use: | | | | Colooted Floor | Voc | | |

| 105 | SW/215.0 | 221.9/-12.32 | ON | | WWIS |
|--------------------------------|------------|--------------|---------------------------------|----------------------|------|
| Well ID: Construction Date: | 7176288 | | Data Entry Status: Data Src: | Yes | |
| Primary Water Use: | | | Date Received: | 2/8/2012 | |
| Sec. Water Use: | | | Selected Flag: | Yes | |
| Final Well Status: | | | Abandonment Rec: | | |
| Water Type: | | | Contractor: | 7282 | |
| Casing Material: | | | Form Version: | 5 | |
| Audit No: | M10866 | | Owner: | | |
| Tag: | A120815 | | Street Name: | | |
| Construction Method: | | | County: | SIMCOE | |
| Elevation (m): | | | Municipality: | BARRIE CITY (VESPRA) | |
| Elevation Reliability: | | | Site Info: | | |
| Depth to Bedrock: | | | Lot: | | |
| Well Depth: | | | Concession: | | |
| Overburden/Bedrock: | | | Concession Name: | | |
| Pump Rate: | | | Easting NAD83: | | |
| Static Water Level: | | | Northing NAD83: | | |
| Flowing (Y/N): | | | Zone: | | |
| Flow Rate: | | | UTM Reliability: | | |
| Clear/Cloudy: | | | | | |
| Bore Hole Information | | | | | |
| Bore Hole ID: DP2BR: | 1003688730 | | Elevation: Elevrc: | 221.869918 | |

Map Key Number of Direction/ Elev/Diff Site DB

Records Distance (m) (m)

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 604498

 Code OB Desc:
 North83:
 4915860

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

 Date Completed:
 10/4/2011
 UTMRC Desc:
 margin of error : 30 m - 100 m

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

106 1 of 1 WSW/225.1 224.8 / -9.35 RESTAURANT

34 DUNLOP ST. EAST (N.O.S.) BARRIE CITY ON L4M 1A3

wwr

SPL

Order No: 20200504087

Location Method:

Ref No: 171141 Discharger Report:

Site No: Material Group:
Incident Dt: 8/5/1999 Health/Env Conseq:

Year:
Incident Cause: OTHER CONTAINER LEAK
Incident Event:
Contaminant Code:

OTHER CONTAINER LEAK
Agency Involved:

November Westernam

Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:

Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:

Environment Impact: POSSIBLE Site Municipality: 70101

Nature of Impact:Soil contaminationSite Lot:Receiving Medium:LANDSite Conc:Receiving Env:Northing:

MOE Response: Easting: WORKS

Dt MOE Arvl on Scn:

MOE Reported Dt:

8/5/1999

Site Geo Ref Accu:

Site Geo Ref Accu:

Site Map Datum:

SAC Action Class:

Dt Document Closed: SAC Action Class: Incident Reason: UNKNOWN Source Type:

Site Name: Site County/District:

Site Geo Ref Meth: Incident Summary: Contaminant Qty:

FOUNDATION- WASTE GREESE AND OIL TO PARKING LOT & WALKWAY. CLEANING.

107 1 of 1 WNW/225.0 233.4 / -0.79

Barrie ON

WWIS

Well ID: 7157663 Data Entry Status:

Construction Date:

Primary Water Use: Monitoring and Test Hole Date Received: 1/14/2011

Sec. Water Use: 0 Selected Flag: Yes
Final Well Status: Monitoring and Test Hole Abandonment Rec:

Water Type: Contractor: 7241
Casing Material: Form Version: 7

Casing Material: Form Version: 7
Audit No: Z124104 Owner: 7

Tag:A111574Street Name:48 OWEN STREETConstruction Method:County:SIMCOE

Elevation (m):Municipality:BARRIE CITY (VESPRA)Elevation Reliability:Site Info:WKQ-003369 A0-A02

Depth to Bedrock:

Well Depth:

Overburden/Bedrock:

Pump Rate:

Lot:

Concession:

Concession Name:

Easting NAD83:

Static Water Level: Northing NAD83:

Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 1003455864 **Elevation:** 233.501678

DP2BR: Elevrc: Spatial Status: Zone: 17 East83: 604447 Code OB: Code OB Desc: North83: 4916176 UTM83 Open Hole: Org CS: UTMRC: Cluster Kind:

Date Completed: 12/15/2010 UTMRC Desc: margin of error: 10 - 30 m

Location Method:

Order No: 20200504087

Elevrc Desc:

Overburden and Bedrock

Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Materials Interval

Remarks:

Formation ID: 1003768261

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

Mat1: 01 FILL Most Common Material: Mat2: 26 Other Materials: **ROCK** Mat3: 28 SAND Other Materials: Formation Top Depth: 0 Formation End Depth: 8 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1003768262

 Layer:
 2

 Color:
 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 26

 Other Materials:
 ROCK

Mat3:

Other Materials:
Formation Top Depth: 8

Formation End Depth: 16
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1003768264

Layer: 4

 Color:
 2

 General Color:
 GREY

 Mat1:
 28

 Most Common Material:
 SAND

Mat2:

Other Materials:

Mat3:85Other Materials:SOFTFormation Top Depth:18Formation End Depth:23Formation End Depth UOM:ft

Overburden and Bedrock

Materials Interval

Formation ID: 1003768263

 Layer:
 3

 Color:
 6

 General Color:
 BROWN

 Mat1:
 11

 Most Common Material:
 GRAVEL

Mat2:

Other Materials:

Mat3:66Other Materials:DENSEFormation Top Depth:16Formation End Depth:18Formation End Depth UOM:ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1003768274

 Layer:
 2

 Plug From:
 1

 Plug To:
 12

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1003768273

 Layer:
 1

 Plug From:
 0

 Plug To:
 1

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1003768275

 Layer:
 3

 Plug From:
 12

 Plug To:
 23

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:

Method Construction Code:

Method Construction: Other Method

Other Method Construction: DIRECT PUSH

Pipe Information

Pipe ID: 1003768260

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1003768267

Layer: Material: 5

Open Hole or Material: **PLASTIC**

Depth From: Depth To:

0 13 1.75

Casing Diameter: Casing Diameter UOM: inch Casing Depth UOM:

Construction Record - Screen

1003768268 Screen ID:

Layer: 10 Slot: Screen Top Depth: 13 Screen End Depth: 23 Screen Material: 5 Screen Depth UOM: ft

Screen Diameter UOM: inch Screen Diameter:

Hole Diameter

Hole ID: 1003768265

Diameter: 4.5 Depth From: 0 Depth To: 23 Hole Depth UOM: ft Hole Diameter UOM: inch

229.8 / -4.37 Simcoe Muskoka District Health Unit 108 1 of 3 W/230.5 **GEN**

24 Collier Street

Barrie ON PO Box No:

Country:

Co Admin:

Generator No: ON9537848

Status:

Approval Years:

2012

Contam. Facility: MHSW Facility:

SIC Code: 621390

SIC Description: Offices of All Other Health Practitioners

Simcoe Muskoka District Health Unit 108 2 of 3 W/230.5 229.8 / -4.37

24 Collier Street

GEN

Order No: 20200504087

Choice of Contact:

Phone No Admin:

Barrie ON

ON9537848 PO Box No: Generator No: Status: Country:

2013 Approval Years: Choice of Contact:

Number of Direction/ Elev/Diff Site DΒ Map Key

Contam. Facility: Co Admin: MHSW Facility: Phone No Admin:

Distance (m)

621390 SIC Code:

SIC Description: OFFICES OF ALL OTHER HEALTH PRACTITIONERS

Detail(s)

Waste Class: 312

Records

Waste Class Desc: PATHOLOGICAL WASTES

108 3 of 3 W/230.5 229.8 / -4.37 Simcoe Muskoka District Health Unit **GEN**

24 Collier Street Barrie ON L4M 1G6

PO Box No: Generator No: ON9537848

Status: Country: Canada Approval Years: 2014 Choice of Contact: CO_OFFICIAL Contam. Facility: No Co Admin: Michelle Marsh MHSW Facility: 705-721-7520 Ext. No Phone No Admin:

(m)

621390 SIC Code:

SIC Description: OFFICES OF ALL OTHER HEALTH PRACTITIONERS

Detail(s)

Waste Class: 312

PATHOLOGICAL WASTES Waste Class Desc:

109 1 of 1 NW/226.5 236.0 / 1.83 59 Owen Street SPL Barrie ON

Ref No: 5155-A9FNQD Discharger Report: Site No: NA Material Group: 2016/04/28 Incident Dt: Health/Env Conseq: Year:

Client Type:

Incident Cause: Sector Type: Incident Event: Leak/Break Agency Involved:

Contaminant Code: Nearest Watercourse:

COOLANT N.O.S. 59 Owen Street Contaminant Name: Site Address:

Contaminant Limit 1: Site District Office: Contam Limit Freq 1: Site Postal Code: Contaminant UN No 1: Site Region: **Environment Impact:** Site Municipality:

Barrie Nature of Impact: Site Lot: Receiving Medium: Site Conc:

Receiving Env: Northing: 4916254 Land MOE Response: Easting: 604514 No Dt MOE Arvl on Scn: Site Geo Ref Accu:

2016/04/28 MOE Reported Dt: Site Map Datum:

Dt Document Closed: 2016/05/13 SAC Action Class: Land Spills

Incident Reason: Unknown / N/A Source Type:

Site Name: Street in front of Residence<UNOFFICIAL>

Site County/District: Site Geo Ref Meth:

U-Pak: Coolant spill to road, contained Incident Summary: Contaminant Qty: 0 other - see incident description

110 1 of 3 NE/225.4 251.9 / 17.68 MINISTRY OF GOVERNMENT SERVICES **NPCB**

BARRIE COURTHOUSE BARRIE COURTHOUSE

Order No: 20200504087

Miscellaneous Industrial

BARRIE ON

Company Code: O0255R

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Industry: Site Status:

Transaction Date: Inspection Date:

--Details--Label: Serial No.: PCB Type/Code: Location: Item/State: No. of Items: Manufacturer:

Status: In-Use

Contents:

2 of 3 NE/225.4 251.9 / 17.68 110 PRIVATE OWNER

COURTHOUSE WACDONALD STREET MOTOR

SPL

NPCB

Order No: 20200504087

221791 Ref No:

Site No: Incident Dt: 2/20/2002

Year.

Incident Cause: OTHER CAUSE (N.O.S.)

Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1:

Contam Limit Freq 1: Contaminant UN No 1:

Environment Impact: **POSSIBLE**

Nature of Impact: Receiving Medium: Receiving Env:

MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt:

Dt Document Closed: Incident Reason:

Site Name:

Site County/District:

Site Geo Ref Meth:

Incident Summary: Contaminant Qty:

251.9 / 17.68

NE/225.4

Company Code: O0255R

3 of 3

GOVERNMENT (NOT FEDERAL) Industry: Site Status: NO MORE PCB'S ON THIS SITE

Multi Media Pollution

LAND / WATER

2/20/2002

OTHER

Transaction Date: 8/5/1996 2/25/1991 Inspection Date:

--Details--

110

OR25218 Label: Serial No.: FPE G-4794-1

PCB Type/Code: MINERAL OIL/UNKNOWN

VEHICLE (OPERATING FLUID)

BARRIE CITY ON

Discharger Report: Material Group: Health/Env Conseq:

Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office:

Site Postal Code: Site Region:

Site Municipality: 70101

Site Lot: Site Conc: Northing: Easting:

Site Geo Ref Accu: Site Map Datum:

SAC Action Class: Source Type:

PRIVATE OWNER, VEHICLE-- GASOLINE LEAK IN PKG LOT INTO STORM SEWAR/C.BASIN

MINISTRY OF GOVERNMENT SERVICE

BARRIE COURTHOUSE

BARRIE ON

Map Key Number of Direction/ Elev/Diff Site DB

Location: FLOOR MTD. OIL FILLED Item/State: TRANSFORMER/FULL

No. of Items:

Records

Manufacturer: FERRANTI PACKARD MANUFACTURE DATE: 1974-01-01

Distance (m)

Status: IN-USE Contents: 2462 L

111 1 of 1 WSW/226.5 223.3 / -10.83 WWIS

Well ID: 7110081 Data Entry Status:

Construction Date: Data Src:

Primary Water Use: Monitoring Date Received: 8/19/2008
Sec. Water Use: Selected Flag: Yes

 Final Well Status:
 Observation Wells

 Water Type:
 Contractor:
 7201

 Casing Material:
 Form Version:
 5

 Audit No:
 M02617
 Owner:

 Tag:
 A060470
 Street Name:
 DUNLOP & FRED ST.

Construction Method: County: SIMCOE
Elevation (m): Municipality: BARRIE CITY
Elevation Reliability: Site Info:

Depth to Bedrock:

Well Depth:

Overburden/Bedrock:

Pump Rate:

Static Water Level:

Lot:

Concession:

Concession Name:

Easting NAD83:

Northing NAD83:

Flowing (Y/N):

Flow Rate:

UTM Reliability:

Bore Hole Information

Clear/Cloudy:

Bore Hole ID: 1002687932 **Elevation:** 224.779129

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 604445

 Code OB Desc:
 North83:
 4915933

Open Hole:Org CS:UTM83Cluster Kind:This is a record from cluster log sheetUTMRC:3

 Date Completed:
 5/12/2008

 UTMRC Desc:
 margin of error : 10 - 30 m

 Page 10 - 30 m

 Page 21 - 30 m

 Page 21 - 30 m

 Page 32 m

 <th

Order No: 20200504087

Remarks: Location Method: W

Elevrc Desc:
Location Source Date:

Improvement Location Source:
Improvement Location Method:
Source Revision Comment:

Supplier Comment:

Sealing Record

Plug Depth UOM:

Annular Space/Abandonment

Plug ID: 1002687936 Layer: Plug From: Plug To:

Method of Construction & Well

<u>Use</u>

Method Construction ID: Method Construction Code: Method Construction:

Other Method Construction: BORING

Pipe Information

Pipe ID: 1002687937

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1002687939

Layer:

Material:

Open Hole or Material: PLASTIC

Depth From:

Depth To:

Casing Diameter:
Casing Diameter UOM:

Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1002687938

Layer: Slot:

Screen Top Depth: 10 Screen End Depth: 20

Screen End Depth: Screen Material:

Screen Depth UOM: ft

Screen Diameter UOM: Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1002687940

Pump Set At: Static Level:

Final Level After Pumping: Recommended Pump Depth:

Pumping Rate: Flowing Rate:

Recommended Pump Rate:

Levels UOM: Rate UOM:

Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN:

Flowing:

Hole Diameter

Hole ID: 1002687934

Diameter: 8.25

Depth From:

Depth To: 20
Hole Depth UOM: ft

Elevation:

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

Zone:

223.660263

4915915

margin of error: 10 - 30 m

Order No: 20200504087

UTM83

17 604498

3

wwr

Hole Diameter UOM:

Bore Hole Information

1002687914

inch

1002687918

DP2BR: Spatial Status:

Bore Hole ID:

Code OB: Code OB Desc: Open Hole:

Cluster Kind: This is a record from cluster log sheet Date Completed: 5/12/2008

Remarks:

Elevrc Desc:

Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Annular Space/Abandonment

Sealing Record

Plug ID: Layer:

Plug From: Plug To:

Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: Method Construction Code: Method Construction:

Method Construction:

Other Method Construction: BORING

Pipe Information

Pipe ID: 1002687919

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1002687921

Layer:

Material:

Open Hole or Material: PLASTIC

Depth From:

Depth To: 10

Casing Diameter:

Casing Diameter UOM:

Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1002687920

Layer: Slot:

Screen Top Depth: 10
Screen End Depth: 20
Screen Material:
Screen Depth UOM: ft
Screen Diameter UOM:

Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1002687922

Pump Set At: Static Level:

Final Level After Pumping: Recommended Pump Depth:

Pumping Rate: Flowing Rate:

Recommended Pump Rate:

Levels UOM: Rate UOM:

Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN:

Flowing:

Hole Diameter

Hole ID: 1002687916

Diameter: 8.25

Depth From:

Depth To: 20
Hole Depth UOM: ft
Hole Diameter UOM: inch

Bore Hole Information

Bore Hole ID: 1002687905

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole:

Cluster Kind: This is a record from cluster log sheet

Date Completed: 5/12/2008

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Annular Space/Abandonment

Sealing Record

Plug ID: 1002687909

Layer: Plug From: Plug To:

Plug Depth UOM:

Elevation: 222.523193

Elevrc:

 Zone:
 17

 East83:
 604490

 North83:
 4915890

 Org CS:
 UTM83

UTMRC: 3

UTMRC Desc: margin of error: 10 - 30 m

Order No: 20200504087

Location Method: wwr

Method of Construction & Well

<u>Use</u>

Method Construction ID: Method Construction Code: Method Construction:

Other Method Construction: BORING

Pipe Information

Pipe ID: 1002687910

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1002687912

Layer:

Material: 5

Open Hole or Material: PLASTIC

Depth From:

Depth To: 7.5

Casing Diameter:
Casing Diameter UOM:

Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1002687911

Layer: Slot:

Screen Top Depth: 7.5 Screen End Depth: 17.5

Screen Material:

Screen Depth UOM: ft

Screen Diameter UOM: Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1002687913

Pump Set At: Static Level:

Final Level After Pumping:

Recommended Pump Depth:

Pumping Rate: Flowing Rate:

Recommended Pump Rate:

Levels UOM:

Rate UOM:

Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR:

Pumping Duration MIN: Flowing:

Hole Diameter

 Hole ID:
 1002687907

 Diameter:
 8.25

Zone:

East83:

North83:

Org CS:

UTMRC Desc:

Location Method:

17 604421

4915934 UTM83

margin of error: 10 - 30 m

Order No: 20200504087

Depth From:

Depth To: 17.5
Hole Depth UOM: ft
Hole Diameter UOM: inch

Bore Hole Information

 Bore Hole ID:
 1002687941
 Elevation:
 225.089141

 DP2BR:
 Elevrc:

DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:

Cluster Kind: This is a record from cluster log sheet UTMRC:

Date Completed: 5/12/2008

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Annular Space/Abandonment

Sealing Record

Plug ID: 1002687945

Layer: Plug From: Plug To:

Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: Method Construction Code: Method Construction:

Other Method Construction: BORING

Pipe Information

Pipe ID: 1002687946

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1002687948

Layer:

Material:

Open Hole or Material: PLASTIC

Depth From:

Depth To: 10

Casing Diameter: Casing Diameter UOM:

Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1002687947

Layer: Slot:

Screen Top Depth: 10 Screen End Depth: 20

Screen Material: Screen Depth UOM: ft

Screen Diameter UOM: Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1002687949

Pump Set At: Static Level:

Final Level After Pumping: Recommended Pump Depth:

Pumping Rate: Flowing Rate:

Recommended Pump Rate:

Levels UOM: Rate UOM:

Water State After Test Code: Water State After Test: **Pumping Test Method: Pumping Duration HR:** Pumping Duration MIN:

Flowing:

Hole Diameter

1002687943 Hole ID: Diameter: 8.25

Depth From:

Depth To: 20 Hole Depth UOM: ft Hole Diameter UOM: inch

Bore Hole Information

Bore Hole ID: Elevation: 223.006088 1001741778 DP2BR: Elevrc:

Spatial Status: Code OB: Code OB Desc: Open Hole: Ν

Cluster Kind:

Date Completed: 5/12/2008

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1002687952

Layer: 2 6 Color:

Zone:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc: margin of error: 10 - 30 m

17 604460

4915886

Order No: 20200504087

UTM83

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 06

 Other Materials:
 SILT

 Mat3:
 91

Other Materials: WATER-BEARING

Formation Top Depth: 12.5
Formation End Depth: 17.5
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1002687951

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

 Mat2:
 11

 Other Materials:
 GRAVEL

Mat3:

Other Materials:
Formation Top Depth: 0
Formation End Depth: 12.5
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1002687956

 Layer:
 3

 Plug From:
 6.5

 Plug To:
 17.5

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1002687954

 Layer:
 1

 Plug From:
 0

 Plug To:
 1

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1002687955

 Layer:
 2

 Plug From:
 1

 Plug To:
 6.5

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID: Method Construction Code:

Method Construction Code:6Method Construction:Boring

Other Method Construction:

Pipe Information

Pipe ID: 1002687950

Casing No:

Comment: Alt Name:

Construction Record - Screen

Screen ID: 1002687957

Screen Top Depth:

Screen End Depth:

Screen Material:5Screen Depth UOM:ftScreen Diameter UOM:inchScreen Diameter:2.5

Hole Diameter

Hole ID: 1002687953

Diameter:8.25Depth From:0Depth To:17.5Hole Depth UOM:ftHole Diameter UOM:inch

Bore Hole Information

Bore Hole ID: 1002687923 **Elevation:** 223.885726

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

Zone:

17

604478

4915927

margin of error : 10 - 30 m

Order No: 20200504087

UTM83

wwr

DP2BR: Spatial Status:

Spatial Status: Code OB: Code OB Desc: Open Hole:

Cluster Kind: This is a record from cluster log sheet

Date Completed: 5/12/2008

Remarks:

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

• •

Annular Space/Abandonment

Sealing Record

Plug ID: 1002687927

Layer: Plug From: Plug To: Plug Depth UOM:

Method of Construction & Well

<u>Use</u>

Method Construction ID: Method Construction Code:

Method Construction:

Other Method Construction: BORING

Pipe Information

Pipe ID: 1002687928

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1002687930

Layer:

Material:

Open Hole or Material: PLASTIC

Depth From:
Depth To: 10

Casing Diameter: Casing Diameter UOM:

Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1002687929

Layer: Slot:

Screen Top Depth: 10 Screen End Depth: 20

Screen Material:
Screen Depth UOM: ft

Screen Diameter UOM: Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1002687931

Pump Set At: Static Level:

Final Level After Pumping: Recommended Pump Depth:

Pumping Rate: Flowing Rate:

Recommended Pump Rate:

Levels UOM: Rate UOM:

Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN:

Flowing:

Hole Diameter

Hole ID: 1002687925

Diameter: 8.25

Depth From:

Depth To: 20
Hole Depth UOM: ft
Hole Diameter UOM: inch

1 of 1 E/233.5 230.2 / -3.94 112 **WWIS** ON

Well ID: 5700235

Construction Date: Primary Water Use: Municipal

Sec. Water Use:

Final Well Status: Water Supply

Water Type: Casing Material: Audit No:

Tag: **Construction Method:** Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

Data Entry Status:

Data Src:

11/29/1950 Date Received: Yes

Selected Flag: Abandonment Rec:

2801 Contractor: Form Version: 1

Owner: Street Name:

County: SIMCOE Municipality: BARRIE CITY

17

604911.3

4915982

margin of error: 100 m - 300 m

Site Info: Lot: Concession:

Zone:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:

Bore Hole Information

226.525039 Bore Hole ID: 10378129 Elevation: Elevrc:

DP2BR: Spatial Status:

Code OB:

Code OB Desc: Overburden

Open Hole: Cluster Kind:

Date Completed: 7/13/1948

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 932255784

Layer: 5

Color:

General Color:

09 Mat1:

Most Common Material: **MEDIUM SAND**

Mat2:

Other Materials:

Mat3:

Other Materials:

Formation Top Depth: 30 Formation End Depth: 47 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932255786

Layer:

Color: General Color:

Mat1: 05 CLAY Most Common Material:

Mat2:

Other Materials: Mat3: Other Materials:

48 Formation Top Depth: Formation End Depth: 52 ft Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

932255780 Formation ID:

Layer:

Color: General Color:

Mat1: 01 **FILL** Most Common Material:

Mat2:

Other Materials:

Mat3:

Other Materials:

0 Formation Top Depth: Formation End Depth: 9 Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 932255781

Layer: 2

Color:

General Color:

Mat1:

Most Common Material: **MEDIUM SAND**

Mat2: 11

Other Materials: **GRAVEL** Mat3: 13 **BOULDERS** Other Materials:

Formation Top Depth: 9 17 Formation End Depth: Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

932255782 Formation ID:

Layer:

Color:

General Color:

Mat1: 80

Most Common Material: FINE SAND

Mat2: 06 Other Materials: SILT

Mat3:

Other Materials:

Formation Top Depth: 17 Formation End Depth: 29

Formation End Depth UOM:

Overburden and Bedrock

Materials Interval

Formation ID: 932255785

Layer: 6

Color:

General Color:

Mat1: 09

Most Common Material: MEDIUM SAND

Mat2:11Other Materials:GRAVELMat3:13Other Materials:BOULDERS

Formation Top Depth: 47
Formation End Depth: 48
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932255787

Layer: 8

Color:

General Color:

Mat1: 09

Most Common Material: MEDIUM SAND

Mat2: 11

Other Materials:GRAVELMat3:13Other Materials:BOULDERS

Formation Top Depth: 52
Formation End Depth: 70
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 932255783

Layer:

Color:

General Color:

Mat1: 05

Most Common Material: CLAY

Mat2:

Other Materials:

Mat3:

Other Materials:

Formation Top Depth: 29
Formation End Depth: 30
Formation End Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:
Method Construction Code:
Method Construction:

6
Boring

Other Method Construction:

Pipe Information

Pipe ID: 10926699

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930625734

Layer: 1 Material: 3

Open Hole or Material: CONCRETE

Depth From:

Depth To:50Casing Diameter:26Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Casing

Casing ID: 930625735

Layer: 2
Material: 1
Open Hole or Material: STEEL

Depth From:

Depth To: 55
Casing Diameter: 16
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 933362786

Layer: 1

Slot:

Screen Top Depth: 55
Screen End Depth: 70
Screen Material:
Screen Depth UOM: ft
Screen Diameter UOM: inch

Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 995700235

Pump Set At:
Static Level: -10
Final Level After Pumping: 42
Recommended Pump Depth:

Pumping Rate: 1000

Flowing Rate:

Recommended Pump Rate:

Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1

Pumping Test Method:1Pumping Duration HR:32Pumping Duration MIN:0Flowing:Y

Water Details

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) Water ID: 933859655 Layer: Kind Code: Kind: **FRESH** Water Found Depth: Water Found Depth UOM: ft 249.2 / 15.02 MINISTRY OF CORRECTIONAL SERVICES 1 of 2 NNE/233.6 113 **GEN** BARRIE JAIL 87 MULCASTER STREET **BARRIE ON L4M 4T2** ON0323526 PO Box No: Generator No: Status: Country: Choice of Contact: 92,93,97,98,99,00,01 Approval Years: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: 8222 SIC Code: SIC Description: CORRECTIONAL SERV. Detail(s) Waste Class: 312 PATHOLOGICAL WASTES Waste Class Desc: 113 2 of 2 NNE/233.6 249.2 / 15.02 **MINISTRY OF CORRECTIONAL SERVICES 26-GEN BARRIE JAIL 87 MULCASTER STREET BARRIE ON L4M 4T2** Generator No: ON0323526 PO Box No: Status: Country: Approval Years: 94,95,96 Choice of Contact: Contam. Facility: Co Admin: MHSW Facility: Phone No Admin: 8222 SIC Code: CORRECTIONAL SERV. SIC Description: Detail(s) Waste Class: 312 Waste Class Desc: PATHOLOGICAL WASTES 1 of 1 NW/236.9 237.5 / 3.30 114 **WWIS** ON Well ID: 7303226 Data Entry Status: Yes **Construction Date:** Data Src: Primary Water Use: Date Received: 1/12/2018 Sec. Water Use: Selected Flag: Yes Final Well Status: Abandonment Rec: Water Type: Contractor: 7464 Form Version: Casing Material: 8 Audit No: C39148 Owner: A231701 Street Name: Tag: Construction Method: County: SIMCOE Municipality: Elevation (m): BARRIE CITY (VESPRA) Elevation Reliability: Site Info:

Lot:

Concession:

Concession Name: Easting NAD83:

Order No: 20200504087

Well Depth:

Pump Rate:

Depth to Bedrock:

Overburden/Bedrock:

Number of Direction/ Elev/Diff Site DΒ Map Key

> Records Distance (m) (m)

Static Water Level: Northing NAD83:

Flowing (Y/N): Zone: Flow Rate: UTM Reliability:

Clear/Cloudy:

Bore Hole Information

1006966898 Bore Hole ID: Elevation:

DP2BR: Elevrc: Spatial Status: Zone: 17 604538 Code OB: East83: Code OB Desc: 4916277 North83: UTM83 Open Hole: Org CS: Cluster Kind: **UTMRC:**

Date Completed: 10/30/2017 **UTMRC Desc:** margin of error: 30 m - 100 m

Location Method: Remarks: Elevrc Desc:

Location Source Date: Improvement Location Source:

Improvement Location Method: Source Revision Comment:

Supplier Comment:

115 1 of 1 NNW/244.5 241.0 / 6.84 67 McDONALD STREET **HINC BARRIE ON L4M 1P4**

External File Num: FS INC 0905-02828 Liquid Petroleum Spill Fuel Occurrence Type:

Date of Occurrence: 5/25/2009 Fuel Type Involved: Fuel Oil

Status Desc: Completed - No Action Required Incident/Near-Miss Occurrence (FS) Job Type Desc:

Oper. Type Involved: Private Dwelling

Service Interruptions: No Property Damage: No Utilization Fuel Life Cycle Stage:

Root Cause: Root Cause: Equipment/Material/Component:No Procedures:Yes Maintenance:No Design:No Training:No

Management:No Human Factors:No

Reported Details: Liquid Fuel Fuel Category: Near-miss Occurrence Type:

Affiliation: Member of the General Public

County Name: Simcoe

Approx. Quant. Rel: Nearby body of water: Enter Drainage Syst.: Approx. Quant. Unit: **Environmental Impact:**

> 227.4 / -6.74 **COMMERCIAL BUILDING** 116 1 of 1 W/249.3

BEHIND COMMERCIAL BUILDING AT 23

SPL

Order No: 20200504087

COLLIER ST.

BARRIE CITY ON L4M 1G5

Ref No: 118052 Discharger Report: Site No: Material Group: Health/Env Conseq: Incident Dt: 9/3/1995 Year: Client Type: Incident Cause: **UNKNOWN** Sector Type:

Incident Event: Agency Involved: Contaminant Code: Nearest Watercourse: Contaminant Name: Site Address:

Elev/Diff Site DΒ Map Key Number of Direction/

> Records Distance (m) (m)

Contaminant Limit 1: Site District Office: Contam Limit Freg 1: Site Postal Code: Contaminant UN No 1: Site Region:

CONFIRMED Site Municipality: **Environment Impact:** 70101

Nature of Impact: Soil contamination Site Lot: LAND Receiving Medium: Site Conc: Receiving Env: Northing:

MOE Response: Easting: BARRIE WORKS DEPT.

Dt MOE Arvl on Scn: Site Geo Ref Accu: **MOE** Reported Dt: 9/3/1995 Site Map Datum: **Dt Document Closed:** SAC Action Class: Incident Reason: **UNKNOWN** Source Type:

Site Name: Site County/District: Site Geo Ref Meth:

COMMERCIAL BUILDING - FURNACE OIL TO ASPHALT & GRAVEL FROM PIPE. Incident Summary:

Contaminant Qtv:

1 of 1 WSW/243.1 225.0 / -9.23 39 Dunlop St E 117 **EHS** Barrie ON L4M1A2

20150806029 Order No: Nearest Intersection:

Status: Municipality:

City of Barrie Report Type: Standard Report Client Prov/State: ON Report Date: 12-AUG-15 .25 Search Radius (km):

Date Received: 06-AUG-15 -79.688989 X: Y: Previous Site Name: 44.389075 Lot/Building Size:

Additional Info Ordered: City Directory

1 of 1 NW/242.1 236.0 / 1.83 THE CORPORATION OF THE CITY OF BARRIE 118 **RSC** 61 OWEN STREET, BARRIE, ON L4M 1P4

Barrie ON

RSC ID: 226494 Cert Date: MGRA1701-18b Cert Prop Use No: RA No:

RSC Type: Phase 1 and 2 RSC with RA Intended Prop Use: Residential SERENA OYAMA Commercial Qual Person Name: Curr Property Use:

Barrie District Office Ministry District: Stratified (Y/N): Filing Date: 2020/03/19 Audit (Y/N):

Date Ack: Entire Leg Prop. (Y/N): Date Returned: Accuracy Estimate:

Restoration Type: Telephone: Soil Type: Fax: Criteria: Email:

CPU Issued Sect

1686: 43-42-022-009-05100-0000, Asmt Roll No:

43-42-022-009-05000-0000, 43-42-022-009-04900-0000, 43-42-022-009-05200-0000

Prop ID No (PIN): 58817-0027 (LT),

58817-0174 (LT), 58817-0026 (LT), 58817-0024 (LT), 58817-0025 (LT)

61 OWEN STREET, BARRIE, ON L4M 1P4, 57 MCDONALD STREET, BARRIE, ON L4M 1P4, 67 OWEN Property Municipal Address:

STREET, BARRIE, ON L4M 1P4, 55 MCDONALD STREET, BARRIE, ON L4M 1P4

Order No: 20200504087

Mailing Address: Latitude & Latitude: **UTM Coordinates:** Consultant: Legal Desc:

Measurement Method: Applicable Standards:

RSC PDF: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?

attachmentId=123779&fileName=BROWNFIELDS-E.pdf

Document(s) Detail

Document Heading: Document Name:Supporting Documents
APECTable.pdf

Document Type: Area(s) of Potential Environmental Concern

Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?

attachmentId=125966&fileName=APECTable.pdf

Document Heading: Document Name:Supporting Documents
TransferDeed.pdf

Document Type: Copy of any deed(s), transfer(s) or other document(s)

Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?

attachmentId=123784&fileName=TransferDeed.pdf

Document Heading: Orders and Notices

Document Name: CPU 1247-BC5PCX - 55 57 McDonald and 61 67 Owen Barrie - 09 17 2019.pdf

Document Type: CPU

Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?

attachmentId=125965&fileName=CPU+1247-BC5PCX+-+55+57+McDonald+and+61+67+Owen+Barrie+-

+09+17+2019.pdf

 Document Heading:
 Supporting Documents

 Document Name:
 PhaseTwoCSM.pdf

Document Type: Phase 2 Conceptual Site Model

Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?

attachmentId=123782&fileName=PhaseTwoCSM.pdf

Document Heading: Document Name:Supporting Documents
TableCandPUses.pdf

Document Type: Table of Current and Past Property Use

Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?

attachmentId=123781&fileName=TableCandPUses.pdf

Document Heading:Supporting DocumentsDocument Name:PlanofSurvey.pdfDocument Type:A Current plan of Survey

Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?

attachmentId=123780&fileName=PlanofSurvey.pdf

Document Heading: Supporting Documents

Document Name: PSS MGRA1701-18b - Sept-17-19.xls

Document Type: Property Specific Standards

Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?

 $attachmentId = 123785\&fileName = PSS + MGRA1701 - 18b + \dots + Sept - 17 - 19.xls$

 Document Heading:
 Supporting Documents

 Document Name:
 LawyersLetter.PDF

Document Type: Lawyer's letter consisting of a legal description of the property

Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?

attachmentId=123786&fileName=LawyersLetter.PDF

119 1 of 1 ESE/249.2 219.9 / -14.32 WW/S

Order No: 20200504087

Well ID: 5735507 Data Entry Status:

Construction Date: Data Src:

Primary Water Use:Date Received:9/21/2000Sec. Water Use:Selected Flag:Yes

Final Well Status: Abandoned-Other Abandonment Rec:

Water Type: Contractor: 2576

Casing Material:

Audit No: 219643

Tag:

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock:

Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

Form Version:

Owner: Street Name:

County: Municipality: Site Info:

1

SIMCOE

BARRIE CITY

218.619827

604865.4

4915863

WC

unknown UTM

Lot:

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

Elevation:

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

Zone:

UTM Reliability:

Bore Hole Information

10413037 Bore Hole ID:

DP2BR: Spatial Status: Code OB:

Code OB Desc: No formation data

Open Hole:

Cluster Kind:

Date Completed: 8/22/2000

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Annular Space/Abandonment

Sealing Record

933197877 Plug ID:

Layer: 2 Plug From: 8 Plug To: 40 Plug Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 933197878

Layer: 3 Plug From: 40 79 Plug To: Plug Depth UOM: ft

Annular Space/Abandonment

Sealing Record

933197876 Plug ID:

Layer: 0 Plug From: Plug To: 8 Plug Depth UOM: ft

Method of Construction & Well

<u>Use</u>

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Method Construction ID:

Method Construction Code: Method Construction:

Not Known

Other Method Construction:

Pipe Information

Pipe ID: 10961607

Casing No: Comment:

Alt Name:

120 1 of 1 W/256.2 227.4 / -6.74 2-4 Bayfield Street, 50 Worsley Street and 23

Collier Street, Barrie, ON

EHS

Order No: 20200504087

Barrie ON

20170623315 Order No:

Status:

RSC Report - Quote Report Type: Report Date: 04-JUL-17

Date Received: 23-JUN-17

Previous Site Name: Lot/Building Size: Additional Info Ordered: Nearest Intersection: Municipality:

Client Prov/State: ON

Search Radius (km): .25 -79.689379 X: Y: 44.390049

121 1 of 3 E/250.8 230.3 / -3.83 KRUAWAN SIMANURAK **CFOT** 168 DUNLOP STREET EAST

Licence No: Letter Sent:

Registration No: Posse File No: Province: Posse Reg No:

Single Wall UST Tank Type: 61295678 Instance Number: FS Fuel Oil Tank Facility Type: FS Fuel Oil Tank

Steel

Instance Type: Status Name: Active Fuel Oil Fuel Type:

Distributor: Tank Material:

Tank Age (as of

05/1992):

Tank Size: 0 **Corrosion Protection:**

BARRIE ON L4M 1B3

ON Nhr: 2744

Contact Name: Contact Address: Contact Address2: Contact Suite: Contact City: Contact Prov: Contact Postal:

168 DUNLOP STREET EAST Tank Address:

Comments:

Contact Suite:

Contact City:

121 2 of 3 E/250.8 230.3 / -3.83 ERKKI LAAKKONEN **CFOT**

168 DUNLOP STREET EAST **BARRIE ON L4M 1B3**

Licence No: Letter Sent: Registration No: **Corrosion Protection:** Posse File No: Province:

ON 3527 Posse Reg No: Nbr: Single Wall UST Tank Type: Contact Name: Instance Number: 61555451 Contact Address: Facility Type: FS Fuel Oil Tank Contact Address2:

FS Fuel Oil Tank Instance Type: Status Name: Active Fuel Type:

Fuel Oil Contact Prov: Distributor: Contact Postal:

Tank Material: Steel Tank Address: 168 DUNLOP STREET EAST

Tank Age (as of 05/1992):

05/1992): Tank Size: 800

121 3 of 3 E/250.8 230.3 / -3.83 Enbridge Gas Distribution Inc.

168 Dunlop St. E Barrie ON

Comments:

Ref No: 5736-ALEKWJ Discharger Report:

Site No: Material Group:

Incident Dt: 4/14/2017 Health/Env Conseq: 2 - Minor Environment

Year:Client Type:CorporationIncident Cause:Sector Type:Miscellaneous Industrial

 Incident Event:
 Leak/Break
 Agency Involved:

 Contaminant Code:
 35
 Nearest Watercourse:

Contaminant Name: NATURAL GAS (METHANE) Site Address: 168 Dunlop St. E

Contaminant Limit 1: Site District Office: Barrie
Contam Limit Freq 1: Site Postal Code:

Contaminant UN No 1: 1075 Site Region: Central Environment Impact: Site Municipality: Barrie

Environment Impact:Site Municipality:BarrieNature of Impact:Site Lot:Receiving Medium:Site Conc:

 Receiving Env:
 Air
 Northing:
 4915993.54

 MOE Response:
 Easting:
 604924.08

 Dt MOE Arvl on Scn:
 Site Geo Ref Accu:

 MOE Reported Dt:
 4/14/2017

 Dt Document Closed:
 SAC Action Class:

Incident Reason: Operator/Human Error Source Type: Valve/Fitting/Piping

Site Name: 1" Plastic Line Strike<UNOFFICIAL>

Site County/District: County of Simcoe

Site Geo Ref Meth:

Incident Summary: TSSA/FSB: Enbridge 1" PL Line Strike - Made Safe

Contaminant Qty: 0 other - see incident description

122 1 of 1 ESE/250.6 225.5 / -8.70

Barrie ON

WWIS

Order No: 20200504087

Well ID: 7204528 Data Entry Status:

Construction Date:
Primary Water Use: Monitoring and Test Hole Date Received:

 Primary Water Use:
 Monitoring and Test Hole
 Date Received:
 7/10/2013

 Sec. Water Use:
 Selected Flag:
 Yes

 Final Well Status:
 Test Hole
 Abandonment Rec:

Water Type:Contractor:7241Casing Material:Form Version:7

Casing Material: Form Version: /
Audit No: Z172388 Owner:

Tag:A148723Street Name:185 DUNLOP STREET EAConstruction Method:County:SIMCOEElevation (m):Municipality:BARRIE CITY (VESPRA)

Elevation Reliability:

Depth to Bedrock:

Well Depth:

Overburden/Bedrock:

Site Info:

Lot:

Concession:

Concession Name:

Overburden/Bedrock:Concession NamePump Rate:Easting NAD83:Static Water Level:Northing NAD83:Flowing (Y/N):Zone:

Flow Rate: UTM Reliability: Clear/Cloudy:

Bore Hole Information

Elevation:

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

Zone:

220.170043

17

604905

4915916 UTM83

margin of error: 30 m - 100 m

Order No: 20200504087

Bore Hole ID: 1004406660

DP2BR: Spatial Status:

Code OB: Code OB Desc: Open Hole: Cluster Kind:

6/15/2013 Date Completed:

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: **Source Revision Comment:**

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1004834908

Layer: Color: 2 **GREY** General Color: 28 Mat1: Most Common Material: SAND 06 Mat2: Other Materials: SILT Mat3: 77 LOOSE Other Materials: Formation Top Depth: 35 Formation End Depth: 47.5 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

1004834907 Formation ID:

Layer:

Color: 6 General Color: **BROWN**

Mat1: 28 Most Common Material: SAND Mat2: 06 Other Materials: SILT Mat3: 77 LOOSE Other Materials: Formation Top Depth: 0 Formation End Depth: 35 Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1004834909

Layer: 3 2 Color: **GREY** General Color: Mat1: 05 Most Common Material: CLAY Mat2: 06 Other Materials: SILT Mat3: 66

DENSE

Other Materials:

Formation Top Depth: 47.5
Formation End Depth: 48
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004834918

 Layer:
 2

 Plug From:
 0.5

 Plug To:
 2

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004834919

 Layer:
 3

 Plug From:
 2

 Plug To:
 42

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004834917

 Layer:
 1

 Plug From:
 0

 Plug To:
 0.5

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004834920

 Layer:
 4

 Plug From:
 42

 Plug To:
 48

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:

Method Construction Code:

B

Method Construction:Other MethodOther Method Construction:DIRECT PUSH

Pipe Information

Pipe ID: 1004834906

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1004834912

 Layer:
 1

 Material:
 5

| Мар Кеу | Number Records | | Elev/Diff (m) | Site | | DB |
|--|---|---|------------------|--|--|------|
| Open Hole or Depth From: Depth To: Casing Diam Casing Depth | eter: eter UOM: | PLASTIC 0 43 2 inch ft | | | | |
| Construction | n Record - S | <u>creen</u> | | | | |
| Screen ID: Layer: Slot: Screen Top I Screen End I Screen Mater Screen Diame Screen Diame | Depth: rial: h UOM: neter UOM: | 1004834913 1 10 43 48 5 ft inch 2.25 | | | | |
| Hole Diamete | <u>er</u> | | | | | |
| Hole ID: Diameter: Depth From: Depth To: Hole Depth U Hole Diamete | ЈОМ: | 1004834910 8.5 0 48 ft inch | | | | |
| <u>123</u> | 1 of 1 | NW/247.2 | 235.9 / 1.73 | 62 Owen Street Barrie ON L4M 3H2 | | EHS |
| Order No: Status: Report Type: Report Date: Date Receive Previous Site Lot/Building Additional In | ed: e Name: Size: | 20170120023 C No Charge 20-JAN-17 20-JAN-17 | | Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y: | ON .25 -79.687967 44.392122 | |
| 124 | 1 of 1 | ESE/251.5 | 225.5 / -8.70 | Barrie ON | | wwis |
| Well ID: Construction Primary Wate Sec. Water Use Final Well Sta Water Type: Casing Mater Audit No: Tag: Construction Elevation (m) Elevation Rel Depth to Bed Well Depth: Overburden/I Pump Rate: Static Water Flowing (Y/N, Flow Rate: | er Use: lse: lse: atus: rial: n Method:): liability: drock: (Bedrock: Level: | 7204527 Monitoring and Test Hole Test Hole Z172384 A148721 | | Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability: | 7/10/2013 Yes 7241 7 185 DUNLOP STREET E SIMCOE BARRIE CITY (VESPRA) | |

UTMRC Desc:

Location Method:

margin of error: 30 m - 100 m

Order No: 20200504087

wwr

Clear/Cloudy:

Bore Hole Information

Bore Hole ID: 1004406657 **Elevation:** 220.162139

 DP2BR:
 Elevrc:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 604906

 Code OB Desc:
 North83:
 4915916

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

Date Completed: 6/15/2013
Remarks:

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1004834856

Layer: Color: 6 General Color: **BROWN** Mat1: 28 Most Common Material: SAND Mat2: 06 SILT Other Materials: Mat3: 77 LOOSE

Other Materials: LOG
Formation Top Depth: 0
Formation End Depth: 17
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004834867

 Layer:
 4

 Plug From:
 11

 Plug To:
 17

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004834865

 Layer:
 2

 Plug From:
 0.5

 Plug To:
 2

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004834866

 Layer:
 3

 Plug From:
 2

 Plug To:
 11

Plug Depth UOM:

Annular Space/Abandonment

Sealing Record

Plug ID: 1004834864

ft

Layer: 0 Plug From: Plug To: 0.5 Plug Depth UOM: ft

Method of Construction & Well

Method Construction ID: Method Construction Code:

Method Construction: Other Method

D.P Other Method Construction:

Pipe Information

1004834855 Pipe ID:

Casing No:

Comment: Alt Name:

Construction Record - Casing

1004834859 Casing ID:

Layer: Material: 5

PLASTIC Open Hole or Material: Depth From: Depth To: 12

Casing Diameter: 2 Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1004834860

Layer: Slot: 10 Screen Top Depth: 12 Screen End Depth: 17 Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 2.25

Hole Diameter

Hole ID: 1004834857

Diameter: 8.5 Depth From: 0 Depth To: 17 Hole Depth UOM: ft Hole Diameter UOM: inch

125 1 of 1 ESE/253.2 227.9 / -6.32 WWIS

Well ID: 7204526

Construction Date:

Primary Water Use: Monitoring and Test Hole

Sec. Water Use:

Final Well Status: Test Hole

Water Type: Casing Material:

Audit No: Z172385 **Tag:** A148724

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock:

Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate:

Clear/Cloudy:

Data Entry Status:

Data Src:

Date Received: 7/10/2013
Selected Flag: Yes
Abandonment Rec:
Contractor: 7241

Form Version: 724

Owner:

Street Name: 185 DUMPLOP STREET EAST

County: SIMCOE
Municipality: BARRIE CITY (VESPRA)

Municipality: Site Info:

Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 1004406613

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 6/10/2013

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1004834826

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

28 Mat1: SAND Most Common Material: Mat2: 06 Other Materials: SILT Mat3: 77 Other Materials: LOOSE Formation Top Depth: 0 17 Formation End Depth:

Annular Space/Abandonment

Formation End Depth UOM:

Sealing Record

Plug ID: 1004834836

Elevation: 222.731948

Elevrc:

Zone: 17
East83: 604920
North83: 4915943
Org CS: UTM83
UTMRC: 4

UTMRC Desc: margin of error : 30 m - 100 m

Order No: 20200504087

Location Method: wwr

ft

 Layer:
 2

 Plug From:
 0.5

 Plug To:
 11

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004834835

 Layer:
 1

 Plug From:
 0

 Plug To:
 0.5

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004834837

 Layer:
 3

 Plug From:
 11

 Plug To:
 17

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:

Method Construction Code:

Method Construction: Other Method

Other Method Construction: D.P

Pipe Information

Pipe ID: 1004834825

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1004834829

Layer:

Material: 5

Open Hole or Material:PLASTICDepth From:0Depth To:12

Casing Diameter: 2
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1004834831

Layer: 2

Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: ft Screen Diameter UOM: inch

Screen Diameter:

Map Key Number of Direction/ Elev/Diff Site DΒ Records Distance (m) (m)

Construction Record - Screen

Screen ID: 1004834830

Layer: Slot: 10 12 Screen Top Depth: 17 Screen End Depth: Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 2.25

Hole Diameter

Hole ID: 1004834827 Diameter: 8.5 Depth From: 0 Depth To: 17 Hole Depth UOM: ft Hole Diameter UOM:

inch

126 1 of 1 ESE/253.4 227.9 / -6.32 **WWIS** Barrie ON

Data Entry Status:

Abandonment Rec:

7/10/2013

SIMCOE

185 DUNLOP ST E

BARRIE CITY (VESPRA)

Order No: 20200504087

Yes

7241

Date Received:

Selected Flag:

Form Version:

Street Name:

Municipality:

Concession:

Concession Name: Easting NAD83:

Northing NAD83:

UTM Reliability:

Contractor:

Owner:

County:

Site Info:

Lot:

Zone:

Data Src:

Well ID: 7204525

Construction Date:

Primary Water Use: Monitoring and Test Hole

Sec. Water Use:

Observation Wells Final Well Status:

Water Type: Casing Material:

Audit No: Z172389 A148853 Tag:

Construction Method: Elevation (m):

Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate:

Clear/Cloudy:

Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock:

Bore Hole Information

Bore Hole ID: 1004406610 Elevation: 222.850311

DP2BR: Elevrc: Spatial Status: Zone:

17 604921 Code OB: East83: Code OB Desc: North83: 4915945 Open Hole: UTM83 Org CS: Cluster Kind: UTMRC:

margin of error: 30 m - 100 m Date Completed: 6/10/2013 **UTMRC Desc:**

Remarks: Location Method: wwr Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1004834813

Layer: 1

6 Color: General Color: **BROWN** Mat1: 28 Most Common Material: SAND Mat2: 06 SILT Other Materials: Mat3: 77 LOOSE Other Materials: Formation Top Depth: 0 Formation End Depth: 28

Overburden and Bedrock

Formation End Depth UOM:

Materials Interval

Formation ID: 1004834814

ft

Layer: 2 Color: General Color: **GREY** Mat1: 28 SAND Most Common Material: Mat2: 06 Other Materials: SILT Mat3: 77 LOOSE Other Materials: Formation Top Depth: 28 Formation End Depth: 33 Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004834822

 Layer:
 1

 Plug From:
 0

 Plug To:
 0.5

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004834824

 Layer:
 3

 Plug From:
 27

 Plug To:
 33

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1004834823

 Layer:
 2

 Plug From:
 0.5

 Plug To:
 27

 Plug Depth UOM:
 ft

DB Map Key Number of Direction/ Elev/Diff Site Records Distance (m) (m)

Method of Construction & Well

Method Construction ID: Method Construction Code:

В

Method Construction: Other Method

D.P Other Method Construction:

Pipe Information

Pipe ID: 1004834812

Casing No:

Comment: Alt Name:

Construction Record - Casing

1004834817 Casing ID:

Layer: Material: 5

PLASTIC Open Hole or Material: Depth From:

28 Depth To: Casing Diameter: Casing Diameter UOM: inch Casing Depth UOM: ft

Construction Record - Screen

1004834818 Screen ID:

Layer: 1 Slot: 10 Screen Top Depth: 28 Screen End Depth: 33 Screen Material: 5 Screen Depth UOM: ft

Screen Diameter UOM: inch Screen Diameter: 2.25

Hole Diameter

Hole ID: 1004834815

Diameter: 8.5 Depth From: 0 Depth To: 33 Hole Depth UOM: ft Hole Diameter UOM: inch

1 Bayfield Street 127 1 of 1 SW/247.7 222.5 / -11.71 **EHS** Barrie ON

20110404030 Order No:

Status:

Report Type: Standard Report Report Date: 4/13/2011 Date Received: 4/4/2011 2:41:25 PM

Previous Site Name: Lot/Building Size: Additional Info Ordered:

Bayfield Street & Simcoe Street Nearest Intersection:

Order No: 20200504087

Municipality: City of Barrie

Client Prov/State: ON Search Radius (km): 0.25 -79.688408 X: 44.38835 Y:

| Мар Кеу | Numbe Record | | Elev/Diff (m) | Site | | DB |
|---|--|---|------------------|--|--|------|
| 128 | 1 of 1 | WSW/255.1 | 225.6 / -8.62 | HURONIA BUSINESS 24 DUNLOP ST E FLO BARRIE ON L4M 1A3 | OOR 2 | SCT |
| Established: Plant Size (ft Employment | ^{;2}): | 0000 500 3 | | | | |
| Details Description: SIC/NAICS C | code: | NEWSPAPERS: P 2711 | UBLISHING, OR P | UBLISHING AND PRINTIN | G | |
| Description: SIC/NAICS C | code: | PERIODICALS: PU 2721 | JBLISHING, OR PL | JBLISHING AND PRINTING | 3 | |
| 129 | 1 of 1 | WSW/255.0 | 224.7/-9.44 | 31 Dunlop St. Barrie ON | | EHS |
| Order No: Status: Report Type. Report Date: Date Receive Previous Site Lot/Building Additional In | ed: e Name: Size: | 20021002003 C Complete Report 10/8/02 10/2/02 | | Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y: | W of Fred Grand St. ON 0.25 -79.689265 44.389161 | |
| 130 | 1 of 1 | WSW/251.8 | 223.9 / -10.32 | ON | | wwis |
| Well ID: Construction Primary Wate Sec. Water U Final Well St Water Type: Casing Mate Audit No: Tag: Construction Elevation (m Elevation Re Depth to Bec Well Depth: Overburden/ Pump Rate: Static Water Flowing (Y/N Flow Rate: Clear/Cloudy | er Use: Ise: Ise: Ise: Ise: Ise: Ise: Ise: I | 7274933 C22975 | | Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability: | Yes 11/16/2016 Yes 2801 8 SIMCOE BARRIE CITY (VESPRA) | |
| Bore Hole In | formation | | | | | |
| Bore Hole ID DP2BR: Spatial Statu Code OB: Code OB De: Open Hole: | ıs: | 1006291582 | | Elevation: Elevrc: Zone: East83: North83: Org CS: | 222.766159 17 604444 4915865 UTM83 | |

Order No: 20200504087

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

UTMRC:

Cluster Kind:

Date Completed: 10/7/2016

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

UTMRC Desc:

margin of error: 30 m - 100 m

Barrie

Land Spills

Location Method: wwr

131 1 of 6 NW/254.8 234.2 / -0.01 **BARRIE CITY**

60 WORSLEY STREET (SWM)

BARRIE CITY ON L4M 1L6

3-0372-95-Certificate #: Application Year: 95 Issue Date: 5/4/1995

Municipal sewage Approval Type: Approved Status:

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: **Emission Control:**

> 131 2 of 6 NW/254.8 234.2 / -0.01 60 Worsley St SPL Barrie ON

Discharger Report: Ref No: 3827-A3BN45 Site No: NA Material Group: 10/15/2015 Incident Dt: Health/Env Conseq: Year: Client Type:

Incident Cause: Sector Type: Unknown / N/A Agency Involved: Incident Event:

Contaminant Code: Nearest Watercourse:

HYDRAULIC OIL Contaminant Name: 60 Worsley St Site Address:

Contaminant Limit 1: Site District Office: Contam Limit Freq 1: Site Postal Code: Contaminant UN No 1: Site Region: **Environment Impact:** Site Municipality:

Nature of Impact: Site Lot: Receiving Medium: Site Conc: Northing:

Receiving Env: MOE Response: No Dt MOE Arvl on Scn:

Site Geo Ref Accu: 10/15/2015 MOE Reported Dt: Site Map Datum: Dt Document Closed: 10/22/2015 SAC Action Class: Source Type:

Incident Reason: **Equipment Failure**

Site Name: Hydraulic Oil Spill<UNOFFICIAL> Site County/District:

Site Geo Ref Meth: Incident Summary: City of Barrie: 75L Hydraulic Oil to Asphalt- Clng

Contaminant Qty: 75 L

The Corporation of the City of Barrie NW/254.8 234.2 / -0.01 131 3 of 6 **GEN**

Easting:

60 Worsley St Barrie ON L4M 4T5 CA

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

PO Box No:

Co Admin:

Choice of Contact:

Phone No Admin:

Canada CO_OFFICIAL

Canada

Canada

CO_OFFICIAL

Wade Leblanc

705-739-4220 Ext.4766

Wade Leblanc

705-739-4220 Ext.4766

GEN

Order No: 20200504087

Country:

Generator No:

ON3516495

Status: 2016 Approval Years: Contam. Facility: No MHSW Facility: No 913910 SIC Code:

SIC Description: 913910

Detail(s)

Waste Class: 252

WASTE OILS & LUBRICANTS Waste Class Desc:

131 4 of 6 NW/254.8 234.2 / -0.01 The Corporation of the City of Barrie

60 Worsley St Barrie ON L4M 4T5

Choice of Contact:

Phone No Admin:

Country:

Co Admin:

ON3516495 Generator No: PO Box No:

Status:

2015 Approval Years: Contam. Facility: No MHSW Facility: No 913910 SIC Code:

913910 SIC Description:

Detail(s)

Waste Class: 252

Waste Class Desc: WASTE OILS & LUBRICANTS

131 5 of 6 NW/254.8 234.2 / -0.01 The Corporation of the City of Barrie **GEN**

60 Worsley St Barrie ON L4M 4T5

Choice of Contact:

Phone No Admin:

PO Box No:

Country:

Co Admin:

ON3516495 Generator No: Status:

Registered Approval Years: As of Dec 2018

Contam. Facility: MHSW Facility: SIC Code: SIC Description:

Detail(s)

Waste Class: Waste Class Desc: Wastes from the use of pigments, coatings and paints

Waste Class: 252 L

Waste Class Desc: Waste crankcase oils and lubricants

The Corporation of the City of Barrie 131 6 of 6 NW/254.8 234.2 / -0.01 **GEN**

60 Worsley St Barrie ON L4M 4T5

ON3516495 Generator No: PO Box No:

Status: Registered As of Oct 2019 Approval Years:

Contam. Facility: MHSW Facility: SIC Code: SIC Description:

Country: Canada Choice of Contact:

Co Admin: Phone No Admin:

erisinfo.com | Environmental Risk Information Services

Number of Elev/Diff Site DΒ Map Key Direction/

Records Distance (m)

(m)

Detail(s)

Waste Class: 262 L

Waste Class Desc: Detergents and soaps

Waste Class:

Wastes from the use of pigments, coatings and paints Waste Class Desc:

Waste Class:

Waste Class Desc: Misc. waste organic chemicals

Waste Class: 148 C

Waste Class Desc: Misc. wastes and inorganic chemicals

Waste Class: 145 B

Waste Class Desc: Wastes from the use of pigments, coatings and paints

Waste Class:

Waste Class Desc: Waste crankcase oils and lubricants

Waste Class:

Waste Class Desc: Waste compressed gases including cylinders

249.2 / 15.05 132 1 of 1 N/261.6 UNKNOWN **SPL**

MULCASTER ST/MCDONALD ST- PARKING LOT

70101

SPL

Order No: 20200504087

INFRONT OF THE BARRIE COURT HOUSE

BARRIE CITY ON

Ref No: 57813 Discharger Report: Site No:

Material Group: 9/25/1991 Health/Env Conseq:

Incident Dt: Year: Client Type:

Incident Cause: **UNKNOWN** Sector Type: Incident Event: Agency Involved: Nearest Watercourse: Contaminant Code: Contaminant Name: Site Address: Contaminant Limit 1: Site District Office: Site Postal Code: Contam Limit Freq 1:

Contaminant UN No 1: Site Region: **POSSIBLE** Environment Impact: Site Municipality:

Nature of Impact: Soil contamination Site Lot: Site Conc: Receiving Medium: LAND

Receiving Env: Northing:

MOE Response: Easting: ROADS DEPT.

Site Geo Ref Accu: Dt MOE Arvl on Scn: 9/25/1991 **MOE** Reported Dt: Site Map Datum: **Dt Document Closed:** SAC Action Class: Source Type:

Incident Reason:

Site County/District:

UNKNOWN Site Name:

Site Geo Ref Meth: APPROX 9L OF DIESEL FUEL ONTO GROUND FROM UNKNOWN SOURCE.

Incident Summary: Contaminant Qty:

NNE/257.8 253.2 / 19.05 1 of 3 Redacted S 21(1)(f) of FIPPA 133

75 Mulcaster Street

Barrie ON

Ref No: 6814-92USNN Discharger Report: Site No: Material Group:

Incident Dt: 10-DEC-12 Health/Env Conseq:

Elev/Diff Site DΒ Map Key Number of Direction/ Records Distance (m) (m)

Barrie

Land Spills

Year: Client Type:

Sector Type: Incident Cause: Leak/Break Tank - Above Ground

Agency Involved: Incident Event: Contaminant Code:

Nearest Watercourse:

Contaminant Name: **GASOLINE** Site Address: 75 Mulcaster Street Site District Office: Contaminant Limit 1:

Contam Limit Freq 1: Site Postal Code: Contaminant UN No 1: Site Region: Site Municipality: **Environment Impact:** Possible

Nature of Impact: Soil Contamination Site Lot: Receiving Medium: Site Conc: Receiving Env: Northing:

MOE Response: No Field Response Easting:

Site Geo Ref Accu: Dt MOE Arvl on Scn: MOE Reported Dt: 10-DEC-12 Site Map Datum:

Dt Document Closed: 03-JAN-13 SAC Action Class: Operator/Human Error Incident Reason: Source Type:

Site Name: Barrie Courthouse<UNOFFICIAL>

Site Geo Ref Meth: Residence: less than 1L gasoline to asphalt; cleaned Incident Summary:

Contaminant Qty:

Site County/District:

2 of 3 NNE/257.8 253.2 / 19.05 ECOH Management<UNOFFICIAL> 133 SPL

75 Mulcaster Rd. Barrie ON

5436-98YRGS Ref No: Discharger Report:

Site No: Material Group: Incident Dt: 21-JUN-13 Health/Env Conseq:

Year: Client Type:

Incident Cause: Leak/Break Sector Type: Sewer (Private or Municipal)

Incident Event: Agency Involved: Contaminant Code: Nearest Watercourse:

SOLVENT (N.O.S.) Contaminant Name: Site Address: 75 Mulcaster Rd.

Contaminant Limit 1: Site District Office: Contam Limit Freq 1: Site Postal Code: Contaminant UN No 1: Site Region:

Environment Impact: Possible Site Municipality: Barrie

Nature of Impact: Other Impact(s); Surface Water Pollution Site Lot: Receiving Medium: Site Conc: Receiving Env: Northing: Easting: MOE Response: No Field Response

Dt MOE Arvl on Scn: Site Geo Ref Accu:

MOE Reported Dt: 24-JUN-13 Site Map Datum: **Dt Document Closed:** 04-JUL-13 SAC Action Class: Land Spills

Incident Reason: Operator/Human Error Source Type:

Site Name: Barrie Courthouse<UNOFFICIAL>

Site County/District: Site Geo Ref Meth:

ON9592418

Incident Summary: Alliance Environmental: 2 L solvent to storm drain

Contaminant Qty: 2 L

3 of 3 NNE/257.8 253.2 / 19.05 **CBRE Limited** 133 **GEN**

75 Mulcaster Street Barrie ON L4M 3P2

Order No: 20200504087

PO Box No:

Status: Registered Country: Canada

Approval Years: As of Dec 2017 Choice of Contact: Co Admin: Contam. Facility: MHSW Facility: Phone No Admin:

Generator No:

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

SIC Code: SIC Description:

Detail(s)

Waste Class: 252 I

Waste Class Desc: Waste crankcase oils and lubricants

134 1 of 1 W/267.0 226.9 / -7.32 PRESTIGE SIGNS BARRIE LTD SCT

21 COLLIER ST **BARRIE ON L4M 1G5**

Barrie ON L4M 1G5

ON

.25

Bayfield Street

EHS

Order No: 20200504087

Client Prov/State:

Search Radius (km):

Nearest Intersection:

Established: 1970 Plant Size (ft2): 0 Employment: 2

--Details--

SIGNS AND ADVERTISING SPECIALTIES Description:

SIC/NAICS Code:

226.9 / -7.32 135 1 of 1 W/267.0 21 Collier Street **EHS**

20190306003 Order No: Nearest Intersection: Municipality:

Status: С

Report Type: Standard Report Report Date: 12-MAR-19

Date Received: 06-MAR-19 X: -79.689521 44.390217 Previous Site Name:

Lot/Building Size:

Fire Insur. Maps and/or Site Plans; City Directory; Aerial Photos Additional Info Ordered:

224.7/-9.44 31 Dunlop Street East 136 1 of 1 WSW/260.6 **EHS** Barrie ON L4M 1A2

20061215003 Order No: Status: С Report Type: Basic Report

Report Date: 12/27/2006 12/15/2006 Date Received:

Previous Site Name: Lot/Building Size:

137

Additional Info Ordered: **Aerials Photos**

Municipality: City of Barrie OŃ Client Prov/State: Search Radius (km): 0.25

-79.689265 X: 44.389161 Y:

224.7/-9.44

Order No: 20180227039

1 of 1

C Status:

Report Type: Standard Report Report Date: 28-FEB-18 27-FEB-18 Date Received:

Previous Site Name: Lot/Building Size: Additional Info Ordered: 31 Dunlop St E Barrie ON L4M1A2

Nearest Intersection: Municipality:

Client Prov/State: ON Search Radius (km): .25

-79.689174 X: Y: 44.389009

WSW/259.5

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) WSW/263.0 225.6 / -8.62 20 (or 20-28) Dunlop Street East 138 1 of 1 **EHS** Barrie ON L4M 1A3

Order No:20091021034Nearest Intersection:Status:CMunicipality:

 Report Type:
 Standard Report
 Client Prov/State:
 ON

 Report Date:
 10/30/2009
 Search Radius (km):
 0.25

 Date Received:
 10/21/2009
 X:
 -79.689396

 Previous Site Name:
 Y:
 44.389531

Previous Site Name: Lot/Building Size: Additional Info Ordered:

139 1 of 1 ESE/266.1 225.7 / -8.46 185 - 205 Dunlop Street, East

Barrie ON L4M 1B2

EHS

Order No: 20200504087

Order No: 20110509042 Nearest Intersection: Dunlop East and Poyntz

Status:CMunicipality:BarrieReport Type:Standard ReportClient Prov/State:ONReport Date:5/18/2011Search Radius (km):0.25

 Date Received:
 5/9/2011 4:55:23 PM
 X:
 -79.682541

 Previous Site Name:
 Y:
 44.389165

Lot/Building Size: vacant

Additional Info Ordered: Fire Insur. Maps and/or Site Plans; Title Searches

140 1 of 1 ESE/269.4 225.7 / -8.46 WW/S

Well ID: 7177202 Data Entry Status: Yes Construction Date: Data Src:

Primary Water Use:

Sec. Water Use:

Sec. Water Use:

Final Well Status:

Date Received:

Selected Flag:

Yes

Abandonment Rec:

Water Type: Contractor: 7403
Casing Material: Form Version: 5

 Audit No:
 M04862
 Owner:

 Tag:
 A083768
 Street Name:

Construction Method: County: SIMCOE

Elevation (m):Municipality:BARRIE CITY (VESPRA)Elevation Reliability:Site Info:

Depth to Bedrock:

Well Depth:

Overburden/Bedrock:

Pump Rate:

Lot:

Concession:

Concession Name:

Easting NAD83:

Fump Rate: Easting NAD83:
Static Water Level: Northing NAD83:
Flowing (Y/N): Zone:
Flow Rate: UTM Reliability:

Bore Hole Information

Clear/Cloudy:

Bore Hole ID: 1003695425 **Elevation:** 220.296493

DP2BR: Elevrc:

 Spatial Status:
 Zone:
 17

 Code OB:
 East83:
 604927

 Code OB Desc:
 North83:
 4915918

 Open Hole:
 Org CS:
 UTM83

 Cluster Kind:
 UTMRC:
 4

Date Completed: 7/5/2011 UTMRC Desc: margin of error : 30 m - 100 m

Remarks: Location Method: ww

Location Source Date:

Improvement Location Source:

Elevrc Desc:

Elev/Diff Site DΒ Map Key Number of Direction/ Records Distance (m) (m)

Improvement Location Method: Source Revision Comment:

Supplier Comment:

1 of 1 E/273.1 237.3 / 3.17 PM(129 COLLIER ST) INC. 141

129 COLLIER STREET, BARRIE, ON L4M 5R5

Residential

PAUL BLUNT

RSC

Order No: 20200504087

Barrie ON

Cert Prop Use No:

Intended Prop Use:

Qual Person Name:

Entire Leg Prop. (Y/N):

Accuracy Estimate:

Stratified (Y/N):

Audit (Y/N):

Telephone:

Fax: Email:

Cert Date:

RSC ID: 226387

RA No:

RSC Type: Phase 1 and 2 RSC **Curr Property Use:** Commercial **Barrie District Office** Ministry District:

2020/02/04 Filing Date:

Date Ack: Date Returned: Restoration Type:

Soil Type: Criteria:

CPU Issued Sect

1686:

Asmt Roll No: 4342022003028000000 Prop ID No (PIN): 58818-0180 (LT)

Property Municipal Address:

129 COLLIER STREET, BARRIE, ON L4M 5R5

Mailing Address: Latitude & Latitude: **UTM Coordinates:** Consultant: Legal Desc:

Measurement Method: Applicable Standards:

RSC PDF: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?

attachmentId=122231&fileName=BROWNFIELDS-E.pdf

Document(s) Detail

Document Heading: Supporting Documents Document Name: Deed and other Documents.pdf

Copy of any deed(s), transfer(s) or other document(s) Document Type:

Document Link:

https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?

attachmentId=122228&fileName=Deed+and+other+Documents.pdf

Document Heading: Supporting Documents

Document Name: Table of Current and Past Uses.pdf Table of Current and Past Property Use Document Type:

https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action? Document Link:

attachmentId=122235&fileName=Table+of+Current+and+Past+Uses.pdf

Supporting Documents Document Heading: **Document Name:** LAwyers Letter.pdf

Document Type: Lawyer's letter consisting of a legal description of the property

Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?

attachmentId=122229&fileName=LAwyers+Letter.pdf

Supporting Documents Document Heading: Document Name: APECTable.pdf

Area(s) of Potential Environmental Concern Document Type:

Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?

attachmentId=124104&fileName=APECTable.pdf

Supporting Documents Document Heading: Document Name: PhaseTwo.pdf

Document Type: Phase 2 Conceptual Site Model

Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?

Number of Direction/ Elev/Diff Site DΒ Map Key

> Records Distance (m) (m)

> > attachmentId=124105&fileName=PhaseTwo.pdf

Supporting Documents Document Heading: Document Name: Certificate of Status.pdf Document Type: Certificate of Status

https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action? Document Link:

attachmentId=122233&fileName=Certificate+of+Status.pdf

Document Heading: Supporting Documents Document Name: RSC Property.pdf A Current plan of Survey Document Type:

https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action? Document Link:

attachmentId=122236&fileName=RSC+Property.pdf

227.9 / -6.27 142 1 of 1 W/277.3 **WWIS BARRIE ON**

Well ID: 7265149

Construction Date: Primary Water Use: Monitoring

Sec. Water Use:

Final Well Status:

Observation Wells

Water Type: Casing Material:

Audit No: Z223923

Tag: A202664

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level:

Flowing (Y/N): Flow Rate: Clear/Cloudy:

Data Entry Status:

Data Src:

6/17/2016 Date Received: Selected Flag: Yes

Abandonment Rec:

Contractor: 6607 Form Version:

Owner:

Street Name: 10-14 COLLIER ST.

SIMCOE County:

Municipality: BARRIE CITY (VESPRA) Site Info:

Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 1006060670

DP2BR: Spatial Status: Code OB: Code OB Desc:

Cluster Kind: 5/16/2016 Date Completed:

Remarks:

Open Hole:

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006120298

Laver:

Color: General Color: Elevation: 229.616561

Elevrc:

Zone: 17 East83: 604365 North83: 4916065 Org CS: UTM83

UTMRC:

UTMRC Desc: margin of error: 30 m - 100 m

Order No: 20200504087

Location Method:

Map Key Number of Direction/ Elev/Diff Site DB Records Distance (m) (m)

28 Mat1: Most Common Material: SAND Mat2: 11 Other Materials: **GRAVEL** Mat3: 01 **FILL** Other Materials: Formation Top Depth: 0 Formation End Depth: 4.5 Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1006120299

Layer: 2

Color:

General Color:

Mat1: 06
Most Common Material: SILT
Most2: 38

Mat2: 28 Other Materials: SAND

Mat3:

Other Materials:

Formation Top Depth: 4.5
Formation End Depth: 12.2
Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1006120306

 Layer:
 1

 Plug From:
 0

 Plug To:
 8.9

 Plug Depth UOM:
 m

Annular Space/Abandonment

Sealing Record

Plug ID: 1006120307

 Layer:
 2

 Plug From:
 8.9

 Plug To:
 12.2

 Plug Depth UOM:
 m

Method of Construction & Well

<u>Use</u>

Method Construction ID:
Method Construction Code:
Method Construction:
Boring

Other Method Construction:

Pipe Information

Pipe ID: 1006120297

Casing No:

Comment: Alt Name:

Construction Record - Casing

Map Key Number of Direction/ Elev/Diff Site DΒ Records Distance (m) (m)

Casing ID: 1006120302

Layer: Material: 5 Open Hole or Material: **PLASTIC** Depth From: 0 Depth To: 9.1 Casing Diameter: 5.1 Casing Diameter UOM: cm

Construction Record - Screen

Casing Depth UOM:

Screen ID: 1006120303

Layer: 10 Slot: Screen Top Depth: 9.1 Screen End Depth: 12.2 Screen Material: 5 Screen Depth UOM: m Screen Diameter UOM: cm Screen Diameter: 6.4

Hole Diameter

Hole ID: 1006120300

Diameter: 21 Depth From: 0 Depth To: 12.2 Hole Depth UOM: m Hole Diameter UOM: cm

1 of 4 N/276.7 248.7 / 14.55 Simcoe Muskoka District Health Unit 143 **GEN** 88 Mulcaster Street

Barrie ON L4M5E1

Generator No: ON3703721 PO Box No:

Status: Country: Canada Approval Years: 2016 CO_ADMIN Choice of Contact: Contam. Facility: No Co Admin: Ann Snider

MHSW Facility: Phone No Admin: 705-721-7520 Ext.7228 No

SIC Code: 621390

OFFICES OF ALL OTHER HEALTH PRACTITIONERS SIC Description:

Detail(s)

Waste Class:

Waste Class Desc: PATHOLOGICAL WASTES

248.7 / 14.55 Simcoe Muskoka District Health Unit 143 2 of 4 N/276.7 **GEN**

88 Mulcaster Street Barrie ON L4M5E1

Order No: 20200504087

Generator No: ON3703721 PO Box No:

Status: Country: Canada Choice of Contact: Approval Years: 2015 CO_ADMIN Contam. Facility: No Co Admin: Ann Snider

705-721-7520 Ext.7228 MHSW Facility: No Phone No Admin: SIC Code: 621390

SIC Description: OFFICES OF ALL OTHER HEALTH PRACTITIONERS

| Map Key | Numbe Record | | Elev/Diff) (m) | Site | DB |
|---|-----------------|---|--------------------|---|-----|
| Detail(s) | | | | | |
| Waste Class: Waste Class Desc: | | 312 PATHOLOGICAL WASTES | | | |
| 143 | 3 of 4 | N/276.7 | 248.7 / 14.55 | Simcoe Muskoka District Health Unit 88 Mulcaster Street Barrie ON L4M5E1 | GEN |
| Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description: | | ON3703721 Registered As of Dec 2018 | | PO Box No: Country: Canada Choice of Contact: Co Admin: Phone No Admin: | |
| Detail(s) | | | | | |
| Waste Class Waste Class | | 312 P Pathological was | tes | | |
| 143 | 4 of 4 | N/276.7 | 248.7 / 14.55 | Simcoe Muskoka District Health Unit 88 Mulcaster Street Barrie ON L4M5E1 | GEN |
| Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description: | | ON3703721 Registered As of Oct 2019 | | PO Box No: Country: Canada Choice of Contact: Co Admin: Phone No Admin: | |
| <u>Detail(s)</u> | | | | | |
| Waste Class: Waste Class Desc: | | 312 P Pathological was | tes | | |
| <u>144</u> | 1 of 1 | W/281.1 | 226.9 / -7.32 | Cdn Inst of Management - HO 15 Collier St Lower Level Barrie ON L4M 1G5 | SCT |
| Established: Plant Size (fi Employment | t²): | 01-NOV-42 | | | |
| Details Description: SIC/NAICS Code: | | Business Associations 813910 | | | |
| 145 | 1 of 1 | E/280.0 | 234.3 / 0.08 | 129 Collier Street Barrie ON L4M 1H5 | EHS |
| Order No: Status: Report Type Report Date: Date Receive | : | 20190523168 C Standard Report 30-MAY-19 23-MAY-19 | | Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -79.682152 | |

Order No: 20200504087

DB Number of Direction/ Elev/Diff Site Map Key

Y:

Records Distance (m) (m)

Previous Site Name: Lot/Building Size:

Additional Info Ordered: Fire Insur. Maps and/or Site Plans

ESE/281.4 146 1 of 1 227.9 / -6.32 **WWIS** Barrie ON

Well ID: 7207029

Construction Date: Primary Water Use: Sec. Water Use:

Final Well Status: Abandoned-Other

Water Type: Casing Material:

Audit No: Z158270

Tag:

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

Data Entry Status:

Data Src:

Date Received: 8/27/2013 Selected Flag: Yes Abandonment Rec: Yes Contractor: 5528 Form Version:

Owner:

County:

Site Info:

Street Name: 185 DUNLOP ST E

SIMCOE

223.599136

17

604952 4915949

UTM83

margin of error: 30 m - 100 m

Order No: 20200504087

44.389865

Municipality: BARRIE CITY (VESPRA)

Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

Elevation:

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 1004547807

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 7/13/2013

Remarks:

Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Annular Space/Abandonment

Sealing Record

Plug ID: 1005010187

Layer:

Plug From: Plug To:

Plug Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1005010189

2 Layer: 19 Plug From:

DΒ Map Key Number of Direction/ Elev/Diff Site Records Distance (m) (m)

22 Plug To:

Plug Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1005010188

Layer: Plug From: 0 Plug To: 19 Plug Depth UOM: m

Method of Construction & Well

<u>Use</u>

Method Construction ID: Method Construction Code:

Method Construction:

Other Method **GROUT** Other Method Construction:

Pipe Information

Pipe ID: 1005010179

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1005010184

Layer: Material: 5

PLASTIC Open Hole or Material:

Depth From: 0.6 Depth To: 22 Casing Diameter: 50 Casing Diameter UOM: cm Casing Depth UOM:

Construction Record - Screen

Screen ID: 1005010185

Layer: Slot:

Screen Top Depth: Screen End Depth: Screen Material:

Screen Depth UOM: m Screen Diameter UOM: cm

Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1005010180

Pump Set At: Static Level:

Final Level After Pumping: Recommended Pump Depth:

Pumping Rate: Flowing Rate:

Recommended Pump Rate:

Order No: 20200504087

DΒ Map Key Number of Direction/ Elev/Diff Site

Levels UOM: m Rate UOM: LPM

Records

Water State After Test Code: **CLEAR** Water State After Test:

Pumping Test Method: **Pumping Duration HR: Pumping Duration MIN:**

Υ Flowing:

Hole Diameter

1005010182 Hole ID:

Diameter: Depth From: Depth To:

Hole Depth UOM: m Hole Diameter UOM: cm

> 147 1 of 1 ESE/281.5 227.9 / -6.32 **WWIS** Barrie ON

Well ID: 7207028 Data Entry Status:

Distance (m)

(m)

Construction Date:

Primary Water Use: Monitoring

Sec. Water Use:

Final Well Status: Abandoned-Other

Water Type: Casing Material:

Audit No: Z158269

Tag: **Construction Method:**

Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

Data Src:

8/27/2013 Date Received: Selected Flag: Yes Abandonment Rec: Yes Contractor: 5528 Form Version: 7

Owner: Street Name: 185 DUNCOP ST E

County: SIMCOE

Municipality: BARRIE CITY (VESPRA)

Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:

Bore Hole Information

Bore Hole ID: 1004547804 Elevation: 223.850646

DP2BR:

Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 7/13/2013

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Annular Space/Abandonment

Sealing Record

Elevrc:

Zone: 17

604953 East83: 4915952 North83: Org CS: UTM83 UTMRC:

margin of error: 30 m - 100 m UTMRC Desc:

Order No: 20200504087

Location Method: wwr Map Key Number of Direction/ Elev/Diff Site DB Records Distance (m) (m)

Plug ID: 1005009434

Layer:

Plug From: Plug To:

Plug Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1005009436

 Layer:
 2

 Plug From:
 22

 Plug To:
 25

 Plug Depth UOM:
 m

Annular Space/Abandonment

Sealing Record

Plug ID: 1005009435

 Layer:
 1

 Plug From:
 0

 Plug To:
 22

 Plug Depth UOM:
 m

Method of Construction & Well

<u>Use</u>

Method Construction ID:
Method Construction Code:

Method Construction: Other Method

Other Method Construction:

Pipe Information

Pipe ID: 1005009425

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1005009430

Layer: 1 Material: 5

Open Hole or Material:PLASTICDepth From:1.6Depth To:25Casing Diameter:50Casing Diameter UOM:cmCasing Depth UOM:m

Construction Record - Screen

Screen ID: 1005009431

Layer: Slot:

Screen Top Depth:

Screen End Depth: Screen Material:

Screen Depth UOM: m

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Screen Diameter UOM:

Screen Diameter:

Results of Well Yield Testing

1005009426 Pump Test ID:

cm

Pump Set At: Static Level:

Final Level After Pumping: Recommended Pump Depth:

Pumping Rate: Flowing Rate:

Recommended Pump Rate:

Levels UOM: m Rate UOM: LPM Water State After Test Code:

Water State After Test: **CLEAR** Pumping Test Method:

Pumping Duration HR: **Pumping Duration MIN:**

Υ Flowing:

Hole Diameter

Hole ID: 1005009428

Diameter: Depth From: Depth To:

Hole Depth UOM: m Hole Diameter UOM: cm

WSW/282.5 225.9 / -8.32 12 Dunlop Street East 148 1 of 1

> 2302-9P8MH5 Discharger Report: NA Material Group:

Site No: Incident Dt: 2014/09/23

Year:

Ref No:

Incident Cause: Unknown / N/A

Incident Event:

Contaminant Code:

Contaminant Name: SEWAGE, RAW UNCHLORINATED

Contaminant Limit 1: Contam Limit Freg 1: Contaminant UN No 1:

Environment Impact: Confirmed Surface Water Pollution

Nature of Impact: Receiving Medium:

Receiving Env:

MOE Response: No Field Response

Dt MOE Arvl on Scn:

2014/09/23 MOE Reported Dt:

Dt Document Closed:

Incident Reason: Unknown / N/A

Site Name:

Site County/District:

Site Geo Ref Meth:

Incident Summary: Contaminant Qty:

1 of 3

Sewage in storm sewer - being fixed 0 other - see incident description

Source Type: cross conection<UNOFFICIAL>

225.9 / -8.32

Brass Group International Gem

Barrie ON

Client Type: Sector Type:

Site Address:

Site Region: Site Municipality:

Site Lot:

Site Conc:

Northing:

Easting:

Health/Env Conseq:

Agency Involved:

Site District Office:

Site Geo Ref Accu:

SAC Action Class:

Site Map Datum:

Site Postal Code:

Nearest Watercourse:

Structure

Barrie

12 Dunlop Street East

Watercourse Spills

SPL

SCT

149

WSW/282.5

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) 12 Dunlop St E Barrie ON L4M 1A3 Established: 1979

--Details--

Plant Size (ft2): Employment:

Description: All Other Non-Metallic Mineral Product Manufacturing

SIC/NAICS Code: 327990

Description: Jewellery and Silverware Manufacturing

2

SIC/NAICS Code: 339910

149 2 of 3 WSW/282.5 225.9 / -8.32 Brass Group International Gem Ltd.

> 12 Dunlop St E Barrie ON L4M 1A3

1979 Established:

Plant Size (ft2): 6 Employment:

225.9 / -8.32 WSW/282.5 The Corporation of the City of Barrie 149 3 of 3 SPL

6388-8WPNAF Ref No: Site No:

Incident Dt: 30-JUL-12

Year:

Incident Cause: Other Discharges

Incident Event:

Contaminant Code:

GREASE (N.O.S.) Contaminant Name:

Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1:

Environment Impact: Not Anticipated

Nature of Impact: Surface Water Pollution

Receiving Medium:

Receiving Env:

MOE Response: Dt MOE Arvl on Scn:

30-JUL-12 MOE Reported Dt:

Dt Document Closed:

Incident Reason: Spill

Site Name:

Site County/District:

Site Geo Ref Meth:

Construction Date:

Primary Water Use:

Sec. Water Use:

Final Well Status:

Incident Summary:

Barrie: grease into cb, clning

7265150

Monitoring

Observation Wells

Contaminant Qty:

behind 12 Dunlop Street East

SCT

WWIS

Order No: 20200504087

Barrie ON L4M 1A3

Discharger Report: Material Group:

Health/Env Conseq: Client Type:

Sector Type: Agency Involved:

Nearest Watercourse:

Site Address: behind 12 Dunlop Street East

Sewer

Site District Office: Site Postal Code: Site Region:

Site Municipality: Barrie

Site Lot: Site Conc: Northing:

Easting: Site Geo Ref Accu:

Site Map Datum:

SAC Action Class: Watercourse Spills Source Type:

WNW/283.4 229.9 / -4.32 150 1 of 1

BARRIE ON

Data Entry Status:

Data Src:

Date Received: 6/17/2016 Selected Flag: Yes

Abandonment Rec:

Sewage - Municipal/Private and Commercial

Alleyway<UNOFFICIAL>

Well ID:

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Water Type: Casing Material:

 Audit No:
 Z223922

 Tag:
 A202665

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate:

Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Contractor: 6607 Form Version: 7

Owner:

Street Name: 10-14 COLLIER ST.

County: SIMCOE
Municipality: BARRIE CITY (VESPRA)

Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 1006060673

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 5/17/2016

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 1006120323

Layer: 2

Color:

General Color:

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 28

 Other Materials:
 SAND

Mat3:

Other Materials:

Formation Top Depth: 4.5
Formation End Depth: 12.2
Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Formation ID: 1006120322

Layer: 1

Color:

General Color:

Mat1:28Most Common Material:SANDMat2:11Other Materials:GRAVEL

Mat3:

Elevation: 231.137695 **Elevrc:**

Zone: 17
East83: 604365
North83: 4916123
Org CS: UTM83
UTMRC: 4

UTMRC Desc: margin of error : 30 m - 100 m

Order No: 20200504087

Location Method: ww

Map Key Number of Direction/ Elev/Diff Site DB Records Distance (m) (m)

Other Materials: FILL
Formation Top Depth: 0
Formation End Depth: 4.5
Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1006120330

 Layer:
 1

 Plug From:
 0

 Plug To:
 8.9

 Plug Depth UOM:
 m

Annular Space/Abandonment

Sealing Record

Plug ID: 1006120331

 Layer:
 2

 Plug From:
 8.9

 Plug To:
 12.2

 Plug Depth UOM:
 m

Method of Construction & Well

<u>Use</u>

Method Construction ID:
Method Construction Code:
Method Construction:
Boring

Other Method Construction:

Pipe Information

Pipe ID: 1006120321

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1006120326

Layer:

Material: 5

 Open Hole or Material:
 PLASTIC

 Depth From:
 0

 Depth To:
 9.1

 Casing Diameter:
 5.1

 Casing Diameter UOM:
 cm

 Casing Depth UOM:
 m

Construction Record - Screen

Screen ID: 1006120327

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 9.1

 Screen End Depth:
 12.2

 Screen Material:
 5

 Screen Depth UOM:
 m

 Screen Diameter UOM:
 cm

 Screen Diameter:
 6.4

Order No: 20200504087

Number of Direction/ Elev/Diff DΒ Map Key

Records

Distance (m) (m)

Site

Hole Diameter

Hole ID: 1006120324

Diameter: 21 Depth From: 0 Depth To: 12.2 Hole Depth UOM: m Hole Diameter UOM: cm

151 1 of 1 W/289.4 229.3 / -4.84 11 Collier Street **EHS** Barrie ON

20161205031 Order No:

Status:

Report Type: Standard Report Report Date: 09-DEC-16 05-DEC-16 Date Received:

Previous Site Name:

Lot/Building Size: 259 sq. m

Additional Info Ordered:

Nearest Intersection: С Municipality:

Barrie Client Prov/State: ON Search Radius (km): .25

-79.689803 X: Y: 44.390254

EHS

WWIS

Order No: 20200504087

1 of 1 ESE/286.5 226.3 / -7.90 185 To 205 Dunlop St E 152 Barrie ON

20130524011 Order No:

Status: C

Report Type: RSC Report (Urban) 04-JUN-13 Report Date:

Date Received: 24-MAY-13

Previous Site Name: Lot/Building Size: Additional Info Ordered: Nearest Intersection: Municipality:

Street Name:

Client Prov/State: ON Search Radius (km): .3

X: -79.682291 Y: 44.38912

153 1 of 1 WSW/282.2 223.8 / -10.40 ON

Well ID: 7269389 Data Entry Status: Yes

Construction Date: Data Src: 8/18/2016 Primary Water Use: Date Received: Sec. Water Use: Selected Flag: Yes Final Well Status: Abandonment Rec: 2801 Water Type: Contractor:

Casing Material: Form Version: Owner:

Audit No: C22972

Tag:

Construction Method: County: SIMCOE Municipality: BARRIE CITY (VESPRA) Elevation (m): Site Info:

Elevation Reliability: Depth to Bedrock:

Lot: Well Depth: Concession: Overburden/Bedrock: Concession Name:

Pump Rate: Easting NAD83: Static Water Level: Northing NAD83: Flowing (Y/N): Zone:

Flow Rate: UTM Reliability: Clear/Cloudy:

Bore Hole Information

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Bore Hole ID: 1006221893

Elevation: DP2BR: Elevrc:

Spatial Status: Zone: 17 604405 Code OB: East83: Code OB Desc: North83: 4915868 UTM83 Open Hole: Org CS: Cluster Kind: UTMRC:

UTMRC Desc: margin of error: 30 m - 100 m Date Completed: 7/12/2016

Remarks: Location Method: wwr

Elevrc Desc:

Location Source Date: Improvement Location Source: Improvement Location Method:

Source Revision Comment: Supplier Comment:

> 227.9 / -6.25 154 1 of 1 W/290.9 18 Collier Street **EHS** Barrie ON

Order No: 20180405043

Status:

Report Type: Standard Report 11-APR-18 Report Date: Date Received: 05-APR-18

Previous Site Name: Lot/Building Size:

Additional Info Ordered: City Directory Nearest Intersection: Municipality:

Barrie Client Prov/State: ON Search Radius (km): .25 X: -79.689821 44.390405 Y:

Barrie

Land Spills

223.363281

SPL

Order No: 20200504087

155 1 of 1 WSW/289.2 225.9 / -8.32 10 Dunlop St. East Barrie ON

1844-9PPNVV Ref No: Discharger Report: Site No: NA Material Group: 2014/10/08 Incident Dt: Health/Env Conseq: Year: Client Type:

Incident Cause: Fire/Explosion Sector Type: Valve/Fitting/Piping

Agency Involved: Incident Event:

Contaminant Code: Nearest Watercourse:

DIESEL FUEL Contaminant Name: 10 Dunlop St. East Site Address:

Contaminant Limit 1: Site District Office: Contam Limit Freq 1: Site Postal Code: Contaminant UN No 1: Site Region: **Environment Impact:** Confirmed Site Municipality:

Soil Contamination Nature of Impact: Site Lot: Site Conc:

Receiving Medium: Receiving Env:

MOE Response: No Field Response

Easting: Dt MOE Arvl on Scn: Site Geo Ref Accu: 2014/10/08 MOE Reported Dt: Site Map Datum: 2014/10/31 Dt Document Closed: SAC Action Class:

Incident Reason: **Equipment Failure** Source Type:

Site Name: Backalley parking of restaurant<UNOFFICIAL>

Site County/District: Site Geo Ref Meth:

Incident Summary: Techno Wash: 4L diesel to asphalt, cntd

Contaminant Qty: 4 L

> ESE/289.4 226.3 / -7.90 156 1 of 1 **WWIS** Barrie ON

Northing:

Well ID: 7230453 Data Entry Status:

DΒ Number of Direction/ Elev/Diff Site Map Key Records Distance (m) (m)

Construction Date:

Primary Water Use: Monitoring

Sec. Water Use:

Final Well Status: **Observation Wells**

Water Type: Casing Material:

Audit No: Z195412 Tag: A168400

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

Data Src:

Date Received: 10/30/2014 Yes

Selected Flag:

Abandonment Rec: Contractor:

7472 Form Version:

Owner: Street Name:

185 DUNLOP ST E SIMCOE

County: Municipality: BARRIE CITY (VESPRA)

Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 1005189995

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 7/30/2014

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Elevation: 221.88832

Elevrc:

Zone: 17 604955 East83: 4915933 North83: Org CS: UTM83

UTMRC:

UTMRC Desc: margin of error: 30 m - 100 m

Order No: 20200504087

Location Method: wwr

Overburden and Bedrock

Materials Interval

Formation ID: 1005414751

Layer: Color: 6 General Color: **BROWN** Mat1: 08

Most Common Material: **FINE SAND** Mat2: Other Materials: **GRAVEL** Mat3: 79 **PACKED** Other Materials: Formation Top Depth: O Formation End Depth: 4.6

Annular Space/Abandonment

Formation End Depth UOM:

Sealing Record

Plug ID: 1005414759

Laver: 1 Plug From: 0 Plug To: 2.2 Plug Depth UOM: m

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Annular Space/Abandonment

Sealing Record

Plug ID: 1005414760

 Layer:
 2

 Plug From:
 2.2

 Plug To:
 4.6

 Plug Depth UOM:
 m

Method of Construction & Well

<u>Use</u>

Method Construction ID:
Method Construction Code:
Method Construction:

6

Method Construction:

Other Method Construction:

Pipe Information

Alt Name:

Pipe ID: 1005414749

Casing No: 0
Comment:

Construction Record - Casing

Casing ID: 1005414754

Layer: 1 Material: 5

Open Hole or Material:PLASTICDepth From:0Depth To:2.5Casing Diameter:5.2Casing Diameter UOM:cmCasing Depth UOM:m

Construction Record - Screen

Screen ID: 1005414755

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 2.5

 Screen End Depth:
 4.6

 Screen Material:
 5

 Screen Depth UOM:
 m

 Screen Diameter UOM:
 cm

 Screen Diameter:
 6.4

Hole Diameter

Hole ID: 1005414752

 Diameter:
 21

 Depth From:
 0

 Depth To:
 4.6

 Hole Depth UOM:
 m

 Hole Diameter UOM:
 cm

157 1 of 1 ESE/292.1 227.9 / -6.32 WW/S
Barrie ON

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Well ID: 7230450

Construction Date:

Primary Water Use: Monitoring

Sec. Water Use:

Final Well Status: Observation Wells

Water Type: Casing Material:

Audit No: Z195415 **Tag:** A168434

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: Data Entry Status:

Data Src:

Date Received: 10/30/2014
Selected Flag: Yes

Abandonment Rec:

Contractor: 7472 Form Version: 7

Owner:

Street Name: 185 DUNLOP ST E

BARRIE CITY (VESPRA)

County: SIMCOE

Municipality:

Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 1005189843

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 7/30/2014

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Elevation: 225.037857

Elevrc:

 Zone:
 17

 East83:
 604967

 North83:
 4915963

 Org CS:
 UTM83

 UTMRC:
 4

UTMRC Desc: margin of error: 30 m - 100 m

Order No: 20200504087

Location Method: wwr

Overburden and Bedrock

Materials Interval

Formation ID: 1005414657

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 08

 Most Common Material:
 FINE SAND

 Mat2:
 11

 Other Materials:
 GRAVEL

 Mat3:
 79

Other Materials: PACKED
Formation Top Depth: 0
Formation End Depth: 4.6
Formation End Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1005414665

Layer: 1
Plug From: 0

Map Key Number of Direction/ Elev/Diff Site DB Records Distance (m) (m)

Plug To: 2.2

Plug Depth UOM: m

Annular Space/Abandonment

Sealing Record

Plug ID: 1005414666

 Layer:
 2

 Plug From:
 2.2

 Plug To:
 4.6

 Plug Depth UOM:
 m

Method of Construction & Well

<u>Use</u>

Method Construction ID:
Method Construction Code:
Method Construction:

Other Method Construction:

6

Boring

Pipe Information

 Pipe ID:
 1005414656

 Casing No:
 0

Casing No:
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1005414661

Layer: 1 Material: 5

Open Hole or Material:PLASTICDepth From:0Depth To:2.5Casing Diameter:5.2Casing Diameter UOM:cmCasing Depth UOM:m

Construction Record - Screen

Screen ID: 1005414662

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 2.5

 Screen End Depth:
 4.6

 Screen Material:
 5

 Screen Depth UOM:
 m

 Screen Diameter UOM:
 cm

 Screen Diameter:
 6.4

Hole Diameter

Hole ID: 1005414658

 Diameter:
 21

 Depth From:
 0

 Depth To:
 4.6

 Hole Depth UOM:
 m

 Hole Diameter UOM:
 cm

| Map Key | Number Records | | Elev/Diff (m) | Site | | DB |
|---|---------------------------------|--|------------------|---|--|------|
| <u>158</u> | 1 of 3 | W/298.6 | 229.9 / -4.30 | SAM & JAMES CANC 13-17 CLAPPERTON S BARRIE ON | | EXP |
| Instance No: Instance ID: Instance Type Description: Status: TSSA Program Maximum Haz Facility Type: Expired Date: | m Area: zard Rank: | 43015916 312862 FS Fuel Oil Tank Fuel Oil Tank EXPIRED | | | | |
| 158 | 2 of 3 | W/298.6 | 229.9 / -4.30 | SAM & JAMES CANC 13-17 CLAPPERTON BARRIE ON L4M 3E4 | | EXP |
| Instance No: Instance ID: | | 43015916 | | | | |
| Instance Type Description: Status: | e <i>:</i> | FS Fuel Oil Tank EXPIRED | | | | |
| TSSA Program Maximum Haz Facility Type: | zard Rank: | | | | | |
| Expired Date: | | 7/23/2009 12:55 | | | | |
| <u>158</u> | 3 of 3 | W/298.6 | 229.9 / -4.30 | SAM & JAMES CANCILLA 13-17 CLAPPERTON ST BARRIE ON L4M 3E4 | | CFOT |
| Licence No: Registration I Posse File No Posse Reg No Tank Type: Instance Num Facility Type: Instance Type Status Name: | o: o: nber: e: | Liquid Fuel Single Wall UST 43015916 FS Fuel Oil Tank FS Fuel Oil Tank EXPIRED | | Letter Sent: Corrosion Protection: Province: Nbr: Contact Name: Contact Address: Contact Address2: Contact Suite: Contact City: | ON 918 | |
| Fuel Type: Distributor: Tank Material Tank Age (as 05/1992): Tank Size: | l: | Fuel Oil Steel 3785 | | Contact Prov: Contact Postal: Tank Address: Comments: | 13-17 CLAPPERTON ST | |
| 159 | 1 of 1 | WSW/289.3 | 223.8 / -10.40 | Barrie ON | | wwis |
| Well ID: Construction Primary Wate Sec. Water Us Final Well Sta Water Type: Casing Mater Audit No: Tag: Construction | er Use: se: atus: ial: | 7166918 Test Hole Test Hole Z129066 A117960 | | Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: | 8/9/2011 Yes 7215 7 BAYFIELD ST 1-15 SIMCOE | |

Order No: 20200504087

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Elevation (m):

Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N):

Flow Rate: Clear/Cloudy: Municipality: BARRIE CITY (VESPRA)

Site Info: Lot:

Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 1003547170

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 6/2/2011

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Elevation: 223.154174

Elevrc:

Zone: 17
East83: 604403
North83: 4915858
Org CS: UTM83
UTMRC: 3

UTMRC Desc: margin of error: 10 - 30 m

Order No: 20200504087

Location Method: gis

Overburden and Bedrock

Materials Interval

Formation ID: 1003908275

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 01

 Most Common Material:
 FILL

Mat2:

Other Materials:

Mat3:

Other Materials:
Formation Top Depth: 0
Formation End Depth: 5
Formation End Depth UOM: ft

Overburden and Bedrock

Materials Interval

Formation ID: 1003908276

 Layer:
 2

 Color:
 6

 General Color:
 BROWN

 Mat1:
 28

 Most Common Material:
 SAND

Mat2:

Other Materials:

Mat3: 91

Other Materials: WATER-BEARING

Formation Top Depth: 5
Formation End Depth: 20
Formation End Depth UOM: ft

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Annular Space/Abandonment

Sealing Record

Plug ID: 1003908283

 Layer:
 1

 Plug From:
 20

 Plug To:
 9

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1003908284

 Layer:
 2

 Plug From:
 9

 Plug To:
 1

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

Plug ID: 1003908285

 Layer:
 3

 Plug From:
 1

 Plug To:
 0

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:

Method Construction Code:

Method Construction: Rotary (Convent.)

Other Method Construction:

Pipe Information

Pipe ID: 1003908274

Casing No: 0

Comment: Alt Name:

Construction Record - Casing

Casing ID: 1003908279

Layer: 1 Material: 5

Open Hole or Material:PLASTICDepth From:10Depth To:0Casing Diameter:2Casing Diameter UOM:inchCasing Depth UOM:ft

Construction Record - Screen

Screen ID: 1003908280

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 20

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m) 10 Screen End Depth: Screen Material: 5 Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 2 **Hole Diameter** Hole ID: 1003908277 Diameter: 0 Depth From: 20 Depth To: Hole Depth UOM: ft Hole Diameter UOM: inch 160 1 of 1 WSW/294.5 225.6 / -8.62 Mel Brass Custom Jewellers SCT 9B Dunlop St E Barrie ON L4M 1A2 01-JUL-79 Established: Plant Size (ft2): Employment: --Details--Description: All Other Professional, Scientific and Technical Services SIC/NAICS Code: 541990 Description: All Other Non-Metallic Mineral Product Manufacturing SIC/NAICS Code: 327990 All Other Wholesaler-Distributors Description: SIC/NAICS Code: 418990 Description: Jewellery Stores SIC/NAICS Code: 448310 Description: Jewellery and Silverware Manufacturing SIC/NAICS Code: 339910 Description: Jewellery and Watch Wholesaler-Distributors SIC/NAICS Code: 414410

Description: Other Personal and Household Goods Repair and Maintenance

WNW/296.1

SIC/NAICS Code: 811490

1 of 1

Barrie ON L4M 3E6 Ref No: 3023-89YSMM Discharger Report: Material Group: Site No: Incident Dt: Health/Env Conseq: Client Type: Year: Incident Cause: Motor Vehicle Sector Type: Incident Event: Agency Involved: Contaminant Code: 15 Nearest Watercourse: Contaminant Name: **ENGINE OIL** Site Address: Site District Office: Contaminant Limit 1: Site Postal Code: Contam Limit Freq 1: Contaminant UN No 1: Site Region:

229.9 / -4.32

south of Wellington to 31 Clapperton St

SPL

Order No: 20200504087

Confirmed Site Municipality: **Environment Impact:** Nature of Impact: Soil Contamination Site Lot:

Receiving Medium: Site Conc:

161

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Receiving Env:

MOE Response:

Dt MOE Arvl on Scn:

MOE Reported Dt: 10/6/2010 10/8/2010

Dt Document Closed: Incident Reason:

Site Name:

Site County/District: Site Geo Ref Meth:

Incident Summary: Contaminant Qty:

No Field Response

Easting:

Site Geo Ref Accu: Site Map Datum:

Northing:

SAC Action Class: Source Type:

Land Spills

Clapperton St<UNOFFICIAL>

engine oil to Clapperton St, clng 0 other - see incident description

WSW/290.2 222.8 / -11.37 162 1 of 1

lot 24 con 4 ON

Yes

Well ID: 7289191 **Construction Date:**

Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material:

Audit No: C35945

Tag:

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N):

Flow Rate: Clear/Cloudy: Data Entry Status:

Data Src: Date Received: 6/28/2017 Selected Flag: Yes

Abandonment Rec:

Contractor: 2801 Form Version: 8

Owner: Street Name:

SIMCOE County:

Municipality: BARRIE CITY (VESPRA)

Site Info: Lot:

024 Concession: 04 CON Concession Name:

Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 1006583850

DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind:

Date Completed: 6/7/2017

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Elevation: 222.361785

Elevrc:

Zone: 17 604418 East83: North83: 4915836 Org CS: UTM83 **UTMRC:**

UTMRC Desc: margin of error: 30 m - 100 m

Location Method:

163 1 of 1

WSW/297.5 225.6 / -8.62

17 Bayfield Street Barrie ON L4M 3A3

SPL

WWIS

Ref No: 8350-8U2E2G Site No:

Incident Dt:

06-MAY-12

Discharger Report: Material Group: Health/Env Conseq:

Client Type:

Other Sector Type:

Year: Incident Cause:

Unknown

erisinfo.com | Environmental Risk Information Services

Order No: 20200504087

Elev/Diff DΒ Map Key Number of Direction/ Site

Incident Event:

Records

Contaminant Code:

USED COOKING GREASE Contaminant Name:

Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1:

Environment Impact: Possible

Nature of Impact: Other Impact(s); Surface Water Pollution Receiving Medium: Sewage - Municipal/Private and Commercial

Receiving Env:

MOE Response: No Field Response

Dt MOE Arvl on Scn: 06-MAY-12 MOE Reported Dt:

12-MAY-12 Dt Document Closed: Incident Reason: Other - Reason not otherwise defined

Site Name: Site County/District:

Site Geo Ref Meth: Contaminant Qty:

Incident Summary: Cooking oil to roadway and CB

Roadway<UNOFFICIAL>

Distance (m)

(m)

Agency Involved: Nearest Watercourse:

Site Address: Site District Office:

Site Postal Code: Site Region:

Site Municipality: Barrie

Site Lot: Site Conc: Northing: Easting:

Site Geo Ref Accu: Site Map Datum:

SAC Action Class: Watercourse Spills

17 Bayfield Street

Source Type:

164 1 of 4 ESE/299.9 227.9 / -6.32 Erkki Jaakko Juhani Laakkonen

185-205 Dunlop Street East CITY OF BARRIE

CPU

CPU

Order No: 20200504087

ON

EBR Registry No: 012-9032 Decision Posted: 1141-AD4SQL Ministry Ref No: Exception Posted: Section:

Notice Type: Instrument Proposal Notice Stage: Act 1: November 10, 2016 Notice Date: Act 2:

Proposal Date: November 10, 2016 Site Location Map:

2016 Year:

Instrument Type: (EPA s. 168.6) - Certificate of Property Use

Off Instrument Name:

Posted By:

Company Name: Erkki Jaakko Juhani Laakkonen

Site Address: Location Other: Proponent Name: Proponent Address:

6605 Hurontario Street, Mississauga Ontario, Canada L5T 0A3

Comment Period:

URL:

Site Location Details:

185-205 Dunlop Street East CITY OF BARRIE

164 2 of 4 ESE/299.9 227.9 / -6.32 Erkki Jaakko Juhani Laakkonen

185-205 Dunlop Street East CITY OF BARRIE

ON

Act 1:

Act 2:

Site Location Map:

012-9032 EBR Registry No: Decision Posted: Ministry Ref No: 1141-AD4SQL Exception Posted: Section:

Instrument Decision Notice Type: Notice Stage: Notice Date: December 19, 2016

November 10, 2016 Proposal Date:

2016 Year:

Instrument Type:

Off Instrument Name:

(EPA s. 168.6) - Certificate of Property Use

Posted By:

Number of Direction/ Elev/Diff Site DΒ Map Key

Records Distance (m) (m)

Site Address: Location Other: Proponent Name:

Company Name:

Proponent Address: 6605 Hurontario Street, Mississauga Ontario, Canada L5T 0A3

Erkki Jaakko Juhani Laakkonen

Comment Period:

URL:

Year:

Site Location Details:

185-205 Dunlop Street East CITY OF BARRIE

227.9 / -6.32 PowerStream Inc. 164 3 of 4 ESE/299.9 SPL

205 Dunlop St. E

Barrie ON

Ref No: 7518-A8J8UL Discharger Report: Site No: Material Group: NA 2016/03/30 Health/Env Conseq: Incident Dt:

Client Type:

Sector Type: Incident Cause: Electric Power Generation

Incident Event: Leak/Break Agency Involved: Nearest Watercourse: Contaminant Code:

Contaminant Name: TRANSFORMER OIL (N.O.S.) Site Address: 205 Dunlop St. E

Contaminant Limit 1: Site District Office: Contam Limit Freg 1: Site Postal Code: Contaminant UN No 1: Site Region: Environment Impact: Site Municipality:

Site Lot: Nature of Impact: Receiving Medium: Site Conc: Land Northing:

Receiving Env: MOE Response: No Easting: Dt MOE Arvl on Scn: Site Geo Ref Accu:

2016/03/30 MOE Reported Dt: Site Map Datum: **Dt Document Closed:** 2016/04/13 SAC Action Class:

Equipment Failure Incident Reason: Source Type:

Site Name: Transformer oil spill<UNOFFICIAL>

Site County/District: Site Geo Ref Meth:

Incident Summary: Powerstream - 50L of transformer oil contained to vault - Cleaning

Contaminant Qty: 50 L

ESE/299.9 227.9 / -6.32 THE ESTATE OF ERKKI LAAKKONEN 164 4 of 4 **RSC**

185-205 DUNLOP STREET EAST, BARRIE, ON

Barrie

Land Spills

L4M 1B2 Barrie ON

224032 RSC ID: Cert Date: RA1364-13 RA No:

RSC Type: Phase 1 and 2 RSC with RA

Curr Property Use: Industrial

Barrie District Office Ministry District:

Filing Date: 2017/12/19 Date Ack:

Date Returned: Restoration Type: Soil Type:

Criteria: **CPU Issued Sect**

1686:

Asmt Roll No: 434202200300800, Cert Prop Use No:

Intended Prop Use: Residential Qual Person Name: PHILIP ROMERIL

Stratified (Y/N): Audit (Y/N):

Entire Leg Prop. (Y/N): Accuracy Estimate:

Fax: Email:

Telephone:

Elev/Diff Site DΒ Map Key Number of Direction/ (m)

Records Distance (m)

434202200301100 58795-0625 (LT) Prop ID No (PIN):

185-205 DUNLOP STREET EAST, BARRIE, ON L4M 1B2 Property Municipal Address:

Mailing Address: Latitude & Latitude: **UTM Coordinates:** Consultant: Legal Desc:

Measurement Method: Applicable Standards:

RSC PDF: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?

attachmentId=89019&fileName=BROWNFIELDS-E.pdf

Document(s) Detail

Document Heading: Supporting Documents

Document Name: Transfer.pdf

Document Type: Copy of any deed(s), transfer(s) or other document(s)

Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?

attachmentId=91239&fileName=Transfer.pdf

Document Heading: **Supporting Documents**

PSS RA1364-13 - Dec 14_16.xls **Document Name: Document Type: Property Specific Standards**

Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?

attachmentId=89026&fileName=PSS+RA1364-13+-+Dec+14_16.xls

Document Heading: Supporting Documents

CPTable.pdf **Document Name:**

Document Type: Table of Current and Past Property Use

Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?

attachmentId=91241&fileName=CPTable.pdf

Supporting Documents Document Heading:

PH2CSM.pdf Document Name:

Document Type: Phase 2 Conceptual Site Model

https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action? Document Link:

attachmentId=89025&fileName=PH2CSM.pdf

Document Heading: Supporting Documents LawyersLetter.pdf Document Name:

Lawyer's letter consisting of a legal description of the property Document Type:

Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?

attachmentId=91238&fileName=LawyersLetter.pdf

Document Heading: Supporting Documents

Certificate_of_Appointment_of_Foreign_Estate.pdf **Document Name:**

Document Type: Certificate of Status

Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?

attachmentId=89022&fileName=Certificate_of_Appointment_of_Foreign_Estate.pdf

Order No: 20200504087

Document Heading: Supporting Documents APEC_Table.pdf Document Name:

Area(s) of Potential Environmental Concern Document Type:

https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action? Document Link:

attachmentId=89017&fileName=APEC_Table.pdf

Supporting Documents Document Heading: Document Name: Survey.pdf A Current plan of Survey

Document Type: **Document Link:** https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?

attachmentId=91240&fileName=Survey.pdf

Document Heading: Orders and Notices

Document Name: CPU 1141-AD4SQL - 185-205 Dunlop St Barrie.pdf

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Document Type: CPU

Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?

attachmentId=97470&fileName=CPU+1141-AD4SQL+-+185-205+Dunlop+St+Barrie.pdf

165 1 of 1 WNW/298.0 232.6 / -1.59 55-57 McDonald St, 61-67 Owen St, 60 Worsley St, 58, 72, 76-78 Maple Ave, 26 Mary St

EHS

CA

Order No: 20200504087

Barrie ON

Order No: 20161109152

Status: C

Report Type: Custom Report 30-NOV-16 Report Date: Date Received: 09-NOV-16

Previous Site Name: Lot/Building Size:

Additional Info Ordered: Topographic Maps Nearest Intersection: Municipality:

Client Prov/State: ON .25 Search Radius (km):

X: -79.689462 Y: 44.391584

166 1 of 1 NW/297.5 237.9 / 3.68 P.U.C. BARRIE

WCDONALD ST./OWEN ST.

BARRIE CITY ON

7-0804-95-Certificate #: Application Year: 95 Issue Date: 8/16/1995

Approval Type: Municipal water Status: Approved Application Type: Client Name: Client Address:

Client City: Client Postal Code: Project Description: Contaminants: **Emission Control:**

> WSW/298.4 167 1 of 3 224.8 / -9.35 **WWIS BARRIE ON**

Well ID: 5739379

Construction Date:

Primary Water Use: Not Used Sec. Water Use: Final Well Status: Test Hole

Water Type: Casing Material:

Audit No: Z08040

A007957 Tag: **Construction Method:**

Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth:

Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:

Data Entry Status: Data Src:

Date Received: 12/2/2004 Selected Flag: Yes Abandonment Rec:

Contractor: 7241 Form Version: 3

Owner:

15 BAYFIELD ST Street Name: SIMCOE County: Municipality: BARRIE CITY

Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone:

UTM Reliability:

Bore Hole Information

Map Key Number of Direction/ Elev/Diff Site DB Records Distance (m) (m)

Elevation:

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

unknown UTM

na

Zone:

Bore Hole ID: 11178623

DP2BR: Spatial Status:

Code OB: 0
Code OB Desc: Overburden

Open Hole:

Cluster Kind:

Date Completed: 5/28/2004

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 932987193

Layer: Color: 6 **BROWN** General Color: 28 Mat1: Most Common Material: SAND 28 Mat2: Other Materials: SAND Mat3: 77 Other Materials: LOOSE Formation Top Depth: 0

6.1

m

Formation End Depth UOM:

Annular Space/Abandonment

Formation End Depth:

Plug ID: 933261175

 Layer:
 1

 Plug From:
 0

 Plug To:
 0.3

 Plug Depth UOM:
 m

Annular Space/Abandonment

Sealing Record

Sealing Record

Plug ID: 933261177

 Layer:
 3

 Plug From:
 2.1

 Plug To:
 6.1

 Plug Depth UOM:
 m

Annular Space/Abandonment

Sealing Record

Plug ID: 933261176

 Layer:
 2

 Plug From:
 0.3

 Plug To:
 2.1

 Plug Depth UOM:
 m

Method of Construction & Well

<u>Use</u>

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

Method Construction ID: Method Construction Code:

7

Method Construction: Diamond

Other Method Construction:

Pipe Information

Pipe ID: 11187142

Casing No:

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930851451

Layer: 1 Material: 5

Open Hole or Material: PLASTIC

 Depth From:
 0

 Depth To:
 3

 Casing Diameter:
 5.2

 Casing Diameter UOM:
 cm

 Casing Depth UOM:
 m

Construction Record - Screen

Screen ID: 933410649

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 3

 Screen End Depth:
 6.1

 Screen Material:
 5

 Screen Depth UOM:
 m

 Screen Diameter UOM:
 cm

 Screen Diameter:
 5.7

Water Details

Water ID: 934056288

Layer: 1

Kind Code: Kind:

Water Found Depth: 3.7
Water Found Depth UOM: m

Hole Diameter

 Hole ID:
 11312795

 Diameter:
 7.7

 Depth From:
 0

 Depth To:
 6.1

 Hole Depth UOM:
 m

 Hole Diameter UOM:
 cm

167 2 of 3 WSW/298.4 224.8 / -9.35

7044172

BARRIE ON

Data Entry Status:

Construction Date: Data Src:

Primary Water Use: Date Received: 5/28/2007

Well ID:

WWIS

DΒ Number of Direction/ Elev/Diff Site Map Key Records Distance (m) (m)

Sec. Water Use:

Final Well Status: **Observation Wells**

Water Type:

Casing Material:

Audit No: Z64479 A049031 Tag:

Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate:

Static Water Level:

Flowing (Y/N): Flow Rate: Clear/Cloudy:

Selected Flag: Abandonment Rec:

Contractor:

Form Version:

Owner:

15 BAYFIELD ST Street Name: County: **FRONTENAC** Municipality: BARRIE TOWNSHIP

Yes

7201

Order No: 20200504087

3

Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83:

Zone:

UTM Reliability:

Bore Hole Information

Bore Hole ID: 11766606

DP2BR: Spatial Status:

Code OB:

Code OB Desc: Overburden

Open Hole: Cluster Kind:

4/18/2007 Date Completed:

Remarks: Elevrc Desc:

Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Elevation: Elevrc: Zone: East83: North83: Org CS: **UTMRC**: UTMRC Desc: Location Method:

Overburden and Bedrock

Materials Interval

Formation ID: 933102202

Layer: 2 Color: 6 **BROWN** General Color: Mat1: 28 Most Common Material: SAND Mat2: 91

Other Materials: WATER-BEARING

Mat3:

Other Materials:

2.1 Formation Top Depth: Formation End Depth: 5.3 Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

933102201 Formation ID:

Layer: Color: 6

BROWN General Color: Mat1: 28 Most Common Material: SAND Mat2: 11

Map Key Number of Direction/ Elev/Diff Site DB
Records Distance (m) (m)

 Other Materials:
 GRAVEL

 Mat3:
 01

 Other Materials:
 FILL

 Formation Top Depth:
 0

 Formation End Depth:
 2.1

 Formation End Depth UOM:
 m

Annular Space/Abandonment

Sealing Record

 Plug ID:
 933319757

 Layer:
 1

 Plug From:
 0

 Plug To:
 0.5

 Plug Depth UOM:
 m

Annular Space/Abandonment

Sealing Record

 Plug ID:
 933319758

 Layer:
 2

 Plug From:
 0.5

 Plug To:
 4

 Plug Depth UOM:
 m

Annular Space/Abandonment

Sealing Record

 Plug ID:
 933319759

 Layer:
 3

 Plug From:
 4

 Plug To:
 15

 Plug Depth UOM:
 m

Method of Construction & Well

<u>Use</u>

Method Construction ID:6Method Construction:6Method Construction:BoringOther Method Construction:

Pipe Information

 Pipe ID:
 11774296

 Casing No:
 1

Comment: Alt Name:

Construction Record - Casing

Casing ID: 930899912

Layer: 1
Material: 5
Open Hole or Material: PLASTIC

 Depth From:
 0

 Depth To:
 5

 Casing Diameter:
 2

 Casing Diameter UOM:
 cm

 Casing Depth UOM:
 m

Number of Direction/ Elev/Diff Site DΒ Map Key Records Distance (m) (m)

Construction Record - Screen

Screen ID: 933424652

Layer:

Slot:

Screen Top Depth: 5 Screen End Depth: 15 Screen Material: 5 Screen Depth UOM: m Screen Diameter UOM: cm Screen Diameter: 2

Hole Diameter

Hole ID: 11853164 Diameter: 8.25 Depth From: 0 15 Depth To: Hole Depth UOM: m Hole Diameter UOM:

167 3 of 3 WSW/298.4 224.8 / -9.35 15 Bayfield Street **EHS** Barrie ON

Order No: 20110404029

С Status:

Report Type: Standard Report Report Date: 4/13/2011

Date Received: 4/4/2011 2:38:14 PM

Previous Site Name: Lot/Building Size: Additional Info Ordered: Nearest Intersection: **Bayfield Street & Simcoe Street**

City of Barrie Municipality:

Client Prov/State: ON Search Radius (km): 0.25 X: -79.689309 Y: 44.388655

168 1 of 3 NNE/299.5 258.9 / 24.71 81 MULCASTER STREET **EHS BARRIE ON L4M 6T7**

20101216056 Order No:

Status:

Report Type: Standard Report Report Date: 12/29/2010

Date Received: 12/16/2010 4:56:31 PM

Previous Site Name: Lot/Building Size: Additional Info Ordered: Nearest Intersection: CODRINGTON STREET Municipality: SIMCOE COUNTY

> Canada CO_OFFICIAL

Mulcaster CRA

705-722-6706 Ext.

Order No: 20200504087

Client Prov/State: ON Search Radius (km): 0.25 X: -79.684451 Y: 44.39342

barrie ON L4M6T7

Choice of Contact:

Phone No Admin:

PO Box No:

Country:

Co Admin:

168 2 of 3 NNE/299.5 258.9 / 24.71 1646434 Ontario Inc **GEN** 81 Mulcaster

Generator No: ON5213173

Status: Approval Years: 2015 No Contam. Facility: MHSW Facility: No

SIC Description:

SIC Code: 541212 OFFICES OF ACCOUNTANTS

Detail(s)

Number of Elev/Diff Site DΒ Map Key Direction/ Records Distance (m) 150 Waste Class: Waste Class Desc: **INERT INORGANIC WASTES** 168 3 of 3 NNE/299.5 258.9 / 24.71 1646434 Ontario Inc **GEN** 81 Mulcaster barrie ON L4M6T7 Generator No: ON5213173 PO Box No: Status: Country: Canada CO_OFFICIAL 2014 Approval Years: Choice of Contact: Contam. Facility: No Co Admin: Mulcaster CRA MHSW Facility: No Phone No Admin: 705-722-6706 Ext. 541212 SIC Code: SIC Description: OFFICES OF ACCOUNTANTS Detail(s) Waste Class: 150 Waste Class Desc: **INERT INORGANIC WASTES** 169 1 of 2 SW/299.6 219.8 / -14.40 **UNKNOWN SPL** KEMPENFELT BAY (LAKE SIMCOE) AT LAKESHORE ROAD & BAYFIELD ROAD **BARRIE CITY ON** 124778 Ref No: Discharger Report: Site No: Material Group: Incident Dt: Health/Env Conseq: // Year: Client Type: Incident Cause: UNKNOWN Sector Type: Incident Event: Agency Involved: Contaminant Code: Nearest Watercourse: Contaminant Name: Site Address: Contaminant Limit 1: Site District Office: Site Postal Code: Contam Limit Freq 1: Contaminant UN No 1: Site Region: CONFIRMED Site Municipality: Environment Impact: 70101 Nature of Impact: Water course or lake Site Lot: Receiving Medium: LAND / WATER Site Conc: Receiving Env: Northing: MOE Response: Easting: **WORKS** Dt MOE Arvl on Scn: Site Geo Ref Accu: 4/11/1996 **MOE** Reported Dt: Site Map Datum: **Dt Document Closed:** SAC Action Class: **UNKNOWN** Incident Reason: Source Type: Site Name: Site County/District: Site Geo Ref Meth: UNKNOWN: 400 FT OF SHORE-LINE AFFECTED BY DIESEL SPILL: UNKNOWN SOURCE Incident Summary: Contaminant Qty: 169 2 of 2 SW/299.6 219.8 / -14.40 **UNKNOWN SPL** LAKE SIMCOE IN KEMPENFELT BAY AT THE

GOVERNMENT DOCKS AT FT. OF BAYFIELD ST.

BARRIE CITY ON

Ref No: 178795 Discharger Report: Site No: Material Group:

erisinfo.com | Environmental Risk Information Services

Health/Env Conseq: Client Type:

3/23/2000 Incident Dt: Year: Incident Cause: UNKNOWN

Sector Type: Agency Involved:

Incident Event:

DB Map Key Number of Direction/ Elev/Diff Site Records Distance (m) (m) Contaminant Code: Nearest Watercourse: Contaminant Name: Site Address: Contaminant Limit 1: Site District Office: Contam Limit Freq 1: Site Postal Code: Contaminant UN No 1: Site Region: CONFIRMED 70101 Environment Impact: Site Municipality: Nature of Impact: Water course or lake Site Lot: Receiving Medium: WATER Site Conc: Receiving Env: Northing: BARRIE WORKS DEPT. MOE Response: Easting: Dt MOE Arvl on Scn: Site Geo Ref Accu: MOE Reported Dt: 3/23/2000 Site Map Datum: SAC Action Class: Dt Document Closed: UNKNOWN Incident Reason: Source Type:

Site Name: Site County/District: Site Geo Ref Meth:

Incident Summary: SOURCE UNKNOWN - OIL DISCHARGE TO LAKE SIMCOE FROM STORM SEWER OUTFALL.

Contaminant Qty:

Unplottable Summary

Total: 37 Unplottable sites

| DB | Company Name/Site Name | Address | City | Postal |
|----|-------------------------------------|---|-----------------------------------|--------|
| CA | FRED THOMSON | BAYFIELD ST. | BARRIE CITY ON | |
| CA | BARRIE PUBLIC UTILITIES COMM. | BAYFIELD ST. | BARRIE CITY ON | |
| CA | MACEDON DEVELOPMENTS (1986) LTD. | LANE N.OF DUNLOP ST. BAYSHORE | BARRIE CITY ON | |
| CA | BARRIE CITY DUNLOP STREET E. | DUNLOP STREET E. | BARRIE CITY ON | |
| CA | BARRIE CITY | LAKESHORE DR. | BARRIE CITY ON | |
| CA | BARRIE CITY | LAKESHORE DR. TRUNK SANITARY | BARRIE CITY ON | |
| CA | 369086 ONTARIO LIMITED | BAYFIELD STREET CRAWFORD MALL | BARRIE CITY ON | |
| CA | BAYFIELD GREEN DEVELOPMENTS LTD. | BAYFIELD STREET | BARRIE CITY ON | |
| CA | BARRIE CITY | DUNLOP STREET E. | BARRIE CITY ON | |
| CA | TRADMOR INVESTMENTS LIMITED | PROP. COMM. DEV./DUNLOP STREET | BARRIE CITY ON | |
| CA | P.U.C. BARRIE - PUC WELL #15 | LAKESHORE DRIVE | BARRIE CITY cl sent 1/11/93 ON | |
| CA | BARRIE CITY | POYNTZ STREET | BARRIE CITY ON | |
| CA | BARRIE CITY | OWEN ST./CLAPPERTON ST. | BARRIE CITY ON | |
| CA | P.U.C. | COLLIER ST. | BARRIE CITY ON | |
| CA | P.U.C. | COLLIER ST. | BARRIE CITY ON | |
| CA | CADILLAC FAIRVIEW CORP. LTD. | BAYFIELD ST. | BARRIE CITY ON | |
| CA | | Bayfield, Sophia, Wellington, and Grove Streets | Barrie ON | |

| CA | Lakeshore Drive and Victoria Street | Simcoe Street, Lakeshore Drive, Victoria Street | Barrie ON | |
|------|---|---|----------------|---------|
| CA | | Bayfield, Sophia, Wellington, and Grove Streets | Barrie ON | |
| CA | The Corporation of the City of Barrie | Simcoe St | Barrie ON | |
| CA | The Corporation of the City of Barrie | Lakeshore Dr | Barrie ON | |
| CA | BARRIE CITY | COLLIER ST. | BARRIE CITY ON | |
| CA | BARRIE PUBLIC UTILITIES COMMISSION | LAKESHORE DRIVE | BARRIE CITY ON | |
| ECA | The Corporation of the City of Barrie | Lakeshore Dr | Barrie ON | L4M 4T5 |
| ECA | The Corporation of the City of Barrie | Simcoe St | Barrie ON | L4M 4T5 |
| ECA | The Corporation of the City of Barrie | Simcoe St | Barrie ON | L4M 4T5 |
| EHS | | Lakeshore Drive | Barrie ON | |
| EHS | | Dunlop Street | Barrie ON | |
| RST | CITY OF BARRIE MARINA | LAKESHORE DR | BARRIE ON | |
| SPL | Bill Crampton-Barrie Flying Club <unofficial></unofficial> | Lakeshore Dr | Barrie ON | |
| SPL | The Corporation of the City of Barrie | Lakeshore Drive | Barrie ON | |
| SPL | The Corporation of the City of Barrie | Lakeshore Dr. | Barrie ON | |
| SPL | | Dunlop St., Bayfield St., and Lakeshore Drive | Barrie ON | |
| SPL | Philip Emergency Response Services Division of Philip Services Inc. | BAYFIELD STREET <unofficial></unofficial> | Barrie ON | |
| SPL | PUC | ALONG OWEN ST. MOTOR VEHICLE (CARGO) | BARRIE CITY ON | |
| SPL | The Corporation of the City of Barrie | Owen St West of Collier | Barrie ON | |
| WWIS | | lot 64 | BARRIE ON | |

Unplottable Report

Site: FRED THOMSON

BAYFIELD ST. BARRIE CITY ON

Database:

Certificate #: 7-1561-88-Application Year: 88

Approval Type:

Approval Type:

Status:

Application Type:

Municipal water

Approved

Application Type:

Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Site: BARRIE PUBLIC UTILITIES COMM.

BAYFIELD ST. BARRIE CITY ON

Certificate #: 7-0936-86-Application Year: 86

Issue Date:9/10/1986Approval Type:Municipal waterStatus:Approved

Status:
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:

Contaminants: Emission Control:

Site: MACEDON DEVELOPMENTS (1986) LTD.

LANE N.OF DUNLOP ST. BAYSHORE BARRIE CITY ON

Certificate #: 3-1656-89-Application Year: 89

Issue Date:8/17/1989Approval Type:Municipal sewageStatus:Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Site: BARRIE CITY DUNLOP STREET E.

DUNLOP STREET E. BARRIE CITY ON

Certificate #: 3-1118-89-

Database:

Database:

Database:

Application Year:89Issue Date:6/13/1989Approval Type:Municipal sewageStatus:Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Site: BARRIE CITY

LAKESHORE DR. BARRIE CITY ON

Database:

Certificate #:3-2126-88-Application Year:88Issue Date:11/8/1988Approval Type:Municipal sewageStatus:Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Site: BARRIE CITY

LAKESHORE DR. TRUNK SANITARY BARRIE CITY ON

Database: CA

Certificate #:3-1622-86-Application Year:86Issue Date:12/1/1986Approval Type:Municipal sewageStatus:Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants:

Emission Control:

Site: 369086 ONTARIO LIMITED

BAYFIELD STREET CRAWFORD MALL BARRIE CITY ON

Database:

Order No: 20200504087

Certificate #: 3-0992-86Application Year: 86
Issue Date: 8/29/1986
Approval Type: Municipal sewage
Status: Approved
Application Type:

Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control: Site: BAYFIELD GREEN DEVELOPMENTS LTD.

BAYFIELD STREET BARRIE CITY ON

 Certificate #:
 3-0966-87

 Application Year:
 87

 Issue Date:
 7/7/1987

Approval Type: Municipal sewage

Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Site: BARRIE CITY

DUNLOP STREET E. BARRIE CITY ON

Database:

Database:

Certificate #: 7-0945-89Application Year: 89
Issue Date: 6/13/1989
Approval Type: Municipal water
Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Site: TRADMOR INVESTMENTS LIMITED

PROP. COMM. DEV./DUNLOP STREET BARRIE CITY ON

Database:

Certificate #:7-0036-90-Application Year:90Issue Date:11/22/1990Approval Type:Municipal waterStatus:Cancelled

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Site: P.U.C. BARRIE - PUC WELL #15

LAKESHORE DRIVE BARRIE CITY cl sent 1/11/93 ON

Database: CA

Order No: 20200504087

 Certificate #:
 7-0203-92

 Application Year:
 92

 Issue Date:
 8/28/1992

 Approval Type:
 Municipal water

 Status:
 Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

Site: BARRIE CITY

POYNTZ STREET BARRIE CITY ON

Database: CA

Certificate #: 7-0484-87Application Year: 87
Issue Date: 5/26/1987
Approval Type: Municipal water
Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants:

Emission Control:

Site: BARRIE CITY

OWEN ST./CLAPPERTON ST. BARRIE CITY ON

Database: CA

Certificate #: 3-0452-95Application Year: 95
Issue Date: 5/17/1995
Approval Type: Municipal sewage
Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code

Client Postal Code: Project Description: Contaminants: Emission Control:

Site: P.U.C.

COLLIER ST. BARRIE CITY ON

Database:

 Certificate #:
 7-0105-85-006

 Application Year:
 85

 Issue Date:
 3/21/85

Approval Type: Municipal water Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code:

Client Postal Code: Project Description: Contaminants: Emission Control:

Site: P.U.C.

COLLIER ST. BARRIE CITY ON

3-0143-85-006

Certificate #: 3-0
Application Year: 85

Database:

3/21/85 Issue Date:

Municipal sewage Approval Type: Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: **Emission Control:**

Site: CADILLAC FAIRVIEW CORP.LTD. BAYFIELD ST. BARRIE CITY ON

Database:

Database:

CA

Order No: 20200504087

Certificate #: 3-0172-85-006 Application Year: 85

4/4/85 Issue Date:

Municipal sewage Approval Type: Status: Approved

Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: **Emission Control:**

Application Type:

Site: Bayfield, Sophia, Wellington, and Grove Streets Barrie ON

0853-4MTH3V Certificate #: Application Year: 00 8/2/00 Issue Date:

Approval Type: Municipal & Private sewage

Status: Approved

Application Type: New Certificate of Approval Corporation of the City of Barrie Client Name: 70 Collier St., P.O. Box 400 Client Address:

Barrie Client City: Client Postal Code: L4M 4T5

Construction of storm and sanitary sewers on Bayfield Street and Wellington Street and construction of only **Project Description:**

sanitary sewers on Grove Street and Sophia Street.

Contaminants: **Emission Control:**

Lakeshore Drive and Victoria Street Site:

Database: Simcoe Street, Lakeshore Drive, Victoria Street Barrie ON

2871-5DXLSM Certificate #:

Application Year: 02 Issue Date: 9/17/02

Municipal & Private water Approval Type:

Status: Approved

Application Type: New Certificate of Approval Client Name: The Corporation of the City of Barrie

Client Address: 70 Collier Street

Barrie Client City: Client Postal Code: L4M 4T5

This application is for the construction of watermain on Simcoe Street, Lakeshore Drive, and Victoria Street. Project Description:

Contaminants: **Emission Control:** Site: Database:

Bayfield, Sophia, Wellington, and Grove Streets Barrie ON

Certificate #: 0828-4MTH93 Application Year: 00

Issue Date: 8/2/00

Approval Type: Municipal & Private water

Status: Approved

Application Type: New Certificate of Approval Client Name: Corporation of the City of Barrie 70 Collier St., P.O. Box 400 Client Address:

Client City: Barrie Client Postal Code: L4M 4T5

Project Description:

Construction of watermains on Bayfield Street, Sophia Street, Wellington Street, and Grove Street. Contaminants:

Site: The Corporation of the City of Barrie

Simcoe St Barrie ON

Database:

Certificate #: 4986-76GRUH Application Year: 2007

Issue Date: 8/28/2007

Approval Type: Municipal and Private Sewage Works

Approved Status:

Application Type: Client Name: Client Address: Client City: Client Postal Code: **Project Description:** Contaminants: **Emission Control:**

Emission Control:

The Corporation of the City of Barrie Site:

Lakeshore Dr Barrie ON

Database:

Certificate #: 7290-7FPQ8K Application Year: 2008 Issue Date: 6/18/2008

Municipal and Private Sewage Works Approval Type:

Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code: **Project Description:** Contaminants: **Emission Control:**

Site: **BARRIE CITY**

COLLIER ST. BARRIE CITY ON

Database: CA

Order No: 20200504087

Certificate #: 3-0337-87-Application Year: 87 5/19/1987 Issue Date: Approval Type: Municipal sewage Status: Approved

Application Type: Client Name: Client Address:

Client City: Client Postal Code: Project Description: Contaminants: Emission Control:

<u>Site:</u> BARRIE PUBLIC UTILITIES COMMISSION LAKESHORE DRIVE BARRIE CITY ON

Database:

Certificate #: 8-3236-92Application Year: 92
Issue Date: 10/27/1992
Approval Type: Industrial air
Status: Approved

Application Type: Client Name: Client Address: Client City: Client Postal Code:

Project Description: 230 KW DIESEL GEN-SET FOR WELL NO. 15

Contaminants: Nitrogen Oxides
Emission Control: No Controls

<u>Site:</u> The Corporation of the City of Barrie

Lakeshore Dr Barrie ON L4M 4T5

Database: ECA

7290-7FPQ8K **MOE District:** Approval No: Approval Date: City: 2008-06-18 Status: Revoked and/or Replaced Longitude: Record Type: Latitude: **ECA** Link Source: IDS Geometry X: SWP Area Name: Geometry Y:

Approval Type:ECA-MUNICIPAL AND PRIVATE SEWAGE WORKSProject Type:MUNICIPAL AND PRIVATE SEWAGE WORKS

Address: Lakeshore Dr

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/9998-7FJLEB-14.pdf

Site: The Corporation of the City of Barrie

Simcoe St Barrie ON L4M 4T5

Database: ECA

1300-76GS47 Approval No: MOE District: Approval Date: 2007-08-28 City: Approved Longitude: Status: Record Type: ECA Latitude: Link Source: IDS Geometry X: SWP Area Name: Geometry Y:

Approval Type:ECA-Municipal Drinking Water SystemsProject Type:Municipal Drinking Water Systems

Address: Simcoe St

Full Address: Full PDF Link:

<u>Site:</u> The Corporation of the City of Barrie

Simcoe St Barrie ON L4M 4T5

Database: ECA

Order No: 20200504087

4986-76GRUH Approval No: **MOE District:** Approval Date: 2007-08-28 City: Approved Longitude: Status: Record Type: **ECA** Latitude: Link Source: IDS Geometry X: SWP Area Name: Geometry Y:

ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Approval Type: Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

Address: Simcoe St

Full Address:

Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/3533-72ZPYY-14.pdf

Site: Database: Lakeshore Drive Barrie ON **EHS**

Order No: 20041126002 Nearest Intersection:

С Status:

Municipality: Report Type: Custom Report Client Prov/State: ON 12/2/04 Report Date: Search Radius (km): 0.25 Date Received: 11/26/04 X: -79.688591 Previous Site Name: Y: 44.373394

Lot/Building Size:

Additional Info Ordered: Aerials Photos and/or Topographical Maps

Site: Database: **Dunlop Street Barrie ON EHS**

Order No: 20081007015 Between Anne Street and Miller Drive Nearest Intersection:

Status: С Municipality: Barrie Report Type: **Custom Report** Client Prov/State: ON 10/27/2008 0.2 Report Date: Search Radius (km):

Date Received: 10/7/2008 -79.722992 X:

Y: Previous Site Name: 1

Lot/Building Size: approximately 3 km length of the street

Additional Info Ordered: Fire Insur. Maps and/or Site Plans

CITY OF BARRIE MARINA Site: Database: LAKESHORE DR BARRIE ON RST

Headcode: 00824400 Headcode Desc: **MARINAS** Phone: 7057394218

List Name: Description:

Bill Crampton-Barrie Flying Club<UNOFFICIAL> Site: Database: Lakeshore Dr Barrie ON SPL

Order No: 20200504087

8152-5NS5HC Ref No: Discharger Report: Site No: Material Group: Oil

Incident Dt: 6/22/2003 Health/Env Conseq: Client Type: Year:

Incident Cause: Sector Type: Incident Event: Agency Involved: Nearest Watercourse: Contaminant Code: FUEL (N.O.S.) Contaminant Name: Site Address:

Site District Office: Barrie Contaminant Limit 1:

Contam Limit Freg 1: Site Postal Code:

Contaminant UN No 1: Site Region: Southwestern

Environment Impact: Possible Site Municipality: Barrie Nature of Impact: Surface Water Pollution Site Lot:

Receiving Medium: Water Site Conc: Receiving Env: Northing: MOE Response: Easting:

Dt MOE Arvl on Scn: Site Geo Ref Accu: **MOE** Reported Dt: 6/22/2003 Site Map Datum:

Dt Document Closed: SAC Action Class: Incident Reason: Source Type:

Site Name: BREAK WALL CENTENNIAL PARK<UNOFFICIAL>

Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty:

Ultra-light plane crashed into water, cleaning

Site: The Corporation of the City of Barrie

Lakeshore Drive Barrie ON

Database: SPL

Database:

Order No: 20200504087

Ref No: 0558-8W6PLR Discharger Report:

Site No: Material Group: Incident Dt: 13-JUL-12 Health/Env Conseq:

Client Type: Year: Incident Cause: Sector Type: Incident Event: Agency Involved:

Contaminant Code: Nearest Watercourse: 15

Contaminant Name: OIL (PETROLEUM BASED, NOT SPECIFIED) Site Address: Lakeshore Drive

Contaminant Limit 1: Site District Office: Contam Limit Freg 1: Site Postal Code: Contaminant UN No 1: Site Region: Confirmed

Site Municipality: Barrie Environment Impact:

Nature of Impact: Surface Water Pollution Site Lot: Receiving Medium: Sewage - Municipal/Private and Commercial Site Conc: Receiving Env: Northing:

MOE Response: No Field Response Easting:

Dt MOE Arvl on Scn: Site Geo Ref Accu: MOE Reported Dt: 13-JUL-12 Site Map Datum:

Dt Document Closed: 31-JUL-12 Watercourse Spills SAC Action Class:

Incident Reason: Source Type:

Site Name: Barrie Marina<UNOFFICIAL>

Site County/District: Site Geo Ref Meth:

Ref No:

Incident Summary: Barrie Marina: 5 L oil in water, cleaning w pads

Contaminant Qty:

Site: The Corporation of the City of Barrie

Lakeshore Dr. Barrie ON

Discharger Report: 4557-8BBTDW

Material Group: Site No: Health/Env Conseq: Incident Dt: Year: Client Type:

Sector Type: Incident Cause: Discharge Or Bypass To A Watercourse Unknown

Incident Event: Agency Involved: Contaminant Code:

Nearest Watercourse: Contaminant Name: **OIL ADDITIVES** Site Address:

Contaminant Limit 1: Site District Office: Contam Limit Freq 1: Site Postal Code: Contaminant UN No 1: Site Region: Environment Impact: Confirmed Site Municipality: Surface Water Pollution Site Lot:

Nature of Impact: Receiving Medium: Site Conc: Receiving Env: Northing:

MOE Response: No Field Response Easting:

Dt MOE Arvl on Scn: Site Geo Ref Accu: MOE Reported Dt: 11/18/2010 Site Map Datum:

Dt Document Closed: 11/30/2010 SAC Action Class: Watercourse Spills

Incident Reason: Unknown - Reason not determined Source Type: Hotchkiss Creek<UNOFFICIAL> Site Name:

Site Geo Ref Meth: Incident Summary: Spill on oily sub to Hotchkiss Ck. Barrie

Contaminant Qty: 0 other - see incident description

Site County/District:

Site: Database: SPL

Dunlop St., Bayfield St., and Lakeshore Drive Barrie ON

Ref No: 4030-99ENBC Discharger Report: Material Group: Site No:

Incident Dt: 2013/07/07 Health/Env Conseq: Year:

Client Type: Sector Type: Incident Cause: Operator/Human error

Unknown / N/A Incident Event: Agency Involved:

Nearest Watercourse: Contaminant Code:

VEGETABLE OIL Dunlop St., Bayfield St., and Lakeshore Drive Contaminant Name: Site Address:

Watercourse Spills

Contaminant Limit 1: Site District Office: Contam Limit Freq 1: Site Postal Code: Contaminant UN No 1: Site Region:

Barrie Environment Impact: Possible Site Municipality:

Soil Contamination; Surface Water Pollution Nature of Impact: Site Lot: Receiving Medium: Site Conc:

Receiving Env: Northing: MOE Response: No Field Response Easting:

Dt MOE Arvl on Scn: Site Geo Ref Accu:

2013/07/08 **MOE** Reported Dt: Site Map Datum: Dt Document Closed: 2013/07/20 SAC Action Class:

Incident Reason: Operator/Human Error Source Type:

Site Name: Fred Grant Square<UNOFFICIAL>

Site County/District: Site Geo Ref Meth:

Incident Summary: Barrie - grease to multiple c/b, cleaning 0 other - see incident description Contaminant Qty:

Site: Philip Emergency Response Services Division of Philip Services Inc. Database: BAYFIELD STREET<UNOFFICIAL> Barrie ON

Ref No: 6554-5QELXZ Discharger Report:

Miscellaneous Site No: Material Group:

Incident Dt: 8/14/2003 Health/Env Conseq:

Year: Client Type: Tank (Above Ground) Leak Incident Cause: Sector Type:

Incident Event: Agency Involved: Contaminant Code: Nearest Watercourse:

Contaminant Name: ORGANIC MATERIAL Site Address:

Contaminant Limit 1: Site District Office: Barrie Contam Limit Freq 1: Site Postal Code:

Contaminant UN No 1: Site Region: Southwestern **Environment Impact:** Possible Site Municipality: Barrie

Other Impact(s) Nature of Impact: Site Lot: Receiving Medium: Land Site Conc: Receiving Env: Northing: MOE Response: Easting:

Dt MOE Arvl on Scn: Site Geo Ref Accu: MOE Reported Dt: 8/14/2003 Site Map Datum:

SAC Action Class: Spill to Land Dt Document Closed:

Equipment Failure - Malfunction of system Incident Reason: Source Type: components

BAYFIELD STREET<UNOFFICIAL> Site Name:

Site County/District: Site Geo Ref Meth:

Incident Summary: Barrie: 50L Class 270H spill to grnd, cleaning

50 L Contaminant Qty:

292

Site: Database: ALONG OWEN ST. MOTOR VEHICLE (CARGO) BARRIE CITY ON SPL

Ref No: 174667 Discharger Report: Material Group: Site No:

Incident Dt: 11/9/1999 Health/Env Conseq: Year: Client Type:

Incident Cause: OTHER CONTAINER LEAK Sector Type:
Incident Event: Agency Involved:

Contaminant Code:

Contaminant Name:

Contaminant Limit 1:

Contam Limit Freq 1:

Signey involved:

Nearest Watercourse:

Site Address:

Site District Office:

Site Postal Code:

Contaminant UN No 1: Site Region:
Environment Impact: POSSIBLE Site Municipality:

Nature of Impact:Water course or lakeSite Lot:Receiving Medium:LAND / WATERSite Conc:

Receiving Moting: LAND / WATER Site Config:

Receiving Environ:

Northing:

Faction:

OTHER

MOE Response:Easting:BARRIE PUCDt MOE Arvl on Scn:Site Geo Ref Accu:

MOE Reported Dt: 11/9/1999 Site Map Datum:
Dt Document Closed: SAC Action Class:

Incident Reason: Site Name:

Site County/District: Site Geo Ref Meth:

Incident Summary: BARRIE PUC - UNKNOWN OIL-LIKE LIQUID TO ROAD &SEWER FROM GARBAGE TRUCK.

Contaminant Qty:

Site: The Corporation of the City of Barrie Owen St West of Collier Barrie ON SPL

Source Type:

70101

Order No: 20200504087

Ref No:4615-8Z6JL5Discharger Report:Site No:Material Group:

Incident Dt: 17-OCT-12 Health/Env Conseq:

Year: Reality Ethy Conseq.

Incident Cause: Sector Type: Motor Vehicle

Incident Event: Agency Involved:
Contaminant Codo: 12 Negrost Watercourse

Contaminant Code: 12 Nearest Watercourse:

Contaminant Name: GASOLINE Site Address: Owen St West of Collier

Contaminant Limit 1:Site District Office:Contam Limit Freq 1:Site Postal Code:Contaminant UN No 1:Site Region:

Environment Impact: Not Anticipated Site Municipality: Barrie

Nature of Impact:Surface Water PollutionSite Lot:Receiving Medium:Site Conc:Receiving Env:Northing:

Receiving Env:

MOE Response:

No Further Response (PR-PIR Table A)

Northing:

Easting:

Dt MOE Arvl on Scn:Site Geo Ref Accu:MOE Reported Dt:17-OCT-12Site Map Datum:

Dt Document Closed: 25-OCT-12 SAC Action Class: Land Spills

Incident Reason: Source Type:

Site Name: CB's on street<UNOFFICIAL>

Site County/District: Site Geo Ref Meth:

Incident Summary: Barrie: Car Operating Fuels to grnd, clng
Contaminant Qty: 10 other - see incident description

Site:

| Iot 64 | BARRIE ON | Database: WWIS

Well ID: 5740236 Data Entry Status:

Construction Date: Data Src:

Primary Water Use: Not Used Date Received: 10/24/2005

 Sec. Water Use:
 Selected Flag:
 Yes

 Final Well Status:
 Observation Wells
 Abandonment Rec:

 Water Type:
 Contractor:
 7201

Water Type: Contractor: 72
Casing Material: Form Version: 3

Audit No: Z32649 Owner:

Tag: A024832 Street Name: CLAPPERTON/COLLIER PARKING LOT

Construction Method: County: SIMCOE

Elevation (m): Municipality: ESSA TOWNSHIP

Elevation Reliability: Site Info: PARTS LOTS 64,65,66 PLAN 2

Depth to Bedrock: Lot: 064

Elevation:

Elevrc:

East83:

North83:

Org CS:

UTMRC:

UTMRC Desc:

Location Method:

na

Order No: 20200504087

Zone:

Well Depth: Concession:
Overburden/Bedrock: Concession Name:
Pump Rate: Easting NAD83:

Pump Rate:Easting NAD83:Static Water Level:Northing NAD83:Flowing (Y/N):Zone:Flow Rate:UTM Reliability:Clear/Cloudy:

Bore Hole Information

Bore Hole ID: 11325732

DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Overburden

Open Hole:
Cluster Kind:
Pate Completed: 0/23/2005

Date Completed: 9/23/2005
Remarks:
Elevrc Desc:
Location Source Date:

Improvement Location Source: Improvement Location Method: Source Revision Comment:

Supplier Comment:

Overburden and Bedrock

Materials Interval

Formation ID: 933030150

 Layer:
 1

 Color:
 6

 General Color:
 BROWN

 Mat1:
 06

 Most Common Material:
 SILT

 Mat2:
 28

 Other Materials:
 SAND

 Mat3:
 11

Other Materials: GRAVEL
Formation Top Depth: 0
Formation End Depth: 44
Formation End Depth UOM: ft

Annular Space/Abandonment

Sealing Record

 Plug ID:
 933279643

 Layer:
 2

 Plug From:
 10.4

 Plug To:
 44

 Plug Depth UOM:
 ft

Annular Space/Abandonment

Sealing Record

 Plug ID:
 933279644

 Layer:
 1

 Plug From:
 0

 Plug To:
 10.4

 Plug Depth UOM:
 ft

Method of Construction & Well

<u>Use</u>

Method Construction ID:Method Construction Code:6Method Construction:Boring

Other Method Construction:

Pipe Information

 Pipe ID:
 11340587

 Casing No:
 1

Comment: Alt Name:

Construction Record - Casing

 Casing ID:
 930869885

 Layer:
 1

 Material:
 5

 Open Hole or Material:
 PLASTIC

 Depth From:
 0

 Depth To:
 34

 Casing Diameter:

Casing Diameter:
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 933415237

 Layer:
 1

 Slot:
 10

 Screen Top Depth:
 34

 Screen End Depth:
 44

 Screen Material:
 5

 Screen Depth UOM:
 ft

 Screen Diameter UOM:
 inch

Screen Diameter:

Hole Diameter

 Hole ID:
 11546199

 Diameter:
 8

 Depth From:
 0

 Depth To:
 44

 Hole Depth UOM:
 ft

 Hole Diameter UOM:
 inch

Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.

Abandoned Aggregate Inventory:

Provincial

AAGR

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002*

Aggregate Inventory:

Provincial AGR

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

Government Publication Date: Up to Sep 2019

Abandoned Mine Information System:

Provincial

AMIS

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Oct 2018

Anderson's Waste Disposal Sites:

Private

ANDR

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Aboveground Storage Tanks:

Provincial

AST

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Government Publication Date: May 31, 2014

Automobile Wrecking & Supplies:

Private

AUWR

Order No: 20200504087

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Jan 31, 2020

Borehole: Provincial BORE

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

Certificates of Approval:

Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Dry Cleaning Facilities: Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Government Publication Date: Jan 2004-Dec 2017

Commercial Fuel Oil Tanks:

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2017

<u>Chemical Register:</u> Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2020

Compressed Natural Gas Stations:

Private CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 - Feb 2020

Inventory of Coal Gasification Plants and Coal Tar Sites:

Provincial COAL

Order No: 20200504087

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions: Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Nov 2019

Certificates of Property Use:

Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994-Mar 31, 2020

<u>Drill Hole Database:</u>

Provincial DRL

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Sep 2019

Environmental Activity and Sector Registry:

Provincial

EASR

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

Government Publication Date: Oct 2011-Mar 31, 2020

Environmental Registry:

Provincial EBR

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994-Mar 31, 2020

Environmental Compliance Approval:

Provincial FCA

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011-Mar 31, 2020

Environmental Effects Monitoring:

Federal

EEM

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007*

ERIS Historical Searches: Private EHS

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Jan 31, 2020

Environmental Issues Inventory System:

Federal

FIIS

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event:

Provincial

EMHE

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Dec 31, 2016

Environmental Penalty Annual Report:

Provincial

EPAR

Order No: 20200504087

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2019

List of Expired Fuels Safety Facilities:

Provincial EXP inventory of expired tanks/tank facilit

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2017

Federal Convictions: Federal FCON

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007

Contaminated Sites on Federal Land:

Federal

FCS

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Nov 2019

Federal Identification Registry for Storage Tank Systems (FIRSTS):

Federal FED TANKS

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: May 31, 2018

Fisheries & Oceans Fuel Tanks:

Federal

FOFT

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2019

Fuel Storage Tank:

Provincial FST

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2017

Fuel Storage Tank - Historic:

Provincial

FSTH

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:

Provincial

GEN

Order No: 20200504087

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Jan 31, 2020

Greenhouse Gas Emissions from Large Facilities:

Federal

GHG

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO2 eq).

Government Publication Date: 2013-Dec 2017

TSSA Historic Incidents:

Provincial HINC

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks:

Federal

IAFT

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

Fuel Oil Spills and Leaks:

Provincial INC

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing in a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2017

Landfill Inventory Management Ontario:

Provincial

LIMO

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the ministry compiles new and updated information. The inventory will include small and large landfills. Additionally, each year the ministry will request operators of the larger landfills complete a landfill data collection form that will be used to update LIMO and will include the following information from the previous operating year. This will include additional information such as estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills will include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Feb 28, 2019

<u>Canadian Mine Locations:</u> Private MINE

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences:

Provincial MNR

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Jan 2020

National Analysis of Trends in Emergencies System (NATES):

Federal

NATE

Order No: 20200504087

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports:

Provincial NCPL

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2018

National Defense & Canadian Forces Fuel Tanks:

Federal

NDFT

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills:

Federal

NDSP

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Apr 2018

National Defence & Canadian Forces Waste Disposal Sites:

Federal

NDWD

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents:

Federal

NEBI

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Dec 31, 2019

National Energy Board Wells:

Federal

NEBP

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES):

Federal

NEES

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets 'or Trends 'which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003*

National PCB Inventory:

Federal

NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008*

National Pollutant Release Inventory:

Federal

NPRI

Order No: 20200504087

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

Government Publication Date: 1993-May 2017

Oil and Gas Wells:

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-Feb 29, 2020

Ontario Oil and Gas Wells:

Provincial OOGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Government Publication Date: 1800-Jun 2019

Inventory of PCB Storage Sites:

Provincial OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

Orders:

Provincial ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994-Mar 31, 2020

<u>Canadian Pulp and Paper:</u> Private PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks:

Federal PCFT

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005*

Pesticide Register: Provincial PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: 1988 - Mar 2020

Provincial PINC Provincial PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing in an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2017

Private and Retail Fuel Storage Tanks:

Provincial

PRT

Order No: 20200504087

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Permit to Take Water:

Provincial PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994-Mar 31, 2020

Ontario Regulation 347 Waste Receivers Summary:

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system

Provincial

or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-2016

Provincial Record of Site Condition: **RSC**

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-Mar 2020

Private Retail Fuel Storage Tanks: **RST**

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Jan 31, 2020

Scott's Manufacturing Directory:

Private

SCT

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills: Provincial SPL

This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

Government Publication Date: 1988-Aug 2019

Wastewater Discharger Registration Database:

Provincial

SRDS

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

Government Publication Date: 1990-Dec 31, 2017

Anderson's Storage Tanks: Private TANK

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks:

Federal

TCFT

Order No: 20200504087

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970-Aug 2018

Variances for Abandonment of Underground Storage Tanks:

Provincial

VAR

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2017

Waste Disposal Sites - MOE CA Inventory:

Provincial

WDS

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011-Mar 31, 2020

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial

WDSH

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System:

Provincial

WWIS

Order No: 20200504087

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Feb 28, 2019

Definitions

<u>Database Descriptions:</u> This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

<u>Detail Report</u>: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

<u>Distance:</u> The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

<u>Direction</u>: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

<u>Elevation:</u> The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

<u>Map Key:</u> The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.


The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

<u>Unplottables:</u> These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.

APPENDIX H

















12700- Keele Street King City, ON. L7B 1H5 Phone# 905 833 1582, Fax# 905 833 5360

North:



Legend:


Approximate Property Boundary





W 18 C 2 N. 20 WHILE PAR W.

we Dr.



Dunlop St. E. Grant Squar

Source: Country of Simcoe Interactive Map

Project Title:

Phase One Environmental Site Assessment

Site Location:

79 Collier Street, Barrie, ON

Figure Title:

Aerial Photo - 1997

Scale: N.T.S. Project Number: SP20-666-00

Date:

Appendix E:

August 2020





Country of Simcoe Interactive Map












Legend:

Approximate Property Boundary















Project Title:

Phase One Environmental Site Assessment

Site Location:

79 Collier Street, Barrie, ON

Figure Title:


Aerial Photo - 2012

| Scale: | Project Number: | | |
|-------------|-----------------|--|--|
| N.T.S. | SP20-666-00 | | |
| Date: | Appendix E: | | |
| August 2020 | 8 | | |




APPENDIX I








ZONING BY-LAW 2009-141 NORTH SECTION Office Consolidation





GIS Branch 2/12/2018















Ontario Ministry of Natural Resources and Forestry
Make-a-Map: Natural Heritage Areas

79 Collier St, Barrie, ON

Notes: Enter map notes

Map created: 6/30/2020



This map should not be relied on as a precise indicator of routes or locations, nor as a guide to navigation. The Ontario Ministry of Natural Resources and Forestry(OMNRF) shall not be liable in any way for the use of, or reliance upon, this map or any information on this map.

© Copyright for Ontario Parcel data is held by Queen's Printer for Ontario and its licensors [2020] and may not be reproduced without permission. THIS IS NOT A PLAN OF SURVEY.

Kilometers


This map may not display all features listed in the legend because the feature layer was not turned on at the time the map was made; the features do not exist in the geographic range; or features have not been mapped. Absence of a feature in the map does not mean they do not exist in this area.

Imagery Copyright Notices: DRAPE © Aéro-Photo (1961) Inc., 2008 - 2009 GTA 2005 / SWOOP 2006 / Simcoe-Muskoka-Dufferin © FirstBase Solutions, 2005 / 2006 / 2008 © Queen's Printer for Ontario, 2020



79 Collier St, Barrie, ON

Notes:



Legend Building as Symbol Building to Scale X Airport Heliport \ Hospital Heliport ¥ ¥ Seaplane Base Ferry Route 一桌— Railway with Bridge Railway with Tunnel Road (Major - Minor) --- Winter Road Road with Bridge Road with Tunnel Primary, Kings or 400 Series Highway 524 Secondary Highway 801 Tertiary Highway District, County, Regional or Municipal Road 407 Toll Highway Road with Address Ranges Hydro Line, Communication Line or Unknown Transmission Line Natural Gas Pipeline, Water Pipeline or Unknown Pipeline Spot Height Index Contour Contour Wooded Area

Q

The Ontario Ministry of Natural Resources and Forestry shall not be liable in any way for the use of, or reliance upon, this map or any information on this map. This map should not be used for: navigation, a plan of survey, routes, nor locations.

0.3 km

Imagery Copyright Notices: Ontario Ministry of Natural Resources and Forestry; NASA Landsat Program; First Base Solutions Inc.; Aéro-Photo (1961) Inc.; DigitalGlobe Inc.; U.S. Geological Survey.

© Copyright for Ontario Parcel data is held by Queen's Printer for Ontario and its licensors and may not be reproduced without permission.


Projection: Web Mercator



Waterbody
Waterbody Elevation

Falls Rapids Rapids \ Falls Rapids Rocks Lock Gate Dam \ Hydro Wal Dam \ Hvdro Wall Provincial \ State Boundary International Boundary Upper Tier \ District Municipal Boundary Lower Tier \ Single Tier Municipal Boundary Lot Line Indian Reserve Provincial Park National Park Conservation Reserve Military Lands

© Queen's Printer for Ontario, 2015



APPENDIX J





Phase One Environmental Site Assessment Interview Questionnaire

Address of Phase One Property: 79 Collier Street, Barrie, Ontario

Date of Interview Completion: June 8th, 2020

Interviewee Information:

- Full name? employer, your position or title, and how long have you been employed with them?
 KRYSTINA CHANG, DEVELOPMENT MANAGER 2.75 YEARS
- 2. Relation to the subject property, and how many years have you been involved with the property?
 - DEVELOPMENT MANAGER OF THE SITE, I HAVE BEEN INVOLVED WITH THIS PROPERTY SINCE VITMONT HOLDINGS (BARRIE) INC. HAD ACQUIRED IT.
- 3. Are you aware of any individuals who may have additional knowledge of current or past activities at the property? **YES**

Property Owner Information:

- 4. Name of Property Owner: VITMONT HOLDINGS (BARRIE) INC.
- 5. Date of Ownership: APRIL 20, 2020

Current and Past Site Activities

- 6. What are the current site activities?
 - NONE
- 7. Has the site ever been used for:
 - a. Industrial operations (list any if known) PARKING LOT
 - b. On-site dry cleaning
 - c. Fuel distribution or storage
 - d. Vehicle servicing and/or maintenance

Items of Potential Environmental Concern

If the answer to any of the questions in the section is "yes", please provide details.

General

- 8. Do site operations involve the storage and/or use of environmentally sensitive or hazardous products, such as paints, chemicals, fuels, oils and lubricants? **NO**
- 9. Are herbicides, pesticides, or other agricultural chemicals being used on the property? NO
- 10. Are there any underground structures, such as in-ground hoists, pits, storage tanks, or oil/water separators located on the property? **NO**
- 11. Are you aware of any wells located on the property? NO

Tanks

- 12. Are you aware of any existing or previous underground (buried) or aboveground tanks on the property? **NO**
- 13. Are you aware of any leaks or spills associated with any existing or previous tanks on the property? **NO**
- 14. Is there any documentation on file regarding removal of underground or aboveground tanks and/or related soil and ground water remediation at the property? **NO**

Polychlorinated Biphenyls (PCBs)

- 15. Are you aware of any PCB-containing electrical equipment on the property such as electrical transformers, large capacitors and electric motors manufactured prior to 1980? **NO**
- 16. Is the site a registered PCB storage facility? NO
- 17. Are you aware of any previous PCB leaks, spills or contamination on the property? NO
- 18. Have there been any previous PCB surveys or removal of PCB-containing materials? NO

Waste Generation and Emissions

- 19. Is the site registered as a waste generator with the Ministry of the Environment (registered on HWIN)? **NO**
- 20. Is any waste water produced at the site? If yes, please answer the following:
 - e. Is analytical testing of waste water carried out? NO

- f. Are you aware of any sewer-use by-law infractions? **NO**
- g. Is there a surcharge agreement for discharge to the sewers? NO

Fill Materials

21. Provide information regarding fill materials (source, volume, date of import, reports, fill quality, etc.) placed on the Property based on your knowledge.

PLEASE FIND ATTACHED GEOTECHNICAL REPORT WITHIN THE E-MAIL

Environmental Reports, Remediation and Public Agencies

22. Have any previous environmental assessments or studies been completed for the property with respect to soil, ground water, air quality, site facilities or processes?

YES, PHASE 1 & 2 (SEE ATTACHED)

23. Has any soil or ground water remediation been completed at the property?

NO

- 24. Has any public agency (e.g., the Ministry of the Environment, local municipality, etc.) ever investigated or cited the property for violation or possible violation of any environmental law, or commenced enforcement or cleanup action under environmental law with respect to the property? **NO**
- 25. Has any public agency ever listed the property as a site requiring or qualifying for cleanup under environmental law? **NO**

Would you need a further information, please do not hesitate to call our office.

Alice Gong

From: Public Information Services <publicinformationservices@tssa.org>

Sent: August 4, 2020 10:20 AM

To: Alice Gong

Subject: RE: Storage Tank Information Request

Hello,

Thank you for your request for confirmation of public information.

We confirm that there are no records in our database of any fuel storage tanks at the subject addresses.

For a further search in our archives please complete our release of public information form found at https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?mid=392 and email the completed form to publicinformationservices@tssa.org or through mail along with a fee of \$56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard) or with a Cheque made payable to TSSA.

Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.



Sherees Thompson | Public Information Agent

Facilities
345 Carlingview Drive
Toronto, Ontario M9W 6N9
Tel: +1-416-734-3363 | Fax: +1-416-231-6183 | E-Mail: sthompson@tssa.org



www.tssa.org







From: Alice Gong <alice@sirati.ca>
Sent: August 3, 2020 4:59 PM

To: Public Information Services <publicinformationservices@tssa.org>

Subject: Storage Tank Information Request

[CAUTION]: This email originated outside the organisation.

Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Dear Sir/Madam,

Could you please check the following addresses for any underground storage tanks?

- 79 Collier Street, Barrie, ON
- 69 Collier Street, Barrie, ON
- 57 Collier Street, Barrie, ON

- 70 Collier Street, Barrie, ON
- 90 Collier Street, Barrie, ON
- 36 Mulcaster Street, Barrie, ON
- 37 Mulcaster Street, Barrie, ON
- 128 Dunlop St E, Barrie, ON

Thank you!

Alice Gong, B.Sc.

Junior Environmental Technician



Geotechnical Hydrogeological & Environmental Solutions

C: 289 887 7426

T: 905 833 1582 X 239

F: 905 833 5360 **E**: alice@sirati.ca

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.



Freedom of Information Request

This form is for requesting documents which are in the Ministry's files on environmental concerns related to properties. Please refer to the guide on the completion and use of this form. Our fax no. is (416) 314-4285.

| Requester Data | | For Ministry Use Only | | | | | |
|--|---|------------------------|----------------|--------|-----------|----------------|-------------------|
| Name, Title, Company Name and Mailing Address of Requester | | | FOI Request No |). | 1 | Date Request I | Received |
| Alice Gong | | | | | | | |
| Sirati & Partners Consultar 12700 Keele street King City, ON. L7B 1H5 Email Address: alice@sirati.ca | nts Limited | | Fee Paid | □ CHQ | Х | VISA-MC | □ CASH |
| Telephone/Fax Nos. | Your Project/Reference No. | Signature of Requester | □ CNR □ | ER 🗆 l | NOP | □SWR | □ WCR |
| Tel: (905) 833 1582 Fax:(905) 833 5360 | SP20-666-00 | Alice July 07, 2020 | | | EAA | | □ SWA |
| Request Parameters | | | | | | | |
| Municipal Address / Lot, Concession, Ge | ographic Township (Municipa | | | i) | | | |
| 79 Collier St, Barrie, ON | | | | | | | |
| Present Property Owner(s) and Date(s) of | of Ownership | | | | | | |
| Vitmont Holdings (Barrie) I | nc. From 202 | 0/04/20 | | | | | |
| | Previous Property Owner(s) and Date(s) of Ownership | | | | | | |
| The Corporation of the City of Barrie From 1991/10/30 Present/Previous Tenant(s), (if applicable) | | | | | | | |
| Fresent/Frevious renant(s), (ii applicable | =) | | | | | | |
| Search Parameters Files older than 2 years may require \$60.00 retrieval cost. There is no guarantee that records responsive to your request will be located. Specify Year(s) Requested | | | | | | | |
| Environmental concerns (General correspondence, occurrence reports, abatement) All Years | | | | | | S | |
| Orders | | | | | | All Years | |
| Spills | | | | | | All Years | |
| Investigations/prosecutions Owner AND tenant information must be provided | | | | | All Years | | |
| Waste Generator number/classes | | | | | All Years | | |
| Certificates of Approval ➤ Proponent information must be provided 1985 and prior records are searched manually. Search fees in excess of \$300.00 could be incurred, depending on the types and years to be searched. Specify Certificates of Approval number (s) (if known). If supporting documents are also required, mark SD box and specify type e.g. maps, plans, reports, etc. | | | | | | | |
| | | | | | SD | Specify | Year(s) Requested |
| air - emissions | | | | | | present | |
| Water - mains, treatment, ground level, standpipes & elevated storage, pumping stations (local & booster) | | | | | | present | |
| SeWage - sanitary, storm, treatment, stormwater, leachate & leachate treatment & sewage pump stations | | | | | oresent | | |
| waste water - industrial discharge | | | | | oresent | | |
| Waste sites - disposal, landfill sites, transfer stations, processing sites, incinerator sites | | | | | present | | |
| waste systems - PCB destruction, mobile waste processing units, haulers, sewage, non-hazardous & 1986- present hazardous waste | | | | | present | | |
| pesticides - licenses | | | | | | 1986- p | oresent |

A \$5.00 non-refundable application fee, payable to the Minister of Finance, is mandatory. The cost of locating on-site and/or preparing any record is \$30.00/hour and 20 cents/page for photocopying and you will be contacted for approval for fees in excess of \$30.00.

0026 (03/00) Page 1 of 1

APPENDIX K



TABLE OF CURRENT AND PAST USES OF THE PHASE ONE PROPERTY

(Refer to clause 16(2)(b), Schedule D, O. Reg. 153/04)

79 Collier Street, Barrie, ON

| Year | Name of Owner | Description Property Use ¹ of Property | | Other Observations from Aerial Photographs, Fire | | |
|---------------|--|---|--------------------------|---|--|--|
| | | Use | | Insurance Plans, Etc. | | |
| Prior to 1846 | Crown | Undeveloped | Agriculture or other use | No information available | | |
| 1846 to 1855 | Council of District of Simcoe | Undeveloped | Agriculture or other use | No information available | | |
| 1855 to 1888 | Corporation of the Town of Barrie (Formerly Municipality of Barrie Trustees) | Commercial | Commercial Use | From 1880 Historical Map, the Site is located in the developed area of Barrie. | | |
| 1888 to 1981 | Her Majesty The Queen | Commercial | Commercial Use | From Fire Insurance Plan dated in 1907, two (2) adjacent buildings containing the Fire Station, Police Court and Council Chamber were located on the northwest portion of the Site. | | |

| 1981 to 1981 | The Corporation of the City of Barrie | Commercial | Commercial Use | No information available |
|-----------------|---|------------|----------------|--|
| 1981 to 1991 | The Manufacturer's Life Insurance Company | Commercial | Commercial Use | From 1989 Aerial Photo, the site is developed and used as a parking lot. |
| 1991 to 2015 | The Corporation of the City of Barrie | Commercial | Commercial Use | From 1995 Aerial Photo, the Site is developed and used as a parking lot. |
| 2015 to 2020 | PACC Mulcaster Corporation | Commercial | Commercial Use | From 2018 Aerial Photo, the Site is developed and used as a parking lot. |
| 2020 to Present | Vitmont Holdings (Barrie) | Commercial | Commercial Use | From the site visit, the Site is developed and used as a parking lot. |

Notes:

1 - for each owner, specify one of the following types of property use (as defined in O. Reg. 153/04) that applies:

Agriculture or other use

Commercial use

Community use

Industrial use

Institutional use Parkland use Residential use

2 - when submitting a record of site condition for filing, a copy of this table must be attached

^{**}Cette publication hautement spécialisée n'est disponible qu'en anglais en vertu du règlement 671/92, qui en exempte l'application de la Loisur les services en français. Pour obtenir de l'aide en français, veuillez communiquer avec le ministère matière de changement climatique de l'Environnement et de l'Action en au 1-800-461-629